




Difference Engine

Easily visualize and interact with change trends in
your BIM Model over time.





???

INFORMATION

Basic Wall [187445]

Changes between versions 4 & 5

Heat Transfer Coefficient (U) by

0.000 lev / (hour °C/m²)

Thermal mass by

3.310 btu/m²°F

Thermal Resistance (R) by

3.737 hour °F / (btu)

Show in model

Version 4

Version 5

CHANGES

0 Added

0 Removed

16 Modified

Disciplines affected

Modification type

A

Flat Result List

Result as Tree

2250 Fixed [226701]

2250 Fixed [226730]

2250 Fixed [226881]

2250 Fixed [436269]

2250 Fixed [436316]

2250 Fixed [436363]

2250 Fixed [436405]

2250 Fixed [436502]

2250 Fixed [462285]

Basic Wall [184526]


Basic Wall [185248]


Basic Wall [185715]


Basic Wall [187445]





Basic Wall [205797]

Basic Wall [210920]










COLOR	INFORMATION
	DELETED
	PARAMETER UPDATE
	MOVED
	ADDED

Categories



Categories



Start Period

End Period




ETABS®








VECTORWORKS®



Tekla®









Difference Engine Team

- Agustina Aboy
- Ben Ferrer
- Christopher Diggins
- Matt Shelp
- Nick Bowker
- Nick Mundell
- Sophie Moore



Repositories / Open Source Code:

<https://github.com/vimaec/difference-engine/>

<https://github.com/sophXmoore1/compute.rhino3d.appserver-1/tree/main>