

Java Batch Weak-5 Assignment

Vimal kumar

Q.No 1:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>TextFormating Tag</title>
</head>
<body>

  <h4><b>Book details:-</b></h4>
  <p><i>Applied Physics</i></p>
  <p><b><em>TMH publication</em></b></p>
  <p><strong>Dr. A.P.J. Kalam</strong></p>
  <p><u>ISBN SCI119092</u></p>

</body>
</html>
```

Q.No 2:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Document</title>
  <style>
    /* external css */
    body{
      border: 1px;
      padding: 20px;
      margin-right: 350px;
      margin-left: 350px;
    }
    .resume_contain{
      background-color: #ece9e5;
      padding: 20px;
      border: 2px solid black;
    }
    .resume_header{
      margin-top: 30px;
    }
  </style>

```

```

    }
    h2{
        text-align: center;
        margin-bottom: 30px;
    }
    pre{
        font-size: 15px;
        font-family: message-box;
    }
    .table_conatain table{
        padding: 30px;
        border: 2px;
    }
    .table_conatain th{
        text-align: center;
        padding: 10px;
        border: 1px solid black;
    }
    .table_conatain td{
        text-align: center;
        padding: 10px;
        border: 1px;
        border-top: 2px;
        color: color;
        border: 1px solid black;
    }
}
</style>
<!-- And css -->
</head>
<body>
    <!-- start resume contain -->
    <div class="resume_contain">
        <div class="resume_header">
            <h2>Resume</h2>
            <pre>Name:Tosif Mansuri</pre>
            <pre>Address:Ujjain M.P</pre>
            <pre>Phone no:975513848</pre>
            <pre>email:tosifmansuri2045@gmail.com</pre>
        </div>
        <h3>Educational qualification:-</h3>
        <div class = "table_conatain">
            <!-- table start -->
            <table>
                <tr>
                    <th>Qualification</th>
                    <th>Institute</th>
                    <th>Percentages</th>
                    <th>Grade</th>

```

```

        </tr>

        <tr>
            <td>B-tech</td>
            <td>Mahakal Institute of Technology</td>
            <td>76%</td>
            <td>A+</td>
        </tr>

        <tr>
            <td>Pollytechnich Diploma</td>
            <td>Ujjain Govt:Pollytechnich collage ujjain</td>
            <td>72%</td>
            <td>A+</td>
        </tr>

        <tr>
            <td>10th</td>
            <td>St Umar higher sec school </td>
            <td>70%</td>
            <td>A</td>
        </tr>
    </table>
</div>
<!-- table end -->
<div class="Skill_data">
    <h3>Personal information:-</h3>

    <ul>
        <li>Date of birth:-07/11/1998</li>
        <li>Nationality:-Indian</li>
        <li>C++</li>
        <li>Gender:-Male</li>
    </ul>
</div>

<div class="Skill_data">
    <h3>Skill Set:-</h3>

    <ul>
        <li>java</li>
        <li>mysql</li>
        <li>C++</li>
        <li>java script</li>
        <li>Html5,css,Bootstrap</li>
    </ul>
</div>
</div>

```

```
    <!-- And code -->
</body>
</html>
```

Q.No 3:-

```
<!DOCTYPE html>
<html lang="en">
<head></head>
  <title>Dietchart</title>
  <style>
    .dit_contain{
      padding: 10px;
    }
    table {
      border: 1px solid black;
      padding: 10px;
    }
    table th{
      text-align: center;
      background-color: #002060;
      padding: 10px;
      color:#fff;
    }
    table td{
      text-align: center;
      border: 1px solid black;
      padding: 10px;
      border-bottom: none;
    }
  </style>
</head>
<body>
  <div class="dit_contain">
    <h4>Create following table showing diet chart</h4>
    <table>
      <tr>
        <th>Diet</th>
        <th>Main Nutrients</th>
        <th>Quantity/day</th>
      </tr>
      <tr>
        <td>Apple</td>
```

```

        <td rowspan="2">Vitamin A</td>
        <td rowspan="2">unit 1</td>
    </tr>
    <tr>
        <td>Beet Root</td>
    </tr>
    <tr>
        <td>kiwi</td>
        <td>vitamin c</td>
        <td rowspan="2">2 units</td>
    </tr>

    <tr>
        <td>egg</td>
        <td rowspan="3">protens</td>

    </tr>
    <tr>
        <td>Dry Fruit</td>
        <td>100gms</td>
    </tr>
    <tr>
        <td>Split Mung Gram</td>
        <td>50 gms</td>
    </tr>
    <tr>
        <td>Bajra Roti</td>
        <td rowspan="2">Carbohydrates</td>
        <td>1 unit</td>
    </tr>
    <tr>
        <td>Rice</td>
        <td>200gms</td>
    </tr>
    <tr>
        <td colspan="3">This is everyday diet and should be consumed
in given quantity only</td>
    </tr>
</table>
</body>
</html>

```

Q.No 4:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <style>
    body{
      padding: 20px;
      background-color: bisque;
    }
  </style>
  <title>List</title>
</head>
<body>
  <div class ="List_contain">
    <h3>Display following subject list</h3>
    <p>1.Language</p>
    <ol type = "a">
      <li>Marathi</li>
      <li>Hindi</li>
      <li>English</li>
    </ol>

    <p>2.Mathematics</p>
    <ol type = "a">
      <li>Algebra</li>
      <li>Geometry</li>
    </ol>

    <p>3.Science</p>
    <ol type = "a">
      <li>Physics</li>
      <li>Chemistry</li>
      <li>Biology</li>
    </ol>

    <p>4.Social Science</p>
    <ol type = "a">
      <li>History</li>
      <li>Civics</li>
      <li>Geography</li>
    </ol>
  </div>

</body>
</html>
```

Q.No 5:- create Mini website

Index page code:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>SuperMarket</title>
  <link rel="stylesheet" href="task.css"/>
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css"
>
</head>
<body>
  <div class="head_sec">
    <div class="head_detail">
      <p><i>Daily shoping Super Market</i><p>
      <!-- -->
    </div>
  </div>
  <div class="nav_bar">
    <ul>
      <li><a href="index.html">Home</a></li>
      <li><a href="Product.html">Product</a></li>
      <li><a href="Review.html">Reviews</a></li>
      <li><a href="contact.html">Contact</a></li>
    </ul>
  </div>
  <div class="grocery">
    <table>
      <tr>
        <th>Grocery Section:-</th>
      </tr>
      <tr>
        <th>product</th>
        <th>price</th>
        <th>product_Description</th>
        <th>product Image</th>
        <th>BookNow</th>
      </tr>
    </table>
  </div>
</body>
</html>
```

```

    </tr>
    <tr>
        <td>Soap</td>
        <td>15</td>
        <td>Best Category</td>
        <td></td>
        <td><button class="button">OrderNow</button></td>
    </tr>

    <tr>
        <td>Facewash</td>
        <td>40</td>
        <td>Best For Daily use</td>
        <td></td>
        <td><button class="button">OrderNow</button></td>
    </tr>

    <tr>
        <td>Hair Oil</td>
        <td>50</td>
        <td>Good quality</td>
        <td></td>
        <td><button class="button">OrderNow</button></td>
    </tr>
</table>
</div>
<div class="bakery">
    <table>
        <tr>
            <th>Bakery Section:-</th>
        </tr>
        <tr>
            <th>product</th>
            <th>price</th>
            <th>product_Description</th>
            <th>product Image</th>
            <th>BookNow</th>
        </tr>
        <tr>
            <td>Biscuits</td>
            <td>15</td>
            <td>Best Category</td>
            <td></td>
            <td><button class="button">OrderNow</button></td>
        </tr>

        <tr>
            <td>Bread</td>

```



```

        <td>40</td>
        <td>Best For Daily use</td>
        <td></td>
        <td><button class="button">OrderNow</button></td>
    </tr>

    <tr>
        <td>Cake</td>
        <td>50</td>
        <td>Good quality</td>
        <td></td>
        <td><button class="button">OrderNow</button></td>
    </tr>
</table>
</div>
<div class="sanitary">
    <table>
        <tr>
            <th>Sanitary Section:-</th>
        </tr>
        <tr>
            <th>product</th>
            <th>price</th>
            <th>product_Description</th>
            <th>product Image</th>
            <th>BookNow</th>
        </tr>
        <tr>
            <td>pipe</td>
            <td>500</td>
            <td>Best Category</td>
            <td></td>
            <td><button class="button">OrderNow</button></td>
        </tr>

        <tr>
            <td>Brush</td>
            <td>40</td>
            <td>Best For Daily use</td>
            <td></td>
            <td><button class="button">OrderNow</button></td>
        </tr>

        <tr>
            <td>Acid</td>
            <td>50</td>
            <td>Good quality</td>
            <td></td>

```

```

        <td><button class="button">OrderNow</button></td>
    </tr>
</table>
</div>
<!--Footer-->
<footer class="footer">

    <div class="copy">&copy; 2022 Copyright.inc</div>
    <div class="head_sec">
        <div class="head_detail1">
            <!--- -->
        </div>
    </div>
    <div class="bottom-links">
        <div class="links">
            <span>More Info </span>
            <!--Linking Image-->
            <a href="index.html">Home</a>
            <a href="Product.html">Product</a>
            <a href="Review.html">Review</a>
            <a href="contact.html">ContactUs</a>
        </div>
        <div class="links">
            <span>Social Links</span>
            <a href=""><i class="fab fa-
facebook">www.tosifgroceries.com</i></a>
            <a href="#"><i class="fab fa-twitter">www.getgroceriescom</i></a>
            <a href="#"><i class="fab fa-
instagram">www.grocerydelivery.com</i></a>
        </div>
    </div>
</footer>
<!-- footer close -->
</body>
<!-- body close -->
</html>

```

Product Page Code:-

```

<!DOCTYPE html>
<html lang="en">
<head>
    <title>Product</title>
    <link rel ="stylesheet" href="task.css"/>

```

```

</head>
<body>
  <div class="head_sec">
    <div class="head_detail">
      <p><i>Daily shoping Super Market</i></p>
      <!-- -->
    </div>
  </div>
  <div class="nav_bar">
    <ul>
      <li><a href="index.html">Home</a></li>
      <li><a href="Product.html">Product</a></li>
      <li><a href="Review.html">Reviews</a></li>
      <li><a href="contact.html">Contact</a></li>
    </ul>
  </div>
  <div class="product_heading">
    <h2>Product Description</h2>
    <p><marquee>availaiaable all the necessary products</marquee></p>
  </div>
  <div class="grocery">
    <table>
      <tr>
        <th>Grocery Section:-</th>
      </tr>
      <tr>
        <th>product</th>
        <th>price</th>
        <th>product_Description</th>
        <th>product Image</th>
        <th>BookNow</th>
      </tr>
      <tr>
        <td>Soap</td>
        <td>15</td>
        <td>Best Category</td>
        <td></td>
        <td><button class="button">OrderNow</button></td>
      </tr>
      <tr>
        <td>Facewash</td>
        <td>40</td>
        <td>Best For Daily use</td>
        <td></td>
        <td><button class="button">OrderNow</button></td>
      </tr>
    </table>
  </div>

```

```

        <tr>
            <td>Hair Oil</td>
            <td>50</td>
            <td>Good quality</td>
            <td></td>
            <td><button class="button">OrderNow</button></td>
        </tr>
    </table>
</div>
<div class="bakery">
    <table>
        <tr>
            <th>Bakery Section:-</th>
        </tr>
        <tr>
            <th>product</th>
            <th>price</th>
            <th>product_Description</th>
            <th>product Image</th>
            <th>BookNow</th>
        </tr>
        <tr>
            <td>Biscuits</td>
            <td>15</td>
            <td>Best Category</td>
            <td></td>
            <td><button class="button">OrderNow</button></td>
        </tr>

        <tr>
            <td>Bread</td>
            <td>40</td>
            <td>Best For Daily use</td>
            <td></td>
            <td><button class="button">OrderNow</button></td>
        </tr>

        <tr>
            <td>Cake</td>
            <td>50</td>
            <td>Good quality</td>
            <td></td>
            <td><button class="button">OrderNow</button></td>
        </tr>
    </table>
</div>

<div class="sanitary">

```

```

<table>
  <tr>
    <th>Sanitary Section:-</th>
  </tr>
  <tr>
    <th>product</th>
    <th>price</th>
    <th>product_Description</th>
    <th>product Image</th>
    <th>BookNow</th>
  </tr>
  <tr>
    <td>pipe</td>
    <td>500</td>
    <td>Best Category</td>
    <td></td>
    <td><button class="button">OrderNow</button></td>
  </tr>

  <tr>
    <td>Brush</td>
    <td>40</td>
    <td>Best For Daily use</td>
    <td></td>
    <td><button class="button">OrderNow</button></td>
  </tr>

  <tr>
    <td>Acid</td>
    <td>50</td>
    <td>Good quality</td>
    <td></td>
    <td><button class="button">OrderNow</button></td>
  </tr>
</table>
</div>
<!--Footer-->
<footer class="footer">
  <div class="copy">&copy; 2022 Copyright.inc</div>
  <div class="head_sec">
    <div class="head_detail1">

      <!--  -->
    </div>
  </div>
  <div class="bottom-links">
    <div class="links">
      <span>More Info </span>
    </div>
  </div>

```

```

        <!--Linking Image-->
        <a href="index.html">Home</a>
        <a href="Product.html">Product</a>
        <a href="Review.html">Review</a>
        <a href="contact.html">ContactUs</a>
    </div>
    <div class="links">
        <span>Social Links</span>
        <a href=""><i class="fab fa-
facebook">www.tosifgroceries.com</i></a>
        <a href="#"><i class="fab fa-twitter">www.getgroceriescom</i></a>
        <a href="#"><i class="fab fa-
instagram">www.grocerydelivery.com</i></a>
    </div>
</div>
</footer>
<!-- footer close -->
</body>
<!-- body close -->
</html>
</body>
</html>

```

Reviews page code:-

```

<!DOCTYPE html>
<html lang="en">
<head>
    <title>Review</title>
    <link rel="stylesheet" href="task.css"/>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body>
    <div class="head_sec">
        <div class="head_detail">
            <p><i>Daily shoping Super Market</i><p>
                <!--  -->
        </div>
    </div>
    <div class="nav_bar">

```

```

        <ul>
            <li><a href="index.html">Home</a></li>
            <li><a href="Product.html">Product</a></li>
            <li><a href="Review.html">Reviews</a></li>
            <li><a href="contact.html">Contact</a></li>
        </ul>
    </div>
    <!-- review code -->
    <div class="testimonials">
        <!-- headding -->
        <div class="testimonial-heading">

            <h1>Clients Review</h1>
        </div>
        <!-- testimonials-box-containers -->
        <span class="heading">User Rating</span>
        <span class="fa fa-star checked"></span>
        <span class="fa fa-star checked"></span>
        <span class="fa fa-star checked"></span>
        <span class="fa fa-star checked"></span>
        <span class="fa fa-star"></span>
        <p>4.1 average based on 254 reviews.</p>
        <hr style="border:3px solid #f1f1f1">

    <div class="row">
        <div class="side">
            <div>5 star</div>
        </div>
        <div class="middle">
            <div class="bar-container">
                <div class="bar-5"></div>
            </div>
        </div>
        <div class="side right">
            <div>150</div>
        </div>
        <div class="side">
            <div>4 star</div>
        </div>
        <div class="middle">
            <div class="bar-container">
                <div class="bar-4"></div>
            </div>
        </div>
        <div class="side right">
            <div>63</div>
        </div>
        <div class="side">

```

```

    <div>3 star</div>
</div>
<div class="middle">
    <div class="bar-container">
        <div class="bar-3"></div>
    </div>
</div>
<div class="side right">
    <div>15</div>
</div>
<div class="side">
    <div>2 star</div>
</div>
<div class="middle">
    <div class="bar-container">
        <div class="bar-2"></div>
    </div>
</div>
<div class="side right">
    <div>6</div>
</div>
<div class="side">
    <div>1 star</div>
</div>
<div class="middle">
    <div class="bar-container">
        <div class="bar-1"></div>
    </div>
</div>
<div class="side right">
    <div>20</div>
</div>
</div>

<!--Footer-->
<footer class="footer">
    <div class="copy">&copy; 2022 Copyright.inc</div>
    <div class="head_sec">
        <div class="head_detail1">
            </div>
        </div>
    <div class="bottom-links">
        <div class="links">
            <span>More Info </span>
            <!--Linking Image-->
            <a href="index.html">Home</a>
            <a href="Product.html">Product</a>
            <a href="Review.html">Review</a>

```



```

        <a href="contact.html">ContactUs</a>
    </div>
    <div class="links">
        <span>Social Links</span>
        <a href=""><i class="fab fa-
facebook">www.tosifgroceries.com</i></a>
        <a href="#"><i class="fab fa-
twitter">www.getgroceriescom</i></a>
        <a href="#"><i class="fab fa-
instagram">www.grocerydelivery.com</i></a>
    </div>
</div>
</footer>
<!-- footer close -->
</body>
</html>

```

Contact page Code:-

```

<!DOCTYPE html>
<html lang="en">
<head>
    <title>Review</title>
    <link rel ="stylesheet" href="task.css"/>
</head>
<body>
    <div class="head_sec">
        <div class="head_detail">
            <p><i>Daily shoping Super Market</i><p>
                <!-- -->
            </div>
        </div>
        <div class="nav_bar">
            <ul>
                <li><a href="index.html">Home</a></li>
                <li><a href="Product.html">Product</a></li>
                <li><a href="Review.html">Reviews</a></li>
                <li><a href="contact.html">Contact</a></li>
            </ul>
        </div>
        <!-- contact form code -->
    </body>
</html>

```

```

<div class="container">
  <h2>Contact Form</h2>
  <form action="#">
    <label for="fname">First Name</label>
    <input type="text" id="fname" name="firstname" placeholder="Your
name..">

    <label for="lname">Last Name</label>
    <input type="text" id="lname" name="lastname" placeholder="Your last
name..">

    <label for="country">Country</label>
    <select id="country" name="country">
      <option value="australia">Australia</option>
      <option value="canada">Canada</option>
      <option value="usa">USA</option>
    </select>
    <label for="subject">Subject</label>
    <textarea id="subject" name="subject" placeholder="Write
something.." style="height:200px"></textarea>
    <input type="submit" value="Submit">
  </form>
</div>

<!--Footer-->
<footer class="footer">

  <div class="copy">&copy; 2022 Copyright.inc</div>
  <div class="head_sec">
    <div class="head_detail1">
    </div>
  </div>
  <div class="bottom-links">
    <div class="links">
      <span>More Info </span>
      <!--Linking Image-->

      <a href="index.html">Home</a>
      <a href="Product.html">Product</a>
      <a href="Review.html">Review</a>
      <a href="contact.html">ContactUs</a>
    </div>
    <div class="links">
      <span>Social Links</span>
      <a href=""><i class="fab fa-
facebook">www.tosifgroceries.com</i></a>
      <a href="#"><i class="fab fa-twitter">www.getgroceriescom</i></a>

```

```

        <a href="#"><i class="fab fa-
instagram">www.grocerydelivery.com</i></a>
    </div>
</div>
</footer>
<!-- footer close -->

</body>
</html>

```

Q.No 6 And 7:-

```

<!DOCTYPE html>
<html lang="en">
<head>
    <link rel="stylesheet" href="css/Style1.css">

    <title>UI</title>
    <!-- css Add -->
    <style>
        body{
            align-items: center;
            align-content: center;
            padding: 30px;
        }
        h2{
            color:beige
        }
        table td{
            padding: 5px;
            font-size: 18px;
        }
    </style>
</head>
<!-- body start -->
<body style ="background-color: rgb(49, 49, 86);">
    <div class ="UI_contain">

        <!-- creating form -->
        <h2> Registration for vaccination form</h2>
        <form name = "profile" action="" method="post">

```

```

<!-- create table -->
<table style="border: 1px;color:rgb(215, 172, 116);float:centre;">
    <tr>
        <td>Name of person</td>
        <td><input type ="text" name ="name" required autofocus
maxlength="25"/></td>
    </tr>
    <tr>
        <td>Address</td>
        <td><textarea rows="2"
cols="20"name="address"></textarea></td>
    </tr>
    <tr>
        <td>Email</td>
        <td><input type ="email" id ="email"/></td>
    </tr>
    <tr>
        <td>Contact</td>
        <td><input type ="number" id ="contact"/></td>
    </tr>
    <tr>
        <td>Gender</td>
        <td><input type="radio" name="gender" value="male"> Male
        &nbsp;<input type="radio" name="gender" value="female">
Female <input type="radio" name="gender" value="female">Others</td>
    </tr>
    <tr>
        <td>Date of birth</td>
        <td><input type ="date" id ="DOB"/></td>
    </tr>
    <tr>
        <td>Vaccine preference</td>
        <td>
            <input type ="checkbox" name ="skills"
value="javaSe"/>Covishield
            <input type ="checkbox" name ="skills"
value="Mainframe"/>Covaxin
            <input type ="checkbox" name
="skills"value="C++"/>Sputnik
        </td>
    </tr>
    <tr>
        <!-- <td>Vaccination center</td> -->
        <td>
            <label for="center">Vaccination center</label>
        </td>
    </tr>

```

```

        <input list="center-address" id="center"
name="center">

        <datalist id="center-address">
            <option value="PHC">
            <option value="District Hospital">
            <option value="Covid center">
        </datalist>

    </td>
</tr>
<tr>
    <td></td>
    <td>
        <input type="submit"/>
        <input type="reset"/>
    </td>
</tr>
</table>
</form>
</div>
</body>
</html>

<!-- And of the code -->

```

Q.No 8:-

```

<!DOCTYPE html>
<html lang="en">
<head>
    <title>Simple Interest Compund Interest</title>

    <script>
        let p = 10000, r = 5,

```

```

        n = 2;
        /* Calculate simple interest */
        var SI=p*n*r/100
        document.write("Simple interest is " + SI);
        /* Calculate compound interest */
        let CI = (p * (1 + r / 100),n)-p;
        //let CI = a - p
        document.write("<br>Compound interest is " + CI);

    </script>
</head>
<body>
</body>
</html>

```

Q.No 9:-

```

<!DOCTYPE html>
<html lang="en">
<head>

    <title>CurrentDate</title>
    <script>
        // declare variable
        var welcome;
        //create methods
        var date = new Date();
        var hour = date.getHours();
        var minute = date.getMinutes();
        var second = date.getSeconds();

        if (minute < 10) {
            minute = "0" + minute;
        }
        if (second < 10) {
            second = "0" + second;
        }
        if (hour < 12) {
            welcome = "good morning";
        }
        else if (hour < 17) {
            welcome = "good afternoon";
        }
        else {

```

```

        welcome = "good evening";
    }
    document.write("<h2>" + "<font color='blue'>" + welcome + "</font>" +
" welcome to our website");
    document.write("<br>" + hour + ":" + minute + ":" + second);

</script>
</head>
</body>
</html>

```

Q.No 10:-

```

<!DOCTYPE html>
<html lang="en">
<head>
    <link rel="stylesheet" href="css/Style1.css">

    <title>UI</title>
    <!-- css Add -->
    <style>
        body{
            align-items: center;
            align-content: center;
            padding: 30px;
        }
        h2{
            color:beige
        }
        table td{
            padding: 5px;
            font-size: 18px;
        }
    </style>
</head>
<!-- body start -->
<body style ="background-color: rgb(49, 49, 86);">
    <div class ="UI_contain">

        <!-- creating form -->
        <h2> Registration for vaccination form</h2>
        <form name = "profile" action="" method="post">
            <!-- create table -->
            <table style="border: 1px;color:rgb(215, 172, 116);float:centre;">
                <tr>

```

```

        <td>Name of person</td>
        <td><input type ="text" name ="name" required autofocus
maxlength="25"/></td>
    </tr>
    <tr>
        <td>Address</td>
        <td><textarea rows="2"
cols="20"name="address"></textarea></td>
    </tr>
    <tr>
        <td>Email</td>
        <td><input type ="email" id ="email"/></td>
    </tr>
    <tr>
        <td>Contact</td>
        <td><input type ="number" id ="contact"/></td>
    </tr>
    <tr>
        <td>Gender</td>
        <td><input type="radio" name="gender" value="male"> Male
        &nbsp;<input type="radio" name="gender" value="female">
Female <input type="radio" name="gender" value="female">Others</td>
    </tr>
    <tr>
        <td>Date of birth</td>
        <td><input type ="date" id ="DOB"/></td>
    </tr>
    <tr>
        <td>Vaccine preference</td>
        <td>
            <input type ="checkbox" name ="skills"
value="javaSe"/>Covishield
            <input type ="checkbox" name ="skills"
value="Mainframe"/>Covaxin
            <input type ="checkbox" name
="skills"value="C++"/>Sputnik
        </td>
    </tr>
    <tr>
        <!-- <td>Vaccination center</td> -->
        <td>
            <label for="center">Vaccination center</label>
        </td>
    </tr>
    <tr>
        <td>
            <input list="center-address" id="center"
name="center">

```



```

        <datalist id="center-address">
            <option value="PHC">
            <option value="District Hospital">
            <option value="Covid center">
        </datalist>

    </td>
</tr>
<tr>
    <td></td>
    <td>
        <input type="submit"/>
        <input type="reset"/>
        <input type = "button" value = "Print" onclick =
"window.print()" />
    </td>
</tr>
</table>
</form>
</div>
</body>
</html>

<!-- And of the code -->

```

Q.No 11:-

```

<html>
<head>
    <title>Calculate</title>
    <!-- Css start -->
    <style>
        body{
            background-color: #796f6f;
        }
        h2{

```



```

        <td>Product category</td>
        <td><input type="text" id="pc"></td>
    </tr>

    <tr>
        <td>Product price</td>
        <td><input type="text" id="pp"></td>
    </tr>

    <tr>
        <td>Product quantity</td>
        <td><input type="text" id="pq"></td>
    </tr>

    <tr>
        <td></td>
        <td><button onclick="gstCalc()">Calculate </button></td>
    </tr>
</table>
<!-- calculation result -->
<h2>Calculation Result</h2>
<div class="calculation">
    <table>
        <tr>
            <td>Product Name</td>
            <td>Product category</td>
            <td>Product Price</td>
            <td>Product Quantity</td>
            <td>Amount</td>
        </tr>
        <tr id="tr1">
        </tr>
    </table>
</div>
</div>
</centre>
</body>
</html>
<!-- And of the code -->

```

Q.No 12:-

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Employee Name</title>
  <script>
    var geek=prompt("Enter Name:")
    var result = geek.startsWith("a",0);
    if (result==true)
      document.write("Employee name start with a and name is
:    "+geek+"<br>")
    else
      document.write("employee name not start with a")
  </script>
</head>
<body>
</body>
</html>
```