Complete List of HTML5 Tags

<!DOCTYPE> - Defines the document type

<a> - Defines a hyperlink

<abbr> - Defines an abbreviation or an acronym

<address> - Defines contact information for the author/owner of a document

<area> - Defines an area inside an image map

<article> - Defines independent, self-contained content

<aside> - Defines content aside from the page content

<audio> - Defines embedded sound content

<b> - Defines bold text

<base> - Specifies the base URL/target for all relative URLs in a document

<bdi> - Isolates a part of text that might be formatted in a different direction

<bdo> - Overrides the current text direction

<blockquote> - Defines a section that is quoted from another source

<body> - Defines the document's body

 - Inserts a single line break

<button> - Defines a clickable button

<canvas> - Used to draw graphics on the fly via scripting

<caption> - Defines a table caption

<cite> - Defines the title of a work

<code> - Defines a piece of computer code

<col> - Specifies column properties for each column within a <colgroup>

<colgroup> - Specifies a group of one or more columns in a table for formatting

<data> - Links a given content with a machine-readable translation

<datalist> - Specifies a list of pre-defined options for input controls

<dd> - Defines a description in a description list

<del> - Defines text that has been deleted from a document

<details> - Defines additional details that the user can view or hide

<dfn> - Represents the defining instance of a term

<dialog> - Defines a dialog box or interactive component

<div> - Defines a section in a document

<dl> - Defines a description list

<dt> - Defines a term in a description list

<em> - Defines emphasized text

<embed> - Defines a container for external application or interactive content

<fieldset> - Groups related elements in a form

<figcaption> - Defines a caption for a <figure> element

<figure> - Specifies self-contained content

<footer> - Defines a footer for a document or section

<form> - Defines an HTML form for user input

<h1> to <h6> - Define HTML headings

<head> - Contains metadata/information for the document

<header> - Defines a container for introductory content or navigational links

<hr> - Defines a thematic break in an HTML page

<html> - Defines the root of an HTML document

<i> - Defines italic text

<iframe> - Defines an inline frame

<img> - Defines an image

<input> - Defines an input control

<ins> - Defines text that has been inserted into a document

<kbd> - Defines keyboard input

<label> - Defines a label for an <input> element

<legend> - Defines a caption for a <fieldset> element

 - Defines a list item

<link> - Defines the relationship between a document and an external resource

<main> - Specifies the main content of a document

<map> - Defines an image map

<mark> - Defines marked/highlighted text

<meta> - Defines metadata about an HTML document

<meter> - Defines a scalar measurement within a known range

<nav> - Defines navigation links

<noscript> - Defines an alternate content for users who do not support client-side scripts

<object> - Defines an embedded object

 - Defines an ordered list

<optgroup> - Defines a group of related options in a dropdown list

<option> - Defines an option in a dropdown list

<output> - Defines the result of a calculation

<p> - Defines a paragraph

<param> - Defines a parameter for an <object> element

<picture> - Defines a container for multiple image resources

<pre> - Defines preformatted text

<progress> - Represents the progress of a task

<q> - Defines a short inline quotation

<rp> - Defines what to show in browsers that do not support ruby annotations

<rt> - Defines an explanation or pronunciation of characters (for East Asian typography)

<ruby> - Defines a ruby annotation for East Asian typography

<s> - Defines text that is no longer correct

<samp> - Defines sample output from a computer program

<script> - Defines a client-side script

<section> - Defines a section in a document

<select> - Defines a dropdown list

<small> - Defines smaller text

<source> - Specifies multiple media resources for media elements (<video> and <audio>)

<span> - Defines a section in a document

<strong> - Defines important text

<style> - Defines style information for a document

<sub> - Defines subscripted text

<summary> - Defines a visible heading for a <details> element

<sup> - Defines superscripted text

<svg> - Defines scalable vector graphics

<table> - Defines a table

<tbody> - Groups the body content in a table

<td> - Defines a cell in a table

<template> - Defines a template for content

<textarea> - Defines a multiline input control

<tfoot> - Groups the footer content in a table

<th> - Defines a header cell in a table

<thead> - Groups the header content in a table

\<time\> - Defines a specific time or date

\<title\> - Defines the title of the document

\<tr\> - Defines a row in a table

\<track\> - Defines text tracks for media elements

\<u\> - Defines underlined text

\<ul\> - Defines an unordered list

\<var\> - Defines a variable

\<video\> - Defines embedded video content

\<wbr\> - Defines a possible line-break opportunity