

**Ex. No.: 1****CAESAR CIPHER****Problem Statement:**

Julius Caesar protected his confidential information by encrypting it using a cipher. Caesar's cipher shifts each letter by a number of letters. If the shift takes you past the end of the alphabet, just rotate back to the front of the alphabet. In the case of a rotation by 3, w, x, y, and z would map to z, a, b and c.

Original alphabet:    abcdefghijklmnopqrstuvwxyz

Alphabet rotated +3:  defghijklmnopqrstuvwxyzabc

**Aim:**

To implement encryption and decryption in Caesar Cipher technique.

**Algorithm:**

1. Declare two arrays to store plaintext and ciphertext
2. Prompt the user to enter plaintext
3. Loop till the end-of line marker comes
  - a. get one plaintext character & put the same in plaintext[] array and increment i
  - b. apply caesar 3 key shift cipher on the character and store in ciphertext[] array and increment x.
4. Print the ciphertext

**Program Code:**

```
#include <stdio.h>

int main()
{
    char plaintext[100]={0}, ciphertext[100]={0};
    int c;
    printf("Plaintext:");
    while((c=getchar()) != '\n')
    {
        static int x=0, i=0;
        plaintext[i++]=(char)c;
        ciphertext[x++]=(char)(c+3);
    }
    printf("Cipher text:");
    printf("%s\n",ciphertext);
    return 0;
```

}

**Output:**

```
vimal@KBVIMAL:~$ python3 cns.py
Text : ATTACKATONCE
Shift : 4
Cipher: EXXEGOEXSRGI
vimal@KBVIMAL:~$ |
```

**Result:**

210701309

ROLL NO: