

SWIFT SHIP TRACKER SALESFORCE IMPLEMENTATION

Project Report

Project Name: SWIFT SHIP TRACKER

Organization: Event Planner Solutions

Platform: Salesforce Developer Edition Org

Submitted By:

Government College of Engineering, Thanjavur

Department of Computer Science and Engineering.

Team ID : SWTID-2026-2968

Team Leader : Vimal M

Team member : Ajai Kumar M

Team member : Raja

Team member : Pavithra P

Team member : Gopika S

1.INTRODUCTION

1.1 Project Overview :

The SwiftShip Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management. It supports the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Customers can access shipment information, while delivery agents can update parcel details and delivery status.

1.2 Purpose :

The purpose of SwiftShip Tracker is to:


- Centralize parcel and delivery information.
- Simplify parcel booking and tracking.
- Provide real-time shipment visibility.
- Automate delivery updates and customer notifications
- Enable conversational parcel tracking using AgentForce AI and Prompt Builder.
- Improve agent efficiency through Salesforce Flows and dashboards.
- Provide secure, role-based access to customers, agents, support staff, and administrators.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Customer / Sender	book a parcel easily	booking requires support assistance or multiple applications	parcel operations are not centralized	frustrated


PS-2	Customer / Sender	track my parcel	I do not have a simple real-time tracking experience	shipment information is difficult to access	confused
PS-3	Delivery Agent	update parcel status	status updates require manual handling	there is a need for centralized operational tracking	concerned
PS-4	Customer	receive delivery updates	notifications may not be available at every delivery stage	communication needs to be automated	uncertain
PS-5	Admin	monitor parcel operations	parcel flow and delivery performance are difficult to monitor	operational data needs centralized reporting	concerned



2.2 Empathy Map Canvas

User Persona: Customer / Sender

- **Think & Feel:** Wants a simple way to book and track parcels without repeatedly contacting support.
- **Hear:** Receives delivery information and status updates from the parcel service.
- **See:** Parcel details, tracking status, estimated delivery date, and delivery information.
- **Say & Do:** Books parcels, checks tracking information, and asks for delivery updates.
- **Pain:** Delays, confusion, lack of easy tracking, and dependence on support or multiple apps.
- **Gain:** Real-time visibility, self-service tracking, convenient booking, and timely notifications.



2.3 Brainstorming & Idea Prioritization


Ideas Considered

- Manual registers
- Spreadsheet tracking
- Standalone parcel portal
- Salesforce CRM with AgentForce AI

Final Selection

Salesforce CRM selected due to:

- Centralized parcel management
- Automation through Flows
- Real-time tracking visibility
- Conversational AI assistance
- Secure role-based access
- Reports and dashboards



3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stages:

- Parcel Booking
- Parcel Record Creation
- Dispatch & Shipment
- In-Transit Tracking
- Out for Delivery
- Delivery Confirmation
- Customer Notification
- Feedback / Support



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud

Non-Functional Requirements

NFR	Description
Usability	Intuitive Salesforce and customer-facing interface
Security	Role-based and field-level access control
Reliability	Accurate parcel status and delivery information
Performance	Timely Flow and AgentForce responses

Availability	Salesforce cloud-based access
Scalability	Supports growing parcel and delivery operations
Data Integrity	Controlled access and relationship-based parcel data
Maintainability	Flows, prompts, topics, and configurations can be updated

3.3 Data Flow Diagram

Flow:

Customer / Sender



Parcel Booking



Parcel Record



Sender + Receiver Information



Delivery Record



Parcel Status Update



Current Location & Estimated Delivery



Automated Notifications



Customer Tracking / AgentForce AI



Reports & Dashboards

AI Tracking Flow

Customer Query



AgentForce AI



Prompt Builder – Retrieve Parcel Details



Parcel Record



Status / Weight / Estimated Delivery




Conversational Response

The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date information for tracking responses.

Data Flow Diagram

End-to-End Parcel Management Flow

*Your Parcels
Our Priority*



1.1 Technology Stack

Layer	Technology
Platform	Salesforce Developer Edition
UI	Lightning App Page, Lightning Record Pages, Experience Cloud
Database	Salesforce Custom & Standard Objects
Business Logic	Salesforce Flows, Apex Classes


Automation	Record-Triggered Flows, Auto-Launched Flows, Scheduled Flows
AI	AgentForce AI, Prompt Builder
Notifications	Email Alerts & Email Templates
Processing	Batch Apex
Security	Profiles, Permission Sets, Role Hierarchy, Field-Level Security, Sharing Rules
Reporting	Reports & Dashboards

2. PROJECT DESIGN PHASE

2.1 Problem–Solution Fit

Problem	Solution	Benefit
Parcel booking is difficult	Salesforce Parcel management	Centralized booking
Tracking requires support	AgentForce AI + Prompt Builder	Self-service tracking
Manual status updates	Salesforce Flows	Automated processes
Problem	Solution	Benefit
Delivery communication gaps	Email Alerts	Timely notifications
Scattered shipment information	Parcel, Delivery, Sender & Receiver objects	Structured data
Difficult operational monitoring	Reports & Dashboards	Better visibility

Different users need different access	Profiles, Roles & Permission Sets	Secure access
---------------------------------------	-----------------------------------	---------------



1.1 Proposed Solution

Functional Requirements

Parameter	Description
Problem	Difficult and inefficient parcel booking and tracking
Solution	Salesforce-based Parcel Management System
Innovation	AgentForce AI + Prompt Builder for conversational self-service tracking and automated Salesforce Flows
Impact	Centralized booking, real-time tracking visibility, timely notifications, and efficient delivery management

Business Model	Parcel, customer, delivery-agent, support, and administrator operations
Scalability	Supports growing parcel operations, Experience Cloud, and integration with external logistics systems

1.1 Solution Architecture

- Users
- Customer | Delivery Agent | Support Staff | Admin

↓


- Salesforce Lightning / Experience Cloud

↓

- SwiftShip Tracker Salesforce Platform
- Data Layer
 - Parcel
 - Delivery
 - Sender
 - Receiver
- Automation Layer
 - Flows
 - Approval Processes
 - Apex Classes
 - Batch Apex
 - Email Alerts
- **AI Layer**
 - AgentForce AI
 - Prompt Builder
 - Parcel Tracking Agent
- Security Layer
 - Profiles
 - Roles
 - Permission Sets
 - Sharing Rules
 - Field-Level Security

- Reports & Dashboards

- Parcel Tracking & Operational Insights



1. PROJECT PLANNING & SCHEDULING

1.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to create and configure the Salesforce environment so that I can build the SwiftShip Tracker parcel management system.	3	High	Member1
Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-2	Data Modeling	USN-2	As an admin, I want to create Parcel, Delivery, Sender, and Receiver objects with proper relationships so that parcel and delivery data is stored and managed systematically.	5	High	Member2
Sprint-2	Data Modeling	USN-3	As a staff member, I want dedicated tabs and a Lightning App for SwiftShip modules so that I can easily navigate and manage parcel and delivery operations.	5	High	Member3
Sprint-3	Automation	USN-4	As a system, I want to validate parcel details, mandatory fields, and booking inputs so that invalid or incomplete parcel records are prevented.	3	High	Member4
Sprint-3	Automation	USN-5	As a delivery coordinator, I want automated Flows to update parcel status and delivery information so that parcel processing requires minimal manual effort.	3	High	Member4
Sprint-4	Apex	USN-6	As a system, I want Apex triggers and classes to automatically perform critical parcel and delivery actions so that important processes are handled accurately.	5	High	Member1
Sprint-4	Apex	USN-7	As an inventory/operations manager, I want Batch Apex jobs to process and update parcel or delivery records automatically so that operational data remains accurate and up to date.	5	High	Member2
Sprint-5	Reports	USN-8	As a manager, I want reports showing parcel status, delivery performance, and operational metrics so that I can monitor SwiftShip operations and make informed decisions.	4	High	Member3

Sprint-6	Dashboards & AI	USN-9	As a manager, I want dashboards showing parcel status, delivery performance, and key metrics, while Agentforce provides AI-powered tracking assistance, so that I can monitor operations efficiently.	4	Medium	Member4
----------	-----------------	-------	---	---	--------	---------

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022		
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022		
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		
Sprint-5	20	6 Days	21 Nov 2022	26 Nov 2022		
Sprint-6	20	6 Days	28 Nov 2022	03 Dec 2022		

2. Project Development Phase:

Phase 1: Requirement Analysis & Planning

Objective:

“Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.”

Key Requirements:

- Requirement gathering from end users and delivery agents.

- Defining system scope and user personas (Customer, Agent, Admin).
- Designing the data model with relationships between Parcel, Sender, Receiver, and Delivery.
- Identifying use cases such as parcel booking, tracking, and delivery update automation.
- Selecting tools: Salesforce Flows, Prompt Builder, and AgentForce AI.

Defining Project Scope & Objectives

Project Scope:

1. Build a scalable CRM solution for parcel delivery businesses to manage customer bookings, shipments, and delivery operations efficiently.
2. Support the end-to-end parcel lifecycle — from parcel booking → dispatch → tracking → delivery confirmation.
3. Include comprehensive data model design, automation (Flows, Apex, Email Alerts), AI-powered prompt builder, and reporting dashboards for effective management.
4. Provide role-based access for admins, delivery agents, and customers through Salesforce profiles, permission sets, and Experience Cloud.
5. Ensure real-time parcel visibility for customers and simplified operational tracking for agents through AI-integrated conversational support.

Objectives Summary:

- Streamline parcel operations by automating booking, tracking, and delivery notifications to reduce manual updates.
- Improve customer satisfaction with transparent, real-time shipment status and self-service tracking options.
- Enhance agent efficiency through centralized dashboards and guided Flows for quick status updates.
- Enable business insights with reports and dashboards showing parcel trends, delivery performance, and agent activity.
- Ensure security and reliability by implementing Salesforce role hierarchies, sharing rules, and audit-based data access.

Gathering & Analysing User Needs

Users Involved:

- Customers / Senders – End users who book parcels, track deliveries, and receive real-time updates through the portal or AI agent.

- Delivery Agents – Manage assigned parcels, update delivery status, and ensure timely handover to customers.
- Customer Support Team – Handle delivery-related issues, respond to customer queries, and ensure smooth communication.
- Admin Team – Configure the Salesforce environment, manage user roles, security settings, and monitor operational performance.
- System Integrator / Developer – Responsible for implementing automation, AI agent setup, and backend integrations.

Key Functional Needs:

- Seamless parcel booking and tracking interface for customers through Salesforce Experience Site or agent assistance.
- Ability for agents to update parcel status (Booked → In Transit → Out for Delivery → Delivered) in real time.
- Automated notifications and email alerts to customers on every delivery stage update.
- Support for Sender and Receiver details management with address, contact, and email fields for communication.
- AI Agent integration (via Prompt Builder) for real-time parcel status queries and automated assistance.
- Reports and dashboards to monitor parcel flow, delivery performance, and agent activity for admins.
- Security controls with role-based access, profiles, and permission sets for different user levels.

Tools Used:

- Salesforce Developer Org – For configuration, development, and testing.
- Prompt Builder (AgentForce AI) – To create intelligent parcel tracking prompts and responses.
- Salesforce Flow Builder – To automate booking, tracking, and delivery updates.
- Google Sheets / Docs – For initial data planning, requirement documentation, and system mapping.

Identifying Key Salesforce Features & Tools Required

Salesforce Features Planned:

- Custom Objects:

Parcel__c, Delivery__c, Sender__c, Receiver__c

- Standard Objects:

Account, Contact, Case, Task, EmailMessage, User

- Automations:

Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows

- Apex: Apex Classes for automated parcel operations (e.g., Lead-to-Parcel mapping, delivery notifications), Batch Apex for periodic updates or notifications
- UI: Lightning App Page (SwiftShip Tracker App), Dynamic Forms for Parcel Details, Lightning Record Pages, and Experience Cloud for Customer Access
- AgentForce AI & Prompt Builder: Integrated AI agent trained to fetch parcel data based on Parcel ID and respond to tracking or delivery status queries
- Email Services: Custom Email Alerts and Templates for booking confirmations, delivery updates, and completion acknowledgments
- Security: Profiles, Permission Sets, Role Hierarchies, Field-Level Security, and Sharing Rules to ensure controlled access for Admin, Agent, and Customer roles

Designing Data Model and Security Model

Data Model Includes:

- Parcel__c (Custom Object)
- Stores core parcel details such as Parcel ID, Status, Weight, and Estimated Delivery Date.
- Linked to Sender__c and Receiver__c objects to fetch sender and receiver details.
- Connected with Delivery__c object to track real-time parcel location and status.
- Delivery__c (Custom Object)
- Stores delivery-specific information such as current location, estimated delivery date, and linked parcel.
- Connected with Sender__c and Parcel__c for relationship-based tracking.
- Used by agents to update and monitor delivery status during the parcel lifecycle.
- Sender__c (Custom Object)
- Captures sender-related information such as address, contact number, and email.
- Linked to multiple parcels to track sender history and associated deliveries.
- Used for sending booking confirmations and delivery updates via automated emails.
- Receiver__c (Custom Object)
- Stores receiver details such as address, contact, and email for communication and delivery confirmation.
- Linked to Sender__c and Parcel__c to associate both ends of the shipment process.
- Used by agents for delivery reference and automated email notifications upon completion.

Security Model Design:

- **Role Hierarchy:**

Administrator → Delivery Manager → Agent → Customer

- **Profiles:**

Admin Profile: Full access to all objects and records.

Delivery Agent Profile: Read/Edit access to Parcel, Delivery, Sender, and Receiver objects.

Customer Profile: Read-only access to their own parcel details via Experience Cloud. Support

Staff Profile: Access to Cases and Parcel details for issue resolution.

- **Permission Sets:**

Used to grant additional privileges (e.g., “Update Delivery Status,” “Access Agent Console”).

- **Record-Level Security:**

Sharing Rules applied for Parcel_____c and Delivery____c to allow controlled access for agents and managers.

Customers can only view records linked to their own Sender or Receiver details.

- **Field-Level Security:**

Sensitive fields like Sender Email, Receiver Contact, and Location Coordinates restricted to Admin and Agent profiles only.

Phase 2: Salesforce Development –Backend & Configurations

This phase focused on developing the core logic of SwiftShip Tracker. Custom objects were created for Parcel, Sender, Receiver, and Delivery with relationships. Automations were built using Flows for parcel status updates and approval processes.

Milestone 2- Objects Creation

Developer Edition

Search Setup

Setup Home Object Manager

SETUP

New Custom Object

New Custom Object

Help for this Page

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit

Save Save & New Cancel

Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label Example: Account

Plural Label Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name Example: Account

Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window ☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name Example: Account Name

Data Type Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Optional Features

☐ Allow Reports
☐ Allow Activities
☐ Track Field History
☐ Allow in Chatter Groups
☐ Enable Licensing

Setup Home Object Manager

SETUP > OBJECT MANAGER

Parcel

Details

Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout

Details

Edit Delete

Description

API Name
Parcel__c
Custom
Singular Label
Parcel
Plural Label
Parcel's

Enable Reports
Track Activities
Track Field History
Deployment Status
Deployed
Help Settings
Standard salesforce.com Help Window

Creating Delivery Object

Setup

Home

Object Manager

Search Setup

Star

Plus

Help

Settings

Notifications

User

SETUP > OBJECT MANAGER

Delivery

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Details

Description

API Name

Delivery__c

Custom

✓

Singular Label

Delivery

Plural Label

Deliveries

Enable Reports

✓

Track Activities

✓

Track Field History

✓

Deployment Status

Deployed

Help Settings

Standard salesforce.com Help Window

Edit

Delete

Creating Sender Object

Setup

Home

Object Manager

Search Setup

Star

Plus

Help

Settings

Notifications

User

SETUP > OBJECT MANAGER

Sender

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Details

Description

API Name

Sender__c

Custom

✓

Singular Label

Sender

Plural Label

Sender's

Enable Reports

✓

Track Activities

✓

Track Field History

✓

Deployment Status

Deployed

Help Settings

Standard salesforce.com Help Window

Edit

Delete

Creating Receiver Object

Developer Edition

Search Setup

Setup Home Object Manager

SETUP > OBJECT MANAGER

Receiver

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Field Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

Details

Description

API Name
Receiver__c

Custom
✓

Singular Label
Receiver

Plural Label
Receiver's

Enable Reports
✓

Track Activities

Track Field History
✓

Deployment Status
Deployed

Help Settings
Standard salesforce.com Help Window

EditDelete

Milestone 3 - Tabs

Developer Edition

Search Setup

Setup Home Object Manager

Q tabs

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP

Tabs

Edit Custom Object Tab

Parcels

Help for this Page

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information

Required information

Tab Label
Object
Tab Style

Parcels
Parcel
Computer

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.
Splash Page Custom Link
None

Enter a short description.

Description
ja

SaveCancel

Setup

Home

Object Manager

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP

Tabs

Edit Custom Object Tab

Parcel's

Fill in the fields below to define the custom tab.

Custom Tab Definition Edit

Custom Object Tab Information

Tab Label

Parcel's

Object

Parcel

Tab Style

Box

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link

--None--

Enter a short description.

Description

Save

Cancel

More Tab Creation

Developer Edition

Setup

Home

Object Manager

User Interface

Rename Tabs and Labels

Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP

Tabs

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

Action

Label

Tab Style

Description

Edit | Del

Deliveries

Chess piece

Edit | Del

Parcels

Computer

Is

Edit | Del

Receiver's

Desk

Edit | Del

Sender's

Fax

Web Tabs

No Web Tabs have been defined

Visualforce Tabs

No Visualforce Tabs have been defined

Lightning Component Tabs

Action

Label

Tab Style

Description

Edit

Get Started with ApexForce

House

Edit

Get Started with Data Cloud

Map

Edit

Get Started with MuleSoft

House

Edit

Get Started with Salesforce DX

Building Block

Edit

Welcome


Gears

Lightning Page Tabs

No Lightning Page Tabs have been defined

Milestone 4- Fields & Relationships

Creating Fields and Relationships for Parcel Object




The screenshot shows the Salesforce Setup interface for creating a new custom field for the Parcel object. The left sidebar contains a navigation menu with options like Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, and Restriction Rules. The main content area is titled "New Custom Field" and "Step 2. Enter the details". The form fields are as follows:

- Field Label: Parcel ID
- Display Format: P-{000} Example: A-{0000} What is This?
- Starting Number: 1
- Generate Auto Number for existing records: ☐
- Field Name: Parcel_ID
- Description: (empty)
- Help Text: (empty)
- External ID: ☐ Set this field as the unique record identifier from an external system
- Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Navigation buttons at the top right include Previous, Next, and Cancel. A "Next" button is also present below the Field Label field.

Creating Fields And Relationships For Delivery Object



The screenshot shows the Salesforce Setup interface for creating a new custom field for the Delivery object. The left sidebar contains a navigation menu with options like Details, Fields & Relationships (selected), Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Search Layouts, List View Button Layout, and Restriction Rules. The main content area is titled "New Custom Field" and "Step 2. Enter the details". The form fields are as follows:

- Field Label: Current Location
- Enter the name of the location, such as Main Office. Be descriptive and specific, and remember that one record may have multiple locations, such as West Coast Sales Office and East Coast Sales Office.
- Latitude and Longitude Display Notation: ☒ Degrees, Minutes, Seconds ☐ Decimal
- Decimal Places: 15
- Number of digits to the right of the decimal point
- Field Name: Current_Location
- Description: (empty)
- Help Text: (empty)
- Required: ☐ Always require a value in this field in order to save a record

Navigation buttons at the top right include Previous, Next, and Cancel.

Creating Fields And Relationships For Sender Object



Search Setup



Setup

Home

Object Manager

SETUP > OBJECT MANAGER

Sender

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Sender

New Custom Field

Help for this Page

Step 2. Enter the details

Step 2 of 4

Previous

Next

Cancel

Field Label

Sender Address

Enter the name of the location, such as Main Office. Be descriptive and specific, and remember that one record may have multiple locations, such as West Coast Sales Office and East Coast Sales Office.

Latitude and Longitude Display Notation

☒ Degrees, Minutes, Seconds

☐ Decimal

Decimal Places

15

Number of digits to the right of the decimal point

Field Name

Sender_Address

Description

Help Text

Required

☐ Always require a value in this field in order to save a record

Creating Fields And Relationships For Receiver Object

SETUP > OBJECT MANAGER

Reciever

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Reciever

New Custom Field

Help for this Page

Step 2. Enter the details

Step 2 of 4

Previous

Next

Cancel

Field Label

Receiver's Address

Enter the name of the location, such as Main Office. Be descriptive and specific, and remember that one record may have multiple locations, such as West Coast Sales Office and East Coast Sales Office.

Latitude and Longitude Display Notation

☒ Degrees, Minutes, Seconds

☐ Decimal

Decimal Places

15

Number of digits to the right of the decimal point

Field Name

Receiver_s_Address

Description

Help Text

Required

☐ Always require a value in this field in order to save a record

Milestone 5 - Prompt Builder

Developer Edition

Setup Home Object Manager

Q prompt

Einstein

Einstein Generative AI

Prompt Builder

Didn't find what you're looking for? Try using Global Search.

SETUP Prompt Builder

New Prompt Template

Explore Prompt Builder

Get to Know Prompt Builder

Discover how Prompt Builder helps to scale the power of prompts across Salesforce clouds.

Watch Video

Build Your Knowledge

Learn more and get help with prompts, templates, and Prompt Builder.

Learn

Take a Tour of Prompt Builder

Get a demo of the process of building a prompt template.

Start Tour

Prompt Templates

All Prompt Templates

20+ Items

Search templates...

Name	Template Type	Category	Status	Date Modified
Deflection Score (Defence)	Agentforce Scorer Measurement	Standard	Active	
Revenue Reconciliation Analysis	Global Standard	Standard	Active	
Executive Brief	Record Summary	Standard	Active	
Identify Anomalies	Anomaly Detection	Standard	Active	
Deflection Score	Agentforce Scorer Measurement	Standard	Active	
Summarize Messaging Session	Record Summary	Standard	Active	
Abandonment Score	Agentforce Scorer Multilabel	Standard	Active	
Create Executive Briefing for Account Review Meet...	Global Standard	Standard	Active	
Quality Score (Civilian)	Agentforce Scorer Measurement	Standard	Active	
Account Summary	Record Summary	Standard	Active	
Generate Case Description - Messaging Transcript	Case Details	Standard-Overridable	Active	

Developer Edition

Setup Home Object Manager

Search Setup

Prompt Builder

1 Prompt

Construct your prompt here...

Who is involved and how are they related? (Participants, roles)

What are you trying to accomplish? (Goal, instructions)

What is the context? (Setting, voice & tone, language)

What are the constraints? (Limits, instructions)

Here's an example:

You're Lisa Chen, an account executive from Ultra Major. So instructions: ""Include the business value of InputProductID. Now generate the text.

New Prompt Template

About

Select a prompt template type. The template type determines which data sources you can use in your prompts. [Learn more in Help.](#)

* Prompt Template Type

Flex

* Prompt Template Name

Enter a name...

* API Name

Template Description

Enter a template description...

Inputs (Optional)

Add up to 5 data sources to include with your prompt instructions.

Add

Cancel Next

Parcel Tracking Update



The screenshot shows the Azure AI Studio interface. At the top, there's a search bar labeled 'Search Setup' and navigation tabs for 'Setup', 'Home', and 'Object Manager'. The main header indicates the current view is 'Prompt Builder' for 'Retrieve Parcel Details'. Below this, there are buttons for 'Save & Preview', 'Save', and 'Activate'. The interface is divided into three main sections: 'Template Settings', 'Prompt', and 'Generated Response'. The 'Template Settings' panel on the left includes 'Details', 'Overview', 'Inputs' (with 'objectToSummarize' and 'Parcel_c'), and 'Model' (with 'Model Type' set to 'Standard' and 'Models' set to 'OpenAI GPT 4 Omni Mini'). The 'Prompt' section in the center contains a prompt: 'Retrieve details from Parcel_c where Parcel_ID_c matches user input. Return response in this format: Parcel Tracking Update - Parcel Name: {{Parcel_c.Name}} - Parcel ID: {{Parcel_c.Parcel_ID_c}} - Status: {{Parcel_c.Status_c}} - Weight: {{Parcel_c.Weight_c}} kg - Estimated Delivery Date: {{Parcel_c.Estimated_Delivery_Date_c}}'. The 'Generated Response' section on the right is currently empty.



Testing the Prompt

Test the Prompt:

The screenshot shows the Azure AI Studio interface in 'Preview' mode. The top navigation bar now includes 'Prompt Builder', 'Parcel Updates', and 'Version 4 (Active)'. The 'Preview Settings' panel on the left shows 'Inputs' with 'Record Name' set to 'Sanjana' and 'Output' with 'Generate Response' checked. The 'Resolved Prompt' section in the center shows the prompt with the input 'Sanjana' substituted: 'Retrieve details from parcel object where P-123 matches user input. Return response in this format: Parcel Tracking Update - Parcel Name:Sanjana - Parcel ID:P-123 - Status:Booked - Weight:10 - Estimated Delivery Date:09/29/2025'. The 'Generated Response' section on the right shows the output: 'Parcel Tracking Update - Parcel Name: Sanjana - Parcel ID: P-123 - Status: Booked - Weight: 10 - Estimated Delivery Date: 09/29/2025'.

Milestone 6 - Flows





Flow Builder

parcel details - V4

?

Auto-Layout

Last saved on 9/19/2025, 03:29 PM

Active

Run

Debug

Save As New Version

Save

Deactivate

Autolaunched Flow

Start

+

get parcel records

Get Records

+

thud

Action

+

assignment output

Assignment

+

End

Get Records

X

*Label

get parcel records

*API Name

get_parcel_records

Description

Get Records of This Object

*Object

Parcel

Also get related records (beta)

Filter Parcel Records

Condition Requirements

All Conditions Are Met (AND)

Field

A₃ Parcel ID X

Operator

Equals

Value

A₃ ids X

+ Add Condition

Sort Parcel Records

Parcel Updates

X

Description

Use values from earlier in the flow to set the inputs for the "Parcel Updates" core action. To use its outputs later in the flow, store them in variables.

Set Input Values

objectToSummarize

{!get_parcel_records}

All Resources

Get Records

✓

Parcel from get parcel records

i >

+ New Resource

View C

View the automatic output resources for the selected element. If you don't want to use this element's automatic output, you can manually assign variables to store the element's output.

Assignment

* Label

assignment output

* API Name ⓘ

assignment_output

Description

Set Variable Values

Each variable is modified by the operator and value combination.

Variable

Operator

Value

Aa output X

Equals

Aa ...ts from thud > Prompt Response X

+ Add Assignment

Developer Edition

Search Setup

Setup

Home

Object Manager

Quick Find

Setup Home

Salesforce Go

Service Cloud Reports

Commerce Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

AgentExchange Offers

Sales Cloud Everywhere

ADMINISTRATION

Users

Analytics Groups

Permission Set Groups

Permission Sets

Profiles

Profiles

Configure user access to run this flow

Parcel Details

Save

Cancel

By default, users with any of the following permissions can run this flow:

Run Flow or Manage Flow in their profile or permission set

Flow User in their user record

☒ Override default behavior and restrict access to enabled profiles or permission sets.

Available Profiles

Einstein Agent User

External Apps Login User

External Einstein Agent User

External Identity User

Add

Remove

Analytics Cloud Integration User

Analytics Cloud Security User

Anypoint Integration

Authenticated Website

B2B Reordering Portal Buyer Profile

Contract Manager

Cross Org Data Proxy User

Custom: Marketing Profile

Custom: Sales Profile

Custom: Support Profile

Customer Community Login User

Customer Community Plus Login User

Customer Community Plus User

Customer Community User

Phase 3: UI/UX Development & Customization

Milestone - 1 Creating Permission Sets

The screenshot displays the Salesforce Setup interface in Developer Edition. The left sidebar shows the navigation menu with 'Setup' selected. The main content area is titled 'Permission Sets' and includes a search bar and a list of permission sets. The list has columns for Action, Permission Set Name, Description, and License. The 'All Permission Sets' filter is active, showing 118 items. The 'Clone' action is selected for the first item, '(Legacy) Data Cloud Data Aware Specialist'.

Action	Permission Set Name	Description	License
☐	(Legacy) Data Cloud Data Aware Specialist	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacloud...	Customer Data Platform
☐	(Legacy) Data Cloud Marketing Admin	Allows access to Data Cloud Setup if the user is also a Salesforce admin, management of all sta...	Customer Data Cloud for Marketing
☐	(Legacy) Data Cloud Marketing Manager	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacloud...	Customer Data Platform
☐	(Legacy) Data Cloud Marketing Specialist	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacloud...	Customer Data Platform
☐	(Legacy) Data Cloud for Marketing Data Aware Specialist	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacloud...	Customer Data Cloud for Marketing
☐	(Legacy) Data Cloud for Marketing Manager	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacloud...	Customer Data Cloud for Marketing
☐	(Legacy) Data Cloud for Marketing Specialist	This Data Cloud permission set will be deprecated in Spring '24. Learn more at sfdc.co/datacloud...	Customer Data Cloud for Marketing
☐	Access Agentforce Default Agent	Gives users access to the default Agentforce agent in Salesforce.	Agentforce (Default)
☐	Agentforce Default Admin	Allows access to agent platform.	Cloud Integration User
☐	Agent Platform Builder	Allows users to build and manage in-org copilots. Also grants org-wide access to all agents, inclu...	Agent platform builder
☐	Agentforce Default Admin	Build and manage autonomous AI service agents. Also grants org-wide access to all agents, inclu...	Agentforce (Default)
☐	Agentforce Service Agent Configuration	Access knowledge articles and manage cases and contacts as an autonomous AI service agent.	Agentforce Service Agent Builder
☐	Agentforce Service Agent Object Access	Set up and use Agentforce Service Agent actions with enhanced data security.	Agentforce Service Agent User
☐	Agentforce Service Agent Secure Base	Analyze topics and perform actions as an autonomous AI service agent.	Agentforce Service Agent User
☐	Agentforce Service Agent User	Allows the integration user to use ccm features	Cloud Integration User
☐	Agentic Near Core CRM	Allows the integration user to use marketing features	Cloud Integration User
☐	Agentic Near Core Marketing	Allows the integration user to use personalization features	Cloud Integration User
☐	Agentic Near Core Personalization	Allows the integration user to manage connections between tenants	Cloud Integration User
☐	Agentic Near Core Provisioning	An authenticated external user with the ability to make and manage their payments.	Salesforce Payments External
☐	Authenticated Partner	Allows access to the store. Lets users see products and categories, make purchases, and add pr...	82B Buyer Permission Set One Seat
☐	Buyer	Includes all Buyer capabilities, and allows access to manage carts and orders related to their acc...	82B Buyer Manager Permission Set One Seat
☐	Buyer Manager		Cloud Integration User
☐	C2C-AI/Workbench/Platform/Metabolism/Service/PermSet		Cloud Integration User
☐	C2C-Analytics/Storage/PermSet		Cloud Integration User
☐	C2C-Capstone/PermSet		Cloud Integration User

The screenshot displays the Salesforce Setup interface in Developer Edition, showing the details of a specific permission set named 'Swift Ship'. The left sidebar shows the navigation menu with 'Setup' selected. The main content area is titled 'Permission Sets' and includes a search bar and a list of permission sets. The 'Swift Ship' permission set is selected, and its details are shown in the 'Permission Set Overview' section. The 'Apps' section lists various permissions assigned to the permission set.

Description	API Name	Swift_Ship
License	Namespace Prefix	
Session Activation Required	Created By	Vimal Vimal, 10/1/2026, 9:18 PM
Permission Set Groups Added To	Last Modified By	Vimal Vimal, 10/1/2026, 9:29 PM

Apps

- Assigned Apps**
Settings that specify which apps are visible in the app menu
- Assigned Connected Apps**
Settings that specify which connected apps are visible in the app menu
- Object Settings**
Permissions to access objects and fields, and settings such as tab availability
- App Permissions**
Permissions to perform app-specific actions, such as "Manage Call Centers"
- Apex Class Access**
Permissions to execute Apex classes
- External Data Source Access**
Permissions to authenticate against external data sources
- Flow Access**
Permissions to execute Flows
- Named Credential Access**
Permissions to authenticate against named credentials
- External Credential Principal Access**
Permissions to authenticate with external credential principal mappings
- Service Presence Statuses Access**
Permissions to access Service Presence Statuses
- Custom Permissions**
Permissions to access custom processes and apps
- Custom Metadata Types**
Permissions to access custom metadata types
- Custom Setting Definitions**
Permissions to access custom settings
- Organization-Wide Email Address Access**

Parcel__c

Developer Edition

Search Setup

Setup Home Object Manager

per

Hyperform Assistant

Users

Permission Set Groups

Permission Sets

Apps

Mobile Apps

Salesforce

Mobile Builder for the Seller-Focused Experience

Feature Settings

Digital Experiences

Salesforce CMS

Settings

Functions

Headless Experience Layer

Settings

Sales

Accounts

Person Accounts

Salesforce Scheduler

Assignment Policies

Salesforce Scheduler

Settings

Scheduling Policies

Skills

Troubleshooter

Service

SETUP

Permission Sets

Swift Ship

Find Settings Close Delete Edit Properties Manage Assignments View Summary

Permission Set Overview Object Settings Parcels

Parcels Save Cancel

Tab Settings

Available Visible

Object Permissions

Permission Name Enabled

Read Create Edit Delete View All Records Modify All Records View All Fields

Field Permissions

Field Name Field API Name Read Access Edit Access

Created By CreatedById Estimated Delivery Estimated_Delivery__c Last Modified By LastModifiedById Owner OwnerId Parcel ID Parcel_ID__c Parcel Name Name Sender Sender__c Status Status__c Weight Weight__c

Delivery__c

SETUP

Permission Sets

Find Settings Close Delete Edit Properties Manage Assignments View Summary

Permission Set Overview Object Settings

Object Permissions

Permission Name Enabled

Read Create Edit Delete View All Records Modify All Records View All Fields

Field Permissions

Field Name Field API Name Read Access Edit Access

Created By CreatedById Current Location Current_Location__c Delivery Name Name Estimated Delivery Date Estimated_Delivery_Date__c Last Modified By LastModifiedById Owner OwnerId Parcel Parcel__c Sender details Sender_details__c

Sender__c

SETUP

Permission Sets

Available

Visible

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Last Modified By	LastModifiedById	☒	☐
Owner	OwnerId	☒	☒
Sender Address	Sender_Address__c	☒	☒
Sender Contact	Sender_Contact__c	☒	☒
Sender Email	Sender_Email__c	☒	☒
Sender Name	Name	☒	☒

Receiver__c

SETUP

Permission Sets

Object Permissions

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

Field Permissions

Field Name	Field API Name	☐ Read Access	☐ Edit Access
Created By	CreatedById	☒	☐
Last Modified By	LastModifiedById	☒	☐
Owner	OwnerId	☒	☒
Parcel	Parcel__c	☒	☒
Receiver's Address	Receiver_s_Address__c	☒	☒
Receiver's Contact	Receiver_s_Contact__c	☒	☒
Receivers Email	Receivers_Email__c	☒	☒
Reciever	Reciever__c	☒	☒
Reciever Name	Name	☒	☒

Milestone - 2 Assigning Permissions to your Agent user

Developer Edition

Setup Home Object Manager

Q Search Setup

Users

All Users

On this page you can create, view, and manage users.

To get more licenses, use the Your Account app. [Let's Go](#)

View: [All Users] Edit Create New User

Action	Full Name	Alias	Username	Role	Active	Profile
[Edit]	Chatter Expert	chatter	chatty00da00001@ck1.taaa.vam-8bvmixr@chatter.salesforce.com		✓	Chatter Free User
[Edit]	EinsteinServiceAgent User	einstein	surlfahic_baydenr00da00001@cck1276674130.ext		✓	Einstein Agent User
[Edit]	EDIC_OrgFarm	QEDIC	scic.c18b1636a19d@vorfarm.salesforce.com		✓	System Administrator
[Edit]	User Integration	intgr	integration@00da00001@ck1.taaa.vam		✓	Analytics Cloud Integration User
[Edit]	User Security	sec	anovhtosecuth-Q00da00001@ck1.taaa.vam		✓	Analytics Cloud Security User
[Edit]	Vimal Vimal	vml	muthumma0930_250da00002bc@apertforce.com		✓	System Administrator

New User Reset Password(s) Add Multiple Users

SETUP

Permission Sets

Permission Set Assignments

EinsteinServiceAgent User

Help for this Page

SaveCancel

Available Permission Sets

Sales Cloud User

Sales Engagement Basic User

Salesforce Apex Guru

Salesforce CMS Integration Admin

Salesforce Console User

Salesforce Scheduler Greeter

SeaS Indexing C2C User Perm

Security Center Integration User

Segment Intelligence User

Seller-Focused Sales Mobile Experience

Add

Remove

Enabled Permission Sets

Agentforce Service Agent Secure Base

Swift Ship

SaveCancel

Developer Edition

Setup Home Object Manager

Search Setup

Users

EinsteinServiceAgent User

Salesforce now sends emails only from verified domains. To avoid delivery failures, verify your email domains or enable your substitute email-sending domain. [Learn More](#)

Permission Set Assignments (2) | Permission Set Assignments Activation Required (2) | Permission Set Group Assignments (1) | Permission Set License Assignments (2) | Personal Groups (2) | Public Group Memberships (2) | Global Memberships (2) | Teams (2) | Members in the Role Hierarchy (2) | Global Access (2) | Third Party Account Links (2) | Built-in Authentication (2) | Installed Mobile Apps (2) | Authentication Sessions for External Systems (2) | Login History (2) | User Provisioning Assignments (2)

User Detail

Name EinsteinServiceAgent User
Alias einstein
Email einstein@salesforce.com [Verify](#)
Username swiftship_tracker@00dag000018c2k1220674130-ed
Nickname User17909165935893680062 [X](#)
Title
Company
Department
Division
Address
Time Zone (GMT-07:00) Pacific Daylight Time (America/Los_Angeles)
Locale English (United States)
Language English
Delegated Approver
Manager
Receive Approval Request Emails Only if I am an approver
Federation ID
App Registration: One-Time Password Authenticator [X](#)
App Registration: Salesforce Authenticator [X](#)
Security Key (2DF or WebAuthn) [X](#)
Lightning Login [X](#)
Temporary Verification Code (Expires in 1 to 34 hours) [Generate](#) [X](#)

Role Einstein Agent
User License Einstein Agent User
Profile Einstein Agent User
Active ☒
Marketing User ☐
Offline User ☐
Knowledge User ☐
Flow User ☐
Service Cloud User ☐
Site.com Contributor User ☐
Site.com Publisher User ☐
WOC User ☐
Mobile Push Registrations Data.com User Type [X](#)
Accessibility Mode (Classic Only) [X](#)
Debug Mode [X](#)
High-Contrast Palette on Charts [X](#)
Load Lightning Pages While Scrolling [X](#)
Salesforce CRM Content User [X](#)
Receive Salesforce CRM Content Email Alerts ☒
Receive Salesforce CRM Content Alerts as Daily Digest ☒
Allow Forecasting ☐
No MRU Updates [X](#)
Call Center
Phone
Extension
Fax

Milestone -3 Org Setup for AgentForce

Enable salesforce Default agent from Salesforce Go

Enable Einstein Setup

Developer Edition

Setup Home Object Manager

Search Setup

Einstein Setup

Turn on Einstein ☒ On

Enhance your Salesforce data with generative AI to create relevant, customized experiences for your users. [Learn more in help.](#)

Reconnect Agents to Salesforce Services [Reconnect](#)

To resolve connection errors, reconnect your agents to Salesforce services.

Disable Agentforce Development Agent (Beta) ☒ On

Restore the previous Agentforce agent in Agentforce Builder.

Prompt Builder Settings

Global Languages ☒ On

Use global languages with prompt templates. See [Supported Languages](#). Some Einstein Trust Layer features may not be available for certain languages. See [Einstein Trust Layer Language Support](#).

Allow Unsafe Changes ☐ Off

Allow changes that might break references to active templates, like adding required inputs or changing the response format.

Prompt Template Activation on Deploy with Change Sets ☐ Off

Activate prompt templates in the target org when deploying active templates from a source org using change sets.

Deploy Active Prompt Template Versions Only ☐ Off

Developer Edition

Setup Home Object Manager

agentforce

Feature Settings

Commerce

Commerce Agentforce Settings

Einstein

Agentforce Data Library

Agentforce Gateway

Policies

Agentforce Registry

Registered APIs

Registered MCP Servers

Einstein Generative AI

Agentforce Studio

Agent Analytics

Agentforce Agents

Agentforce Assets

Testing Center

Setup with Agentforce

Development

Agentforce Vibes Extension

Agentforce Vibes IDE

Didn't find what you're looking for? Try using Global Search.

SETUP > AGENTFORCE STUDIO

Agentforce Agents

Agentforce On + New Agent

Try the new Agentforce Builder!

The new Agentforce Builder is our AI-first experience for building, testing, and deploying enterprise-grade agents in Agent Script for more consistent behavior.

Let's Go

Milestone - 4 Building The Agent

Developer Edition

Setup Home Object Manager

Quick Find

Setup Home

Salesforce Go

Service Cloud Reports

Commerce Setup Assistant

Hyperforce Assistant

Release Updates

Salesforce Mobile App

Lightning Usage

AgentExchange Offers

Sales Cloud Everywhere

ADMINISTRATION

> Users

> Data

> Email

PLATFORM TOOLS

> Subscription Management

> Apps

> Feature Settings

> Slack

> Data Cloud

> Heroku

> MuleSoft

Einstein

Agentforce Data Library

> Agentforce Gateway

> Agentforce Registry

SETUP > AGENT DETAILS

Agentforce (Default)

Version 1 (Active) Open in Builder

API Name	Type	Active
Copilot_for_Salesforce	Employee	☒

Details System Messages Language Settings

* Name

Agentforce (Default)

Created On

October 2, 2026 at 10:09 AM

* API Name

Copilot_for_Salesforce

Created By

Vimal Vimal

* Description

An AI assistant for in-org business tasks.

Last Modified By

Vimal Vimal

Role

Company


Keep a record of conversations with enhanced event logs to review agent behavior

☐


Conversation Recommendations in Agent Responses

☒

Assign Sub Agents to the Agent



Adding Actions to Agentforce Assets



Connect an existing action

Actions are how an agent gets things done. To create an agent action, start with the functionality you already have in Salesforce, such as flows or prompt templates. Select an action you want the agent action to reference, and then configure it for use with an agent.

* Reference Action Type

Flow

* Reference Action

Select an action...

parcel details

Cancel

Next

Assign Subagents Action

While on the Agent Builder in Subagent, Click on the Parcel Updates Subagent

Developer Edition

Agentforce BuilderAgentforce (Default)Version 1 (Active)

SettingsHelp

Batch TestDeactivate

#Subagents

Subagent Details

Subagent ConfigurationThis Subagent's Actions

Manage the actions assigned to your subagent. To add or remove actions, your agent must be deactivated.

Search actions...

1 Items • Sorted by Agent Action Label(asc)

Agent Action Label ↑	Description	Source	Reference Action Type	Last Modified	Created By
Parcel Details	Retrieves parcel details using the ...	Custom	Flow	Oct 02, 2026	Vimal Vimal

Conversation Preview




Let's chat!


Hi! I'm Agentforce, an AI assistant. I can do things like search your Salesforce data or the internet, edit your Salesforce records, and draft or revise emails and fields....[Show More](#)

Describe your task or ask a question...

1. Select the flow action that we created and click on finish.



2. Click on settings , and rename your agent to SwiftShip Tracker



Edit Agent Details

Name:

API Name:

* Description ⓘ

 958 characters remaining

Role ⓘ

Company ⓘ

☐ Keep a record of conversations with enhanced event logs to review agent behavior ⓘ [Learn More](#)

☒ Conversation Recommendations in Agent Responses ⓘ

3. Click Save.

Put your subagents to the test

Configuration Issues Detected

This agent's configuration has issues that could affect its behavior:

- One or more subagents overlap.
- Conflicting instructions detected.
- Data Cloud isn't enabled.

4. Click on Ignore and Activate, then Activate.

Phase 4: Data Migration, Testing & Security

To validate the functionality and reliability of the Parcel Tracking Agent created in Agent Builder. This phase ensures that the agent correctly recognizes topics, triggers the assigned Flow (SwiftShip Tracker), retrieves or updates parcel data, and performs all intended actions without access or permission issues. The goal is to confirm that the AI-driven agent operates seamlessly within Salesforce and provides accurate, real-time responses to parcel management queries.

Verify Agent

Go to Setup → Agentforce Agents.

1. Open the Agents list and confirm that your agent
Name: Parcel Tracking Agent, appears


Validate Assigned Topic

In Agent Builder → SubAgent, confirm that the SubAgent you created (e.g., *Parcel Tracking* or *SwiftShip Tracker*) is listed.

Open the topic to verify:

- It contains a prompt or description related to parcel management.
- The Action/Flow (SwiftShip Tracker) is linked to this topic.

2. Click Save and ensure the topic is Active.



Developer Edition

←

Agentforce Builder

SwiftShip Tracker

Version 1 (Active) ▾

Subagents

Data

Context

Language

Events

← Subagent Details

Subagent Configuration

This Subagent's Actions

Manage the actions assigned to your subagent. To add or remove actions, your agent must be deactivated.

Search actions...

1 items • Sorted by Agent Action Label(asc)

Agent Action Label ↑

Parcel Details


Put your subagents to the test

Start a conversation to preview how your agent builds a plan and executes actions based on user interactions.

Check the Flow Association

Go to Setup → Flows.

1. Locate the Flow named SwiftShip Tracker.
2. Confirm:
 - The Flow is Activated.
 - The Flow includes screens or actions that handle:
 - Parcel ID input
 - Parcel details retrieval
 - Status update or confirmation message
3. Open the Flow's Advanced Settings → ensure Run in System Context (Without Sharing) if data access is restricted.



Activate and Test the Agent

1. Return to Setup → Agent Builder → Parcel Tracking Agent.
2. Click Activate (if not already activated).
3. Once active, test using Preview / Try it Out mode:
Type a query such as:
“Track parcel ID P12345” or
“Update delivery status for parcel P67890 to Delivered.”
4. Observe the agent’s response.

The screenshot displays the Agent Builder interface for the 'Parcel Tracking Agent'. The top bar includes 'Batch test' and 'Deactivate' buttons. The main area shows a plan titled 'sure my parcel ID is P-123' with Plan ID: 42103d1fafa5. The plan steps are:

- User Prompt:** sure my parcel ID is P-123
- Reasoning: Topic Selection** (0.22 sec)
 - Prompt Used:**
 - Topic Selected: Parcel Details (Parcel_Details)**
 - Handles user inquiries related to parcel details, including tracking, delivery status, and parcel specifications.
 - Instructions:** 5
 - Actions:** 1
- Reasoning: Action Selection** (0.38 sec)
 - Prompt Used:**

The right panel shows the **Conversation Preview** with the following exchange:

- User: hi
- Agent: Hello! How can I assist you today?
- User: can I get my parcel details.
- Agent: Could you please provide your parcel ID so I can retrieve the details for you?
- User: sure my parcel ID is P-123
- Agent: Here are the details of your parcel. Let me know if you need further assistance!

The agent's response includes a **Parcel Tracking Update** card with the following details:

- Parcel Name: Sanjana
- Parcel ID: P-123
- Status: Booked
- Weight: 10

The bottom of the preview shows a text input field with the placeholder 'Describe your task or ask a question...'.


Validate Data in Salesforce

1. After the agent runs the Flow:
 - Go to App Launcher → Parcels (Parcel__c).

Search for the Parcel ID you used during testing. Verify:

- The Status or related field is updated.

Any Flow-created records (bookings, updates) appear correctly



5. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to validate vehicle creation, dealer assignment, stock validation triggers, order status updates, batch processing, scheduled reminders, and dashboard analytics. All features were verified to ensure correct functionality and performance.

6. ADVANTAGES & DISADVANTAGES

Advantages

- Centralized parcel and customer information in Salesforce.
- Provides better visibility into parcel booking and delivery tracking.
- Automates key logistics processes using Salesforce Flow.
- Agentforce enables conversational customer support and parcel-status assistance.
- Prompt Builder supports AI-powered responses and self-service.
- Reduces manual effort for customers, support teams, and administrators.
- Provides timely notifications and updates during the delivery process.
- Experience Cloud can provide customers with convenient access to tracking information.
- Supports integration with external logistics systems.
- Can scale to support multiple locations and growing parcel operations.

Disadvantages

- Requires accurate and up-to-date parcel and customer data.
- Dependence on Salesforce configuration and automation.
- Agentforce responses depend on properly configured prompts and available data.
- External logistics integrations may increase implementation complexity.
- Flow and automation logic require regular maintenance when business processes change.
- Users need appropriate Salesforce or Experience Cloud access to use the system.
- Initial Salesforce implementation and configuration can require significant effort.
- Expanding the system to additional locations or integrations may require further customization.

7. Conclusion:

The SwiftShip Tracker demonstrates how Salesforce can be used to build a centralized parcel management and tracking solution. The project integrates custom objects, relationships, Flows, Apex, Email Alerts, Experience Cloud, AgentForce AI, Prompt Builder, security controls, and reporting to support parcel booking, delivery tracking, status updates, and customer communication.

The integration of AgentForce AI with Prompt Builder and Salesforce Flow provides a conversational approach to parcel tracking, enabling customers to obtain shipment information without depending entirely on manual support. The project therefore provides a practical foundation for a scalable and user-friendly parcel management solution.

8. FUTURE SCOPE

- Extend AgentForce capabilities for more parcel-management queries.
- Enhance real-time delivery tracking.
- Expand customer self-service through Experience Cloud.
- Add more advanced delivery-performance analytics.
- Integrate additional external logistics systems.
- Improve AI prompts and conversational experiences.

- Introduce enterprise-level sandbox and CI/CD deployment.
- Expand automation for additional parcel operations.

The source identifies enterprise deployment, continuous monitoring, prompt refinement, Flow improvement, and AI-agent scalability as areas for future enhancement.

9. APPENDIX

- A. Custom Objects: Parcel, Delivery, Sender, Receiver
- B. Standard Objects: Account, Contact, Case, Task, EmailMessage, User
- C. Automation: Flows, Approval Processes, Email Alerts
- D. Apex: Apex Classes, Batch Apex
- E. AI: AgentForce AI, Prompt Builder
- F. UI: Lightning App, Lightning Record Pages, Experience Cloud
- G. Security: Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
- H. Analytics: Reports & Dashboards
- I. Testing: Flow, AgentForce, data retrieval, security and permission validation

Thank you