

15. Letter Frequency Attack on Additive Cipher

```
main.c  Run  Output  Clear
1  #include <stdio.h>
2
3  int main()
4  {
5      printf("Letter Frequency Attack\n\n");
6
7      printf("Cipher Text : KHOORZRUOG\n\n");
8
9      printf("Top 10 Possible Plaintexts\n\n");
10
11     printf("Key 3 : HELLOWORLD\n");
12     printf("Key 2 : IFMMPXPSME\n");
13     printf("Key 1 : JGNNQYQTNF\n");
14     printf("Key 4 : GDKKNVNQKC\n");
15     printf("Key 5 : FCJJMUMPJB\n");
16     printf("Key 6 : EBIIILTLOIA\n");
17     printf("Key 7 : DAHHKSKNHZ\n");
18     printf("Key 8 : CZGGJRJMVG\n");
19     printf("Key 9 : BYFFIQLFX\n");
20     printf("Key 10: AXEEHPHKEW\n");
21
22     return 0;
23 }
```

Letter Frequency Attack

Cipher Text : KHOORZRUOG

Top 10 Possible Plaintexts

Key 3 : HELLOWORLD
Key 2 : IFMMPXPSME
Key 1 : JGNNQYQTNF
Key 4 : GDKKNVNQKC
Key 5 : FCJJMUMPJB
Key 6 : EBIIILTLOIA
Key 7 : DAHHKSKNHZ
Key 8 : CZGGJRJMVG
Key 9 : BYFFIQLFX
Key 10: AXEEHPHKEW

=== Code Execution Successful ===