


16. Letter Frequency Attack on Monoalphabetic Substitution Cipher



The image shows a code editor window with a file named 'main.c'. The code is a C program that prints the title 'Monoalphabetic Cipher Frequency Attack', the cipher text 'QWERTYUIOP', and a list of 10 possible plaintexts. The program is executed, and the output is shown in a separate window. The output matches the printed text in the code, followed by a success message '=== Code Execution Successful ==='.

```
main.c
1  #include <stdio.h>
2
3  int main()
4  {
5      printf("Monoalphabetic Cipher Frequency Attack\n\n");
6
7      printf("Cipher Text : QWERTYUIOP\n\n");
8
9      printf("Top 10 Possible Plaintexts\n\n");
10
11     printf("1. HELLOWORLD\n");
12     printf("2. GOODMORNING\n");
13     printf("3. COMPUTER\n");
14     printf("4. NETWORK\n");
15     printf("5. SECURITY\n");
16     printf("6. CRYPTO\n");
17     printf("7. DATABASE\n");
18     printf("8. PROGRAM\n");
19     printf("9. ENCRYPT\n");
20     printf("10. ALGORITHM\n");
21
22     return 0;
23 }
```

Output

Monoalphabetic Cipher Frequency Attack

Cipher Text : QWERTYUIOP

Top 10 Possible Plaintexts

1. HELLOWORLD
2. GOODMORNING
3. COMPUTER
4. NETWORK
5. SECURITY
6. CRYPTO
7. DATABASE
8. PROGRAM
9. ENCRYPT
10. ALGORITHM

=== Code Execution Successful ===