SUSPENSION NODE

DRIVER INTERFACE

PENTHOUSE CONNECTOR

FRONT BULKHEAD CONNECTOR

FLOOR SENSE + STEER

PEDAL BOX REGION

Cursed bend point

Notes	
1	glorp
2	glip

From	To	Conductor	Color	Size	Notes
C6.1	C1.22	W22.Red		22 AWG	12V COCKPIT
C6.2	C1.23	W23.Black		22 AWG	GND COCKPIT
C6.3	S3	W10.Unspecified		22 AWG	CAN2H COCKPIT
C6.4	S4				CAN2L COCKPIT

From	To	Conductor	Color	Size	Notes
C3.1	C2.8	W26.White-Black-Blue		22 AWG	SHUTDOWN_BCU_D-ESTOP
C3.2	C1.11	W27.White-Black-Blue		22 AWG	SHUTDOWN_D-ESTOP_ECU

C3 [3]

5.12 in

5.12 in

C6 [4]

C5 [5]

16.14 in

From	To	Conductor	Color	Size	Notes
C5.1	C1.20	W20.Red		22 AWG	12V DASH
C5.2	C1.21	W21.Black		22 AWG	GND DASH
C5.3	S1	W9.Unspecified		22 AWG	CAN1H DASH
C5.4	S2				CAN1L DASH

6

S1 [14]
S2 [14]
S3 [14]
S4 [14]
S5 [14]
S6 [14]

From	To	Notes
S1	C5.3	CAN1H DASH

From	To	Notes
S2	C5.4	CAN1L DASH

From	To	Notes
S3	C6.3	CAN2H COCKPIT

From	To	Notes
S4	C6.4	CAN2L COCKPIT

From	To	Notes
S6	C4.2	GND COCKPIT SPLICE 2

From	To	Notes
S5	C4.1	12V COCKPIT SPLICE

14.54 in

C1 [1]

C1					
From	To	Conductor	Color	Size	Notes
C1.1	C2.7	W1.Red		14 AWG	Main 12V Line
C1.2	C2.1	W7.Unspecified			CAN1H
C1.3	C2.2	W8.Unspecified			CAN1L
C1.4	C2.11	W2.Black		14 AWG	Main 12V Ground
C1.5	C2.14	W24.Red		14 AWG	12V 2
C1.6	C2.25	W25.Black		20 AWG	GROUND 2
C1.7	C2.3	W3.Unspecified			CAN1DRAIN
C1.8	C2.4	W4.Unspecified			CAN2H
C1.9	C2.5	W5.Unspecified			CAN2L
C1.10	C2.6	W6.Unspecified			CAN2DRAIN
C1.11	C3.2	W27.White-Black-Blue		22 AWG	SHUTDOWN_D-ESTOP_ECU
C1.12	C8.1	W32.White-Black-Blue		22 AWG	SHUTDOWN_ECU_BOTS
C1.13	C2.10	W17.White-Blue		22 AWG	BSPD CURRENT
C1.14	C2.12	W16.White-Blue		22 AWG	BMS_OK
C1.15	C2.13	W15.White-Blue		22 AWG	IMD_OK
C1.16	C2.15	W14.White-Blue		22 AWG	SDC_RESET
C1.17	C2.16	W13.White-Red		22 AWG	TSSI_GREEN
C1.18	C2.17	W18.White-Red		22 AWG	TSSI_RED
C1.19	C2.18	W19.White-Red		22 AWG	BRAKE_LIGHT
C1.20	C5.1	W20.Red		22 AWG	12V DASH
C1.21	C5.2	W21.Black		22 AWG	GND DASH
C1.22	C6.1	W22.Red		22 AWG	12V COCKPIT
C1.23	C6.2	W23.Black		22 AWG	GND COCKPIT
C1.24	C7.1	W28.Red		22 AWG	12V PEDALS
C1.25	C7.2	W29.Black		22 AWG	GND PEDALS
C1.27	C12.1	W34.Red		22 AWG	12V FLOOR
C1.28	C12.2	W35.Black		22 AWG	GND FLOOR
C1.29	C7.3	W30.White-Violet		22 AWG	APPS1_4-20
C1.30	C7.4	W31.White-Violet		22 AWG	APPS2_4-20
C1.31	C9.1	W38.White-Yellow		22 AWG	BRAKELINE_F_4-20
C1.32	C10.1	W39.White-Yellow		22 AWG	BRAKELINE_R_4-20
C1.33	C4.3	W42.White-Violet		22 AWG	LINPOT_4-20

24-35
3 size 16
& 32 size 20
N,E

24-47
5 size16
& 42 size 20
E

10.48 in

14.56 in

14.56 in

C2 [2]

17.39 in

From	To	Conductor	Color	Size	Notes
C2.1	C1.2	W7.Unspecified			CAN1H
C2.2	C1.3	W8.Unspecified			CAN1L
C2.3	C1.7	W3.Unspecified			CAN1DRAIN
C2.4	C1.8	W4.Unspecified			CAN2H
C2.5	C1.9	W5.Unspecified			CAN2L
C2.6	C1.10	W6.Unspecified			CAN2DRAIN
C2.7	C1.1	W1.Red		14 AWG	Main 12V Line
C2.8	C3.1	W26.White-Black-Blue		22 AWG	SHUTDOWN_BCU_D-ESTOP
C2.9	C8.2	W33.White-Black-Blue		22 AWG	SHUTDOWN_BOTS_BCU
C2.10	C1.13	W17.White-Blue		22 AWG	BSPD CURRENT
C2.11	C1.4	W2.Black		14 AWG	Main 12V Ground
C2.12	C1.14	W16.White-Blue		22 AWG	BMS_OK
C2.13	C1.15	W15.White-Blue		22 AWG	IMD_OK
C2.14	C1.5	W24.Red		14 AWG	12V 2
C2.15	C1.16	W14.White-Blue		22 AWG	SDC_RESET
C2.16	C1.17	W13.White-Red		22 AWG	TSSI_GREEN
C2.17	C1.18	W18.White-Red		22 AWG	TSSI_RED
C2.18	C1.19	W19.White-Red		22 AWG	BRAKE_LIGHT
C2.25	C1.6	W25.Black		20 AWG	GROUND 2

2

S7 [14]
S8 [14]

From	To	Notes
S7	C12.3	CAN2H SPLICE

From	To	Notes
S8	C12.4	CAN2L SPLICE

11.16 in

12.82 in

C12 [5]

From	To	Conductor	Color	Size	Notes
C12.1	C1.27	W34.Red		22 AWG	12V FLOOR
C12.2	C1.28	W35.Black		22 AWG	GND FLOOR
C12.3	S7	W11.Unspecified		22 AWG	CAN2H SPLICE
C12.4	S8				CAN2L SPLICE

C4 [4]

From	To	Conductor	Color	Size	Notes
C4.1	S5	W12.Red		22 AWG	12V COCKPIT SPLICE
C4.2	S6	W43.Black		22 AWG	GND COCKPIT SPLICE 2
C4.3	C1.33	W42.White-Violet		22 AWG	LINPOT_4-20

C7 [5]

From	To	Conductor	Color	Size	Notes
C7.1	C1.24	W28.Red		22 AWG	12V PEDALS
C7.2	C1.25	W29.Black		22 AWG	GND PEDALS
C7.3	C1.29	W30.White-Violet		22 AWG	APPS1_4-20
C7.4	C1.30	W31.White-Violet		22 AWG	APPS2_4-20

9.06 in

C9 [3]

9.06 in

From	To	Conductor	Color	Size	Notes
C9.1	C1.31	W38.White-Yellow		22 AWG	BRAKELINE_F_4-20
C9.2	S10	W40.Black		22 AWG	GND PEDALS SPLICE

2

S10 [14]
S9 [14]

From	To	Notes
S9	C11.1	12V PEDALS SPLICE

From	To	Notes
S10	C9.2	GND PEDALS SPLICE
S10	C10.2	GND PEDALS SPLICE
S10	C11.2	GND PEDALS SPLICE

9.06 in

9.06 in

9.06 in

C10

From	To	Conductor	Color	Size	Notes
C10.1	C1.32	W39.White-Yellow		22 AWG	BRAKELINE_R_4-20
C10.2	S10	W41.Black		22 AWG	GND PEDALS SPLICE

C11 [5]

From	To	Conductor	Color	Size	Notes
C11.1	S9	W36.Red		22 AWG	12V PEDALS SPLICE
C11.2	S10	W37.Black		22 AWG	GND PEDALS SPLICE

C8 [3]

From	To	Conductor	Color	Size	Notes
C8.1	C1.12	W32.White-Black-Blue		22 AWG	SHUTDOWN_ECU_BOTS
C8.2	C2.9	W33.White-Black-Blue		22 AWG	SHUTDOWN_BOTS_BCU

GR26 Front Wire Harness Diagram
Schemed poorly by Vin Shin
wires!
January 2026

Gaucho Racing's "next generation" wire harness
Revision Notes: adjusted bend points to fit ANSI E
Other notes: lets build a car!

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

rapidHARNESS

Rev.	Date	Author	Description

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

rapidHARNESS

Flag	Quantity	Note
1	1	glorp
2	1	glip

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

rapidHARNESS

Id	Type	Manufacturer	Part Number	Description	Quantity	Usage
1	Connector	TE Connectivity / DEUTSCH	HDP26-24-47SE-L017	Circular Connector, Circular Industrial, HDP20 Series, Straight Plug, 47 Contacts	1	C1
2	Connector	TE Connectivity / DEUTSCH	HDP26-24-35SE	35 Position Circular Connector Plug Housing Free Hanging (In-Line) Coupling Nu	1	C2
3	Connector	TE Connectivity / DEUTSCH	DTM06-2S	Automotive Connector Housing, IP68, DTM Series, Plug, 2 Ways, AMP DTM Series Socket Contacts	4	C3, C8, C9, C10
4	Connector	TE Connectivity / DEUTSCH	DTM06-3S	TE Connectivity DTM 06-3 S Connector, Housing, Contacts, Fuse Wedge	1	C4
5	Connector	TE Connectivity / DEUTSCH	DTM06-4S	Combination Line Connector, 4 Contact(s), Female, Crimp Terminal, Plug	5	C5, C6, C7, C11, C12
6	Wire		M22759/32-14-2	M22759 14 AWG Red Tin Plated Copper wire	84.82 in	W1, W24
7	Wire		M22759/32-14-0	M22759 14 AWG Black Tin Plated Copper wire	42.41 in	W2
9	Wire	TE Connectivity	M22759/32-22-6	Wire |Te Connectivity M22759/32-22-6	42.41 in	W3
10	Wire	Houston Wire	M22759/32-22-5	M22759/32-22-5, Wire/cable	212.05 in	W4, W5, W6, W7, W8
12	Wire		M22759/32-22-92	M22759 22 AWG White with Red stripes Tin Plated Copper wire	127.23 in	W13, W18, W19
13	Wire		M22759/32-22-96	M22759 22 AWG White with Blue stripes Tin Plated Copper wire	169.64 in	W14, W15, W16, W17
14	Splice	Molex	19207-0001	VersaKrimp Terminal Inline Individual Openings (Parallel) Crimp Connector 18-22 AWG	10	S1, S2, S3, S4, S5, S6, S7, S8, S9, S10
15	Wire		M22759/32-22-2	M22759 22 AWG Red Tin Plated Copper wire	182.08 in	W12, W20, W22, W28, W34, W36
16	Wire		M22759/32-22-0	M22759 22 AWG Black Tin Plated Copper wire	200.2 in	W21, W23, W29, W35, W37, W40, W41, W43
17	Wire		M22759/32-20-0	M22759 20 AWG Black Tin Plated Copper wire	42.41 in	W25
18	Wire		M22759/32-22-906	M22759 22 AWG White with Black-Blue stripes Tin Plated Copper wire	171.42 in	W26, W27, W32, W33
19	Wire		M22759/32-22-97	M22759 22 AWG White with Violet stripes Tin Plated Copper wire	164.24 in	W30, W31, W42
20	Wire		M22759/32-22-94	M22759 22 AWG White with Yellow stripes Tin Plated Copper wire	126.4 in	W38, W39
21	Wire	Judd Wire	M22759/32-22-9	Hook-up Wire 22AWG 1.14mm Tinned Copper 600VAC	32.42 in	W9, W10, W11

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

rapidHARNESS

From	To	Conductor	Conductor PN	Twisted With	Size	Length	From Contact PN	Notes
C1.1	C2.7	W1.Red	M22759/32-14-2		14 AWG	42.41 in		Main 12V Line
C1.2	C2.1	W7.Unspecified	M22759/32-22-5	W8		42.41 in		CAN1H
C1.3	C2.2	W8.Unspecified	M22759/32-22-5	W7		42.41 in		CAN1L
C1.4	C2.11	W2.Black	M22759/32-14-0		14 AWG	42.41 in		Main 12V Ground
C1.5	C2.14	W24.Red	M22759/32-14-2		14 AWG	42.41 in		12V 2
C1.6	C2.25	W25.Black	M22759/32-20-0		20 AWG	42.41 in		GROUND 2
C1.7	C2.3	W3.Unspecified	M22759/32-22-6			42.41 in		CAN1DRAIN
C1.8	C2.4	W4.Unspecified	M22759/32-22-5	W5		42.41 in		CAN2H
C1.9	C2.5	W5.Unspecified	M22759/32-22-5	W4		42.41 in		CAN2L
C1.10	C2.6	W6.Unspecified	M22759/32-22-5			42.41 in		CAN2DRAIN
C1.12	C8.1	W32.White-Black-Blue	M22759/32-22-906		22 AWG	63.2 in		SHUTDOWN_ECU_BOTS
C1.13	C2.10	W17.White-Blue	M22759/32-22-96		22 AWG	42.41 in		BSPD CURRENT
C1.14	C2.12	W16.White-Blue	M22759/32-22-96		22 AWG	42.41 in		BMS_OK
C1.15	C2.13	W15.White-Blue	M22759/32-22-96		22 AWG	42.41 in		IMD_OK
C1.16	C2.15	W14.White-Blue	M22759/32-22-96		22 AWG	42.41 in		SDC_RESET
C1.17	C2.16	W13.White-Red	M22759/32-22-92		22 AWG	42.41 in		TSSI_GREEN
C1.18	C2.17	W18.White-Red	M22759/32-22-92		22 AWG	42.41 in		TSSI_RED
C1.19	C2.18	W19.White-Red	M22759/32-22-92		22 AWG	42.41 in		BRAKE_LIGHT
C1.20	C5.1	W20.Red	M22759/32-22-2		22 AWG	30.68 in		12V DASH
C1.21	C5.2	W21.Black	M22759/32-22-0		22 AWG	30.68 in		GND DASH
C1.22	C6.1	W22.Red	M22759/32-22-2		22 AWG	19.66 in		12V COCKPIT
C1.23	C6.2	W23.Black	M22759/32-22-0		22 AWG	19.66 in		GND COCKPIT
C1.24	C7.1	W28.Red	M22759/32-22-2		22 AWG	63.2 in		12V PEDALS
C1.25	C7.2	W29.Black	M22759/32-22-0		22 AWG	63.2 in		GND PEDALS
C1.27	C12.1	W34.Red	M22759/32-22-2		22 AWG	36.18 in		12V FLOOR
C1.28	C12.2	W35.Black	M22759/32-22-0		22 AWG	36.18 in		GND FLOOR
C1.29	C7.3	W30.White-Violet	M22759/32-22-97		22 AWG	63.2 in		APPS1_4-20
C1.30	C7.4	W31.White-Violet	M22759/32-22-97		22 AWG	63.2 in		APPS2_4-20
C1.31	C9.1	W38.White-Yellow	M22759/32-22-94		22 AWG	63.2 in		BRAKELINE_F_4-20
C1.32	C10.1	W39.White-Yellow	M22759/32-22-94		22 AWG	63.2 in		BRAKELINE_R_4-20
C1.33	C4.3	W42.White-Violet	M22759/32-22-97		22 AWG	37.84 in		LINPOT_4-20
C2.8	C3.1	W26.White-Black-Blue	M22759/32-22-906		22 AWG	32.99 in		SHUTDOWN_BCU_D-ESTOP
C3.2	C1.11	W27.White-Black-Blue	M22759/32-22-906		22 AWG	19.66 in		SHUTDOWN_D-ESTOP_ECU
C8.2	C2.9	W33.White-Black-Blue	M22759/32-22-906		22 AWG	55.57 in		SHUTDOWN_BOTS_BCU
S1	C5.3	W9.Unspecified	M22759/32-22-9		22 AWG	16.14 in		CAN1H DASH
S2	C5.4					16.14 in		CAN1L DASH
S3	C6.3	W10.Unspecified	M22759/32-22-9		22 AWG	5.12 in		CAN2H COCKPIT
S4	C6.4					5.12 in		CAN2L COCKPIT
S5	C4.1	W12.Red	M22759/32-22-2		22 AWG	23.3 in		12V COCKPIT SPLICE
S6	C4.2	W43.Black	M22759/32-22-0		22 AWG	23.3 in		GND COCKPIT SPLICE 2
S7	C12.3	W11.Unspecified	M22759/32-22-9		22 AWG	11.16 in		CAN2H SPLICE

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

From	To	Conductor	Conductor PN	Twisted With	Size	Length	From Contact PN	Notes
S8	C12.4					11.16 in		CAN2L SPLICE
S9	C11.1	W36.Red	M22759/32-22-2		22 AWG	9.06 in		12V PEDALS SPLICE
S10	C9.2	W40.Black	M22759/32-22-0		22 AWG	9.06 in		GND PEDALS SPLICE
S10	C10.2	W41.Black	M22759/32-22-0		22 AWG	9.06 in		GND PEDALS SPLICE
S10	C11.2	W37.Black	M22759/32-22-0		22 AWG	9.06 in		GND PEDALS SPLICE

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

rapidHARNESS

#	Type	Reference Designator	Manufacturer	Part Number	Color	Size	From Strip	To Strip	Length	Twisted With	Notes
1	Wire	W1		M22759/32-14-2	Red	14 AWG			42.41 in		Main 12V Line
2	Wire	W2		M22759/32-14-0	Black	14 AWG			42.41 in		Main 12V Ground
3	Wire	W3	TE Connectivity	M22759/32-22-6	Unspecified				42.41 in		CAN1DRAIN
4	Wire	W4	Houston Wire	M22759/32-22-5	Unspecified				42.41 in	W5	CAN2H
5	Wire	W5	Houston Wire	M22759/32-22-5	Unspecified				42.41 in	W4	CAN2L
6	Wire	W6	Houston Wire	M22759/32-22-5	Unspecified				42.41 in		CAN2DRAIN
7	Wire	W7	Houston Wire	M22759/32-22-5	Unspecified				42.41 in	W8	CAN1H
8	Wire	W8	Houston Wire	M22759/32-22-5	Unspecified				42.41 in	W7	CAN1L
9	Wire	W9	Judd Wire	M22759/32-22-9	Unspecified	22 AWG			16.14 in		CAN1H DASH
10	Wire	W10	Judd Wire	M22759/32-22-9	Unspecified	22 AWG			5.12 in		CAN2H COCKPIT
11	Wire	W11	Judd Wire	M22759/32-22-9	Unspecified	22 AWG			11.16 in		CAN2H SPLICE
12	Wire	W12		M22759/32-22-2	Red	22 AWG			23.3 in		12V COCKPIT SPLICE
13	Wire	W13		M22759/32-22-92	White-Red	22 AWG			42.41 in		TSSI_GREEN
14	Wire	W14		M22759/32-22-96	White-Blue	22 AWG			42.41 in		SDC_RESET
15	Wire	W15		M22759/32-22-96	White-Blue	22 AWG			42.41 in		IMD_OK
16	Wire	W16		M22759/32-22-96	White-Blue	22 AWG			42.41 in		BMS_OK
17	Wire	W17		M22759/32-22-96	White-Blue	22 AWG			42.41 in		BSPD CURRENT
18	Wire	W18		M22759/32-22-92	White-Red	22 AWG			42.41 in		TSSI_RED
19	Wire	W19		M22759/32-22-92	White-Red	22 AWG			42.41 in		BRAKE_LIGHT
20	Wire	W20		M22759/32-22-2	Red	22 AWG			30.68 in		12V DASH
21	Wire	W21		M22759/32-22-0	Black	22 AWG			30.68 in		GND DASH
22	Wire	W22		M22759/32-22-2	Red	22 AWG			19.66 in		12V COCKPIT
23	Wire	W23		M22759/32-22-0	Black	22 AWG			19.66 in		GND COCKPIT
24	Wire	W24		M22759/32-14-2	Red	14 AWG			42.41 in		12V 2
25	Wire	W25		M22759/32-20-0	Black	20 AWG			42.41 in		GROUND 2
26	Wire	W26		M22759/32-22-906	White-Black-Blue	22 AWG			32.99 in		SHUTDOWN_BCU_D-ESTOP
27	Wire	W27		M22759/32-22-906	White-Black-Blue	22 AWG			19.66 in		SHUTDOWN_D-ESTOP_ECU
28	Wire	W28		M22759/32-22-2	Red	22 AWG			63.2 in		12V PEDALS
29	Wire	W29		M22759/32-22-0	Black	22 AWG			63.2 in		GND PEDALS
30	Wire	W30		M22759/32-22-97	White-Violet	22 AWG			63.2 in		APPS1_4-20
31	Wire	W31		M22759/32-22-97	White-Violet	22 AWG			63.2 in		APPS2_4-20
32	Wire	W32		M22759/32-22-906	White-Black-Blue	22 AWG			63.2 in		SHUTDOWN_ECU_BOTS
33	Wire	W33		M22759/32-22-906	White-Black-Blue	22 AWG			55.57 in		SHUTDOWN_BOTS_BCU
34	Wire	W34		M22759/32-22-2	Red	22 AWG			36.18 in		12V FLOOR
35	Wire	W35		M22759/32-22-0	Black	22 AWG			36.18 in		GND FLOOR
36	Wire	W36		M22759/32-22-2	Red	22 AWG			9.06 in		12V PEDALS SPLICE
37	Wire	W37		M22759/32-22-0	Black	22 AWG			9.06 in		GND PEDALS SPLICE
38	Wire	W38		M22759/32-22-94	White-Yellow	22 AWG			63.2 in		BRAKELINE_F_4-20
39	Wire	W39		M22759/32-22-94	White-Yellow	22 AWG			63.2 in		BRAKELINE_R_4-20
40	Wire	W40		M22759/32-22-0	Black	22 AWG			9.06 in		GND PEDALS SPLICE
41	Wire	W41		M22759/32-22-0	Black	22 AWG			9.06 in		GND PEDALS SPLICE

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

rapidHARNESS

#	Type	Reference Designator	Manufacturer	Part Number	Color	Size	From Strip	To Strip	Length	Twisted With	Notes
42	Wire	W42		M22759/32-22-97	White-Violet	22 AWG			37.84 in		LINPOT_4-20
43	Wire	W43		M22759/32-22-0	Black	22 AWG			23.3 in		GND COCKPIT SPLICE 2
44		S2 - C5.4							16.14 in		CAN1L DASH
45		S4 - C6.4							5.12 in		CAN2L COCKPIT
46		S8 - C12.4							11.16 in		CAN2L SPLICE

Title:	----
Part Number:	GR26 Front Master Harness
Description:	GR26's critical harnessing past the firewall.

#	Manufacturer	Part Number	Description	Label Text