


Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

ec2-examen-francisco

Add additional tags

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose **Browse more AMIs.**

Search our full catalog including 1000s of application and OS images

Recents | Quick Start

Amazon Linux | macOS | Ubuntu | Windows | Red Hat | SUSE Linux | Debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 kernel-6.18 AMI

ami-0b245cc5f82576748 (64-bit (x86), uefi-preferred) / ami-00f80eba068753881 (64-bit (Arm), uefi)

Virtualization: hvm ENA enabled: true Root device type: ebs

Description

Amazon Linux 2023 (kernel-6.18) is a modern, general purpose Linux-based OS that will be supported until June 2029. It is optimized for AWS and designed to provide a secure, stable and high-performance execution environment to develop and run your cloud applications.

Amazon Linux 2023 AMI 2023.12.20260928.0 x86_64 HVM kernel-6.18

Architecture	Boot mode	AMI ID	Creation Date	Username
64-bit (x86)	uefi-preferred	ami-0b245cc5f82576748	2026-09-24	ec2-user

Verified provider

Instance type Info | Get advice

Instance type


t3.micro — Free tier eligible


Family: t3 2 vCPU 1 GiB Memory Current generation: true On-Demand Linux base pricing: 0.0104 USD per Hour
On-Demand Windows base pricing: 0.0196 USD per Hour On-Demand Ubuntu Pro base pricing: 0.0139 USD per Hour
On-Demand SUSE base pricing: 0.0104 USD per Hour On-Demand RHEL base pricing: 0.0392 USD per Hour


All generations


Compare instance types


Additional costs apply for AMIs with pre-installed software



Create key pair
Key pair name
Key pairs allow you to connect to your instance securely.
key-examen-francisco
The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.
Key pair type
RSA
RSA encrypted private and public key pair
ED25519
ED25519 encrypted private and public key pair
Private key file format
.pem
For use with OpenSSH
.ppk
For use with PuTTY
When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. Learn more
Cancel
Create key pair



Network settings Info
VPC - required Info
vpc-0b3d08f5f4fcee21a (Mi-Red-AWS-vpc)
10.0.0.0/16
Subnet Info
subnet-0d264823f56ab1bc3 Mi-Red-AWS-subnet-public2-us-east-1b
VPC: vpc-0b3d08f5f4fcee21a Owner: 654654478122 Availability Zone: us-east-1b (use1-az2)
Zone type: Availability Zone IP addresses available: 4091 CIDR: 10.0.16.0/20)
Create new subnet
Auto-assign public IP Info
Enable
Additional charges apply when outside of free tier allowance
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
Common security groups Info
Select security groups
Compare security group rules
launch-wizard-franciscovinasco sg-0531a559390f92c14
VPC: vpc-0b3d08f5f4fcee21a
Security groups that you add or remove here will be added to or removed from all your network interfaces.
Advanced network configuration



User data - optional | Info
Upload a file with your user data or enter it in the field.
Choose file
#!/bin/bash
Update system
dnf update -y
Install required packages
dnf install -y httpd wget php php-fpm php-mysqli php-json php-devel
php-mbstring mariadb105 unzip
Enable and start Apache
systemctl enable httpd
systemctl start httpd
Install web app
cd /var/www/html
if [! -f immersion-day-app-php7.zip]; then
wget -O immersion-day-app-php7.zip
https://static.us-east-1.prod.workshops.aws/public/0cf8e0cc-9aa4-41b3-aa
e7-ea46d24b239e/assets/immersion-day-app-php7.zip
User data has already been base64 encoded



Search
[Alt+S]
United States (N. Virginia)
FranciscoJavierVinascoCalle
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-054a79cc0f20c8cb4)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4
Create billing and free tier usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
Manage detailed monitoring
Enable or disable detailed monitoring for the instance. If you enable detailed monitoring, the Amazon EC2 console displays monitoring graphs with a 1-minute period.
Manage detailed monitoring
Create Load Balancer
Create a application, network gateway or classic Elastic Load Balancer
Create Load Balancer
Create AWS budget
AWS Budgets allows you to create budgets, forecast spend, and take action on your costs and usage from a single location.
Create AWS budget
Manage CloudWatch alarms
Create or update Amazon CloudWatch alarms for the instance.
Manage CloudWatch alarms
Disaster recovery for your instances
Recover the instances you just launched into a different Availability Zone or a different Region using AWS Elastic Disaster Recovery (DRS).
Disaster recovery for your instances
Monitor for suspicious runtime activities
Amazon GuardDuty enables you to continuously monitor for malicious runtime activity and unauthorized behavior, with near real-time visibility into on-host activities occurring across your Amazon EC2 workloads.
Monitor for suspicious runtime activities
Get instance screenshot
Capture a screenshot from the instance and view it as an image. This is useful for troubleshooting an unreachable instance.
Get instance screenshot
Get system log
View the instance's system log to troubleshoot issues.
Get system log
View all instances
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Instance summary for i-054a79cc0f20c8cb4 (ec2-examen-francisco) Info
Updated less than a minute ago
Connect
Instance state
Actions
Instance ID
i-054a79cc0f20c8cb4
IPv6 address
–
Hostname type
IP name: ip-10-0-23-29.ec2.internal
Answer private resource DNS name
–
Auto-assigned IP address
13.221.53.146 [Public IP]
IAM role
–
IMDSv2
Required
Operator
–
Public IPv4 address
13.221.53.146 | open address
Instance state
Running
Private IP DNS name (IPv4 only)
ip-10-0-23-29.ec2.internal
Instance type
t3.micro
VPC ID
vpc-0b3d08f5f4fcee21a (Mi-Red-AWS-vpc)
Subnet ID
subnet-0d264823f56ab1bc3 (Mi-Red-AWS-subnet-public2-us-east-1b)
Instance ARN
arn:aws:ec2:us-east-1:654654478122:instance/i-054a79cc0f20c8cb4
Private IPv4 addresses
10.0.23.29
Public DNS
ec2-13-221-53-146.compute-1.amazonaws.com | open address
Elastic IP addresses
–
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. | Learn more
Auto Scaling Group name
–
Managed
false
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance details Info
AMI ID
ami-0b245cc5f82576748
AMI name
al2023-ami-2023.12.20260928.0-kernel-6.18-x86_64
Stop protection
Disabled
Instance reboot migration
Default (On)
Stop-hibernate behavior
Disabled
State transition reason
–
State transition message
–
Owner
654654478122
Monitoring
disabled
Allowed image
-
Launch time
Tue Sep 29 2026 20:17:28 GMT-0500 (hora estándar de Colombia) (1 minute)
Instance auto-recovery
Default
AMI Launch index
0
Credit specification
unlimited
Usage operation
RunInstances
Enclaves Support
Disabled
Platform details
Linux/UNIX
Termination protection
Disabled
AMI location
amazon/al2023-ami-2023.12.20260928.0-kernel-6.18-x86_64
Lifecycle
normal
Key pair assigned at launch
key-examen-francisco
Kernel ID
–
RAM disk ID
–
Boot mode
uefi-preferred



Connect to Linux instance Info
Connect to an instance to test, troubleshoot, deploy code, update software etc. You can use browser based methods or an SSH client.
Instance info
Instance
i-054a79cc0f20c8cb4 (ec2-examen-francisco)
State: Running
Status: 0/2 checks passed
VPC
vpc-0b3d08f5f4fcee21a
Subnet
subnet-0d264823f56ab1bc3
Security groups
sg-0531a559390f92c14 (launch-wizard-franciscovinasco)
In web browser
In SSH client
SSH info
Connect assist
SSH key pair assigned at launch
key-examen-francisco
Public DNS
ec2-13-221-53-146.compute-1.amazonaws.com
Username
ec2-user
How to connect
1. Open an SSH client
2. Locate or download your private key file
3. Ensure your key is not publicly viewable
chmod 400 "key-examen-francisco.pem"
4. Connect to your instance using its Public DNS
ssh -i "key-examen-francisco.pem" ec2-user@ec2-13-221-53-146.compute-1.amazonaws.com



MINGW64:/c/Users/vinas
vinas@DESKTOP-SGUQOBI MINGW64 ~
$ ls
-1.14-windows.xml
'3D Objects'/
AppData/
'Configuración local'@
Contacts/
Cookies@
'Datos de programa'@
Desktop/
Documents/
Downloads/
'Entorno de red'@
Favorites/
Impresoras@
IntelGraphicsProfiles/
Links/
'Menú Inicio'@
'Mis documentos'@
Music/
NTUSER.DAT
NTUSER.DAT{2ad838bc-efea-11ee-a54d-000d3a94eaa1}.TM.blf
NTUSER.DAT{2ad838bc-efea-11ee-a54d-000d3a94eaa1}.TMContainer00000000000000000001.regtrans-ms
NTUSER.DAT{2ad838bc-efea-11ee-a54d-000d3a94eaa1}.TMContainer00000000000000000002.regtrans-ms
OneDrive/
Pictures/



ec2-user@ip-10-0-23-29:~
vinas@DESKTOP-SGUQOBI MINGW64 ~
$ cd Downloads
vinas@DESKTOP-SGUQOBI MINGW64 ~/Downloads
$ chmod 400 "key-examen-francisco.pem"
vinas@DESKTOP-SGUQOBI MINGW64 ~/Downloads
$ ssh -i "key-examen-francisco.pem" ec2-user@ec2-13-221-53-146.compute-1.amazonaws.com
The authenticity of host 'ec2-13-221-53-146.compute-1.amazonaws.com (13.221.53.146)' can't be establ
ished.
ED25519 key fingerprint is: SHA256:mFFCswTWh2OvOpO3dON/cqwEjLfV6j16XDEtogkP/ZM
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-13-221-53-146.compute-1.amazonaws.com' (ED25519) to the list of know
n hosts.
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023



No es seguro
13.221.53.146
It works!



Search
[Alt+S]
United States (N. Virginia)
Entrenamiento (654654478122)
FranciscoJavierVinascoCalle
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Successfully created volume vol-020a56c56a2bf32ee.
Volumes (2) Info
Last updated 2 minutes ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
francisco
Clear filters
Name
Volume ID
Type
Size
IOPS
Throughput
Owner ID
Snapshot ID
Source volume ID
Created
vol-020a56c56a2bf32ee
gp3
1 GiB
3000
125
654654478122
-
-
2026/09/29 20
vol-02c2e549e8baf3e11
gp3
8 GiB
3000
125
654654478122
snap-0a16ced...
-
2026/09/29 20
Fault tolerance for all volumes in this Region
Snapshot summary
Last updated on Tue, Sep 29, 2026, 08:35:22 PM (GMT-05:00)
Snapshots to back up volumes can be manually created, or created through automation such as Amazon Data Lifecycle Manager, AWS Backup, custom scripts, or third-party tools.
Volumes backed up in the last 24 hours / Total # volumes
0 / 17
Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | Create policy



EC2 > Volumes > vol-020a56c56a2bf32ee
vol-020a56c56a2bf32ee
Last updated 2 minutes ago
Actions
Delete
Modify
Create snapshot
Create snapshot lifecycle policy
Attach volume
Detach volume
Force detach volume
Manage auto-enabled I/O
Copy volume - updated
Share volume - new
Resilience testing
Previously fault injection
Details
Volume ID
vol-020a56c56a2bf32ee
Size
1 GiB
Type
gp3
Status check
Okay
Owner ID
654654478122 (This account)
Volume state
Available
IOPS
3000
Throughput
125
Fast snapshot restored
No
Availability Zone
use1-az2 (us-east-1b)
Created
Tue Sep 29 2026 20:41:30 GMT-0500 (hora estándar de Colombia)
Multi-Attach
No
Attached resources
-
Outposts ARN
-
Managed
false
Operator
-
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations. Learn more
Source
Snapshot ID
-
Source volume ID
-
Encryption
Encryption
Not encrypted
KMS key ID
-
KMS key alias
-
KMS key ARN
-
Status checks
Monitoring
Volume sharing - new
Tags
Status check
Okay
I/O status
Enabled
I/O performance
Not applicable
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
Entrenamiento (654654478122)
FranciscoJavierVinascoCalle
EC2 > Volumes > vol-020a56c56a2bf32ee > Attach volume
Attach volume Info
Attach a volume to an instance to use it as you would a regular physical hard disk drive.
Basic details
Volume ID
vol-020a56c56a2bf32ee
Availability Zone
use1-az2 (us-east-1b)
Instance Info
i-054a79cc0f20c8cb4
(ec2-examen-francisco) (running)
Only instances in the same Availability Zone as the selected volume are displayed.
Device name Info
/dev/sdb
Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.
Newer Linux kernels may rename your devices to /dev/xvdf through /dev/xvdp internally, even when the device name entered here (and shown in the details) is /dev/sdf through /dev/sdp.
Cancel
Attach volume
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
Entrenamiento (654654478122)
FranciscoJavierVinascoCalle
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Placement Groups
Key Pairs
Network Interfaces
Load Balancing
Load Balancers
Successfully attached volume vol-020a56c56a2bf32ee to instance i-054a79cc0f20c8cb4.
Volumes (2) Info
Last updated less than a minute ago
Recycle Bin
Actions
Create volume
Saved filter sets
Choose filter set
Search
francisco
Clear filters
Name
Volume ID
Type
Size
IOPS
Throughput
Owner ID
Snapshot ID
Source volume ID
Created
vol-020a56c56a2bf32ee
gp3
1 GiB
3000
125
654654478122
-
-
2026/09/29 20
vol-02c2e549e8baf3e11
gp3
8 GiB
3000
125
654654478122
snap-0a16ced...
-
2026/09/29 20
Fault tolerance for all volumes in this Region
Snapshot summary
Last updated on Tue, Sep 29, 2026, 08:35:22 PM (GMT-05:00)
Snapshots to back up volumes can be manually created, or created through automation such as Amazon Data Lifecycle Manager, AWS Backup, custom scripts, or third-party tools.
Volumes backed up in the last 24 hours / Total # volumes
0 / 17
Data Lifecycle Manager default policy for EBS Snapshots status
No default policy set up | Create policy
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
Entrenamiento (654654478122)
FranciscoJavierVinascoCalle
Amazon S3
Buckets
General purpose buckets
All AWS Regions
Directory buckets
General purpose buckets (2) Info
Buckets are containers for data stored in S3.
Copy ARN
Empty
Delete
Create bucket
Find buckets by name
Name
AWS Region
Creation date
examjairoasprilla
US East (N. Virginia) us-east-1
September 29, 2026, 20:31:48 (UTC-05:00)
s3-material-tecnico-betek
US East (N. Virginia) us-east-1
September 14, 2026, 17:11:03 (UTC-05:00)
Account snapshot Info
Updated daily
View dashboard
Storage Lens provides visibility into storage usage and activity trends.
External access summary Info
Updated daily
External access findings help you identify bucket permissions that allow public access or access from other AWS accounts.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
FranciscoJavierVinascoCalle
Amazon S3 > Buckets > Create bucket
You can use s3:ListTagsForResource, s3:TagResource, and s3:UntagResource APIs to manage tags on S3 general purpose buckets for access control in addition to cost allocation and resource organization. To ensure a seamless transition, please provide permissions to s3:ListTagsForResource, s3:TagResource, and s3:UntagResource actions. Learn more
Key
responsable
Value - optional
francisco
Remove
Add new tag
You can add up to 49 more tags.
Default encryption Info
Server-side encryption is automatically applied to new objects stored in this bucket.
Encryption type Info
Secure your objects with two separate layers of encryption. For details on pricing, see DSSE-KMS pricing on the Storage tab of the Amazon S3 pricing page.
Server-side encryption with Amazon S3 managed keys (SSE-S3)
Server-side encryption with AWS Key Management Service keys (SSE-KMS)
Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
Bucket Key
Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. Learn more
Disable
Enable
Advanced settings
Object Lock
Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. Object Lock works only in versioned buckets. Learn more
Disable
Enable
Permanently allows objects in this bucket to be locked. Additional Object Lock configuration is required in bucket details after bucket creation to protect objects in this bucket from being deleted or overwritten.
Object Lock works only in versioned buckets. Enabling Object Lock automatically enables Versioning.
After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.
Cancel
Create bucket
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search
[Alt+S]
United States (N. Virginia)
FranciscoJavierVinascoCalle
Amazon S3
Upload succeeded
For more information, see the Files and folders table.
Upload: status
Close
After you navigate away from this page, the following information is no longer available.
Summary
Destination
s3://s3-examen-francisco
Succeeded
1 files, 40.0 B (100.00%)
Failed
0 files, 0 B (0%)
Files and folders
Configuration
Files and folders (1 total, 40.0 B)
Find by name
1
Name
Folder
Type
Size
Status
Error
examentxt.txt
-
text/plain
40.0 B
Succeeded
-