Cucumber Report

Start : Aug 13, 6:00:06.433 pm	End : Aug 13, 6:05:20.386 pm	Duration : 5 m 13.953 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	Landing to homepage and login	1	0	1	0	5 m 13.953 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Landing to homepage and login	user is on landing page	5	0	0	5	5 m 13.948 s

(F)- Landing to homepage and login

FAILED	DURATION - 5 m 13.953 s	Scenarios		Steps	
/ 6:00:06.433 pm // 6:05:20.386 pm /		Total - 1		Total - 5	
		Pass - 0	1	Pass - 0	5
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 5	

(S)- user is on landing page

FAILED	DURATION - 5 m 13.948 s		Steps	
/ 6:00:06.438 pm // 6:05:20.386 pm /			Total - 5	
Landing to homepage and login			Pass - 0	5
			Fail - 0	
@Login			Skip - 5	

#	Step / Hook Details	Status	Duration
	BEFORE - parallel.hooksTest.launchBrowser()	FAILED	5 m 7.455 s

	org.openqa.selenium.TimeoutException: Timed out waiting for page to load. Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'OPCLP012', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '15.0.2' Driver info: org.openqa.selenium.ie.InternetExplorerDriver Capabilities {acceptInsecureCerts: false, browserName: internet explorer, browserVersion: 11, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:ieOptions: {browserAttachTimeout: 0, elementScrollBehavior: 0, enablePersistentHover: true, ie.browserCommandLineSwitches: , ie.edgechromium: false, ie.edgepath: , ie.ensureCleanSession: false, ie.fileUploadDialogTimeout: 3000, ie.forceCreateProcessApi: false, ignoreProtectedModeSettings: false, ignoreZoomSetting: false, initialBrowserUrl: http://localhost:19150/, nativeEvents: true, requireWindowFocus: false}, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: e808a21f-549e-49d0-9ca9-59175bbe3eb3
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:64)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277) at resources.Base.getDriver(Base.java:78) at parallel.hooksTest.launchBrowser(hooksTest.java:23)		
1	When user clicks on login button	SKIPPED	0.005 s
2	And user enters username coddisabled@sharklasers.com and pwd coddisabled@123	SKIPPED	0.001 s
3	And clicks on login button	SKIPPED	0.001 s
4	Then navigate to home page	SKIPPED	0.000 s
5	Then logout of the application	SKIPPED	0.000 s
	AFTER - parallel.hooksTest.tearDown(io.cucumber.java.Scenario)	FAILED	6.451 s

	org.openqa.selenium.WebDriverException: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:0:1]:19150 Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'OPCLP012', ip: '192.168.1.4', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '15.0.2' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:92)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)
	  at parallel.hooksTest.tearDown(hooksTest.java:39)
	Caused by: java.net.ConnectException: Failed to connect to localhost/[0:0:0:0:0:0:0:1]:19150
	  at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:247)
	  at okhttp3.internal.connection.RealConnection.connect(RealConnection.java:165)
	  at okhttp3.internal.connection.StreamAllocation.findConnection(StreamAllocation.java:257)
	  at okhttp3.internal.connection.StreamAllocation.findHealthyConnection(StreamAllocation.java:135)
	  at okhttp3.internal.connection.StreamAllocation.newStream(StreamAllocation.java:114)
	  at okhttp3.internal.connection.ConnectInterceptor.intercept(ConnectInterceptor.java:42)
	  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)
	  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)
	  at okhttp3.internal.cache.CacheInterceptor.intercept(CacheInterceptor.java:93)
	  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)
	  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)
	  at okhttp3.internal.http.BridgeInterceptor.intercept(BridgeInterceptor.java:93)
	  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)
	  at okhttp3.internal.http.RetryAndFollowUpInterceptor.intercept(RetryAndFollowUpInterceptor.java:126)
	  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:147)
	  at okhttp3.internal.http.RealInterceptorChain.proceed(RealInterceptorChain.java:121)
	  at okhttp3.RealCall.getResponseWithInterceptorChain(RealCall.java:200)
	  at okhttp3.RealCall.execute(RealCall.java:77)
	  at org.openqa.selenium.remote.internal.OkHttpClient.execute(OkHttpClient.java:103)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:155)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:609)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:295)		
	at parallel.hooksTest.tearDown(hooksTest.java:39)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:64)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:564)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59)		
	at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46)		
	at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:110)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.junit.PickleRunners$WithStepDescriptions.run(PickleRunners.java:110)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:135)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:27)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:200)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:90)		
	at org.junit.runners.ParentRunner$3.run(ParentRunner.java:238)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:63)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:236)		
	at org.junit.runners.ParentRunner.access$000(ParentRunner.java:53)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:229)		
	at io.cucumber.junit.Cucumber$RunCucumber.evaluate(Cucumber.java:235)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:309)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:89)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:541)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:768)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:464)		

#	Step / Hook Details	Status	Duration
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.net.ConnectException: Connection refused: no further information at java.base/sun.nio.ch.Net.pollConnect(Native Method) at java.base/sun.nio.ch.Net.pollConnectNow(Net.java:660) at java.base/sun.nio.ch.NioSocketImpl.timedFinishConnect(NioSocketImpl.java:549) at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:597) at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:333) at java.base/java.net.Socket.connect(Socket.java:648) at okhttp3.internal.platform.Platform.connectSocket(Platform.java:129) at okhttp3.internal.connection.RealConnection.connectSocket(RealConnection.java:245)		