

Innovic ERP — Beginner Data-Entry Guide

This guide teaches a brand-new user how to enter data, screen by screen. It follows the natural work order of a job shop:

Masters → Sales → Planning → Production → Purchase → Store → Quality → Finance.

Read it top to bottom the first time. Each part starts with one plain line saying what the part is for. Then each entry screen is shown with **cases** — Case 1 is the simplest thing you can save, and later cases add more detail.

How to read a case

- **Required** fields must be filled, or the screen will not save.
 - **Optional** fields can be left blank.
 - A **picker** is a box where you start typing and choose from a ready-made list (the master lists). You cannot type something that is not in the list.
 - A **code** (Item Code, SO No., Client Code, etc.) **cannot be changed after you save it the first time.** Pick it carefully.
 - **Dates** are typed as Year-Month-Day, for example `2026-06-19`.
 - ₹ means a rupee amount.
 - "**Cascade**" notes tell you what happens in another part of the system when you fill a field. This is how one screen feeds the next.
-

1. Masters

What it does: Holds the basic facts everything else points to — your parts, customers, suppliers, machines, people, cost groups, and the recipes used to make a part.

Do the Masters first. Orders, plans, and job cards can only pick things that already exist here.

1.1 Items — Add Item

What it does: Adds a part or product to the master list of things the company makes or uses.

Real fields: `code`, `name`, `description`, `drawingNo`, `drawingFilePath` (drawing file), `revision` (default `A`), `material`, `uom` (`NOS` / `KGS` / `SET` / `MTR`, default `NOS`), `itemType` (`component` / `assembly`, default `component`), `hsnCode`.

Case 1 — Add a simple part. The least you can enter to create a part.

1. Item Code: `SHAFT-12` (*cannot be changed later*)
2. Name: `Shaft 12mm`
3. UOM: leave as `NOS`
4. Save.

- Cascade: this Item Code can now be picked on BOMs, Route Cards, Sales Orders, Job Cards, Purchase Orders, and more.

Case 2 — Add a part with drawing and material. A machined part that has a drawing and a metal grade.

1. Item Code: `SHAFT-12`
2. Name: `Shaft 12mm`
3. Drawing No.: `DRG-1001`
4. Drawing file: upload the PDF.
5. Revision: `B`
6. Material: `EN8`
7. UOM: `NOS`
8. Save.

Case 3 — Add an assembly with a tax code. A finished machine that is built from other parts.

1. Item Code: `PUMP-A1`
2. Name: `Pump Assembly A1`
3. Item Type: change to `assembly`
4. HSN Code: `8413`
5. UOM: `NOS`
6. Save.

- Note: an `assembly` item is usually the parent on a BOM (see 1.8).

1.2 Clients — Add Client

What it does: Records a customer the company sells to.

Real fields: `code`, `name`, `addressLine1`, `contactPerson`, `email`, `phone`, `gstNumber`, `city`, `state`, `pincode`, `isActive` (`Active` / `Inactive`, default `Active`).

Case 1 — Add a customer by name.

1. Client Code: `ACME` (*cannot be changed later*)
2. Name: `Acme Industries`
3. Save.

- Cascade: this client can now be picked on Sales Orders and Job Work Orders.

Case 2 — Add a customer with full billing details.

1. Client Code: `ACME`
2. Name: `Acme Industries`
3. Contact Person: `R. Sharma`
4. Email: `accounts@acme.com`
5. Phone: `9820011111`
6. GST Number: `27ABCDE1234F1Z5`
7. Address / City / State / Pincode: `Plot 5, MIDC` / `Pune` / `Maharashtra` / `411019`
8. Save.

Case 3 — Stop using an old customer.

1. Open the client.
2. Status: change to `Inactive`.
3. Save. (They stay on old orders but no longer appear as a fresh choice.)

1.3 Vendors — Add Vendor

What it does: Records a supplier the company buys material or outside work from.

Real fields: `code`, `name`, `contactPerson`, `email`, `phone`, `gstNumber`, `rating`, `isActive` (`Active` / `Inactive`, default `Active`), `materialsSupplied`, `addressLine1`, `city`, `state`, `pincode`.

Case 1 — Add a supplier by name.

1. Vendor Code: `STEELCO` (*cannot be changed later*)
2. Name: `Steel Co Pvt Ltd`
3. Save.

- Cascade: this vendor can now be picked on Purchase Orders and on Route Card outsource (OSP) steps.

Case 2 — Add a rated supplier with what they supply.

1. Vendor Code:
2. Name:
3. Contact Person / Phone: /
4. GST Number:
5. Rating:
6. Materials Supplied:
7. Save.

1.4 Machines — Add Machine

What it does: Records a machine on the shop floor and how much it costs to run per hour.

Real fields: (Machine ID), , , (hours), (default) , (/ / / , default), (Machine Rate, ₹/hr).

Case 1 — Add a machine.

1. Machine ID: (*cannot be changed later*)
2. Name:
3. Save.

- Cascade: this Machine ID can now be picked on Route Card and Job Card steps.

Case 2 — Add a machine with a running rate.

1. Machine ID:
2. Name:
3. Machine Type:
4. Machine Rate: (₹ per hour)
5. Save.

- Cascade: the Machine Rate is used by SO Costing to value machine time.

Case 3 — Add a machine with capacity and shifts.

1. Machine ID / Name / Type: as above.
2. Capacity per Shift: (hours)
3. Shifts per Day:
4. Status:
5. Machine Rate:
6. Save.

1.5 Operators — Add Operator

What it does: Records a shop-floor worker, and can link them to a login.

Real fields: (Operator ID), , , (/ , default), , (Linked User).

Case 1 — Add a worker.

1. Operator ID: (*cannot be changed later*)
2. Name:
3. Save.

- Cascade: this Operator can now be named when logging work on Job Cards.

Case 2 — Add a worker with department and skills.

1. Operator ID:
2. Name:
3. Department:
4. Skills:
5. Save.

Case 3 — Link the worker to a login.

1. Fill the fields as above.
2. Linked User: paste the user account ID (a long code) so this worker can log in.
3. Save. (Leave blank for shop-floor-only workers.)

1.6 Cost Centers — Add Cost Center

What it does: Records a department or area used to group and track costs.

Real fields: , , (/), (/ / / / / / / / , default), (/ / , default), .

Case 1 — Add a cost center.

1. Code: (*cannot be changed later*)
2. Name:
3. Save.

Case 2 — Add a classified cost center.

1. Code:
2. Name:
3. Department:
4. Type:
5. Description:
6. Save.

1.7 Route Cards — Create Route Card

What it does: Defines the step-by-step sequence of operations needed to make one item.

Header fields: `code` (RC No., auto-made if blank), `itemId` (Item Code picker, required), `notes`. Each operation row: `opType` (`process` / `qc` / `outsource`, default `process`), `machineId` (Machine picker, for process steps), `ospVendorId` (Vendor picker, for outsource steps), `operation`, `cycleTimeMin` (shown as hours), `program`, `ospLeadDays`, `toolNo`, `toolDetails`.

Case 1 — One-step route. The simplest recipe: a single machining step.

1. Item Code: pick `SHAFT-12`. (*comes from the Item master*)
2. Click **Add Op**. On the row:
 - Type: `process`
 - Machine: pick `CNC-01` (*comes from the Machine master*)
 - Operation: `Turning`
3. Save (RC No. fills in by itself).

Case 2 — Machining then inspection. Add a quality check after the machining step.

1. Item Code: `SHAFT-12`.
2. **Add Op** → Type `process`, Machine `CNC-01`, Operation `Turning`, Cycle `0.5` hrs.
3. **QC Step** → Operation `Final Dimensional Check` (no machine needed).
4. Save.

Case 3 — Add an outside-process step. A step that is sent to an outside vendor (for example, plating).

1. Item Code: `SHAFT-12`.
2. **Add Op** (process) → `CNC-01`, `Turning`.
3. **OSP Step** → Vendor: pick `PLATERS` (*comes from the Vendor master*), Operation `Hard Chrome Plating`, Lead `5` days.
4. **QC Step** → `Final Check`.
5. Save.

1.8 BOM Master — Create BOM

What it does: Lists all the child parts and quantities that go into making one assembly.

Header fields: `bomNo` (auto-made if blank), `bomName` (required), `status` (`draft` / `active` / `obsolete`, default `draft`). Each part row: `childItemId` (Item Code picker, required), `qtyPerSet` (default `1`), `bomType` (`manufacture` / `purchase` / `outsource`, default `manufacture`).

Case 1 — A two-part BOM (draft).

1. BOM Name: `Pump Assembly A1 BOM`
2. Add a part row → Item Code `SHAFT-12`, Qty/Set `1`, Type `manufacture`.
3. Add a part row → Item Code `SEAL-9`, Qty/Set `2`, Type `purchase`.
4. Leave Status as `draft`. Save.

Case 2 — Make the BOM usable. A BOM must be `active` before an Equipment Sales Order can use it.

1. Open the BOM.

2. Status: change to **active**.

3. Save.

- Cascade: only **active** BOMs can be linked from an Equipment Sales Order (2.1, Case 3).

Case 3 — BOM with a make, a buy, and an outside part.

1. BOM Name: **Pump Assembly A1 BOM**

2. Row 1 → **SHAFT-12**, Qty/Set **1**, Type **manufacture**.

3. Row 2 → **SEAL-9**, Qty/Set **2**, Type **purchase**.

4. Row 3 → **HOUSING-7**, Qty/Set **1**, Type **outsource**.

5. Status **active**. Save.

- Cascade: at order time, **manufacture** parts become child Job Cards, **purchase** parts become buy requests, and **outsource** parts become outside-work requests.
-

2. Sales

What it does: Sales Orders record what a customer ordered — the parts or the equipment, how many, and the price.

2.1 Sales Order — Create SO

What it does: Raises a new customer order.

Header fields: `code` (SO/WO No., auto-suggested like `IN-SO-00001`), `soDate` (default today), `type` (`component_manufacturing` / `equipment`, default `component_manufacturing`), `status` (`open` / `closed` / `dispatched` / `cancelled`, default `open`), `gstPercent` (`0` / `5` / `12` / `18` / `28`, default `18`), `costCenter`, `clientId` (Client picker, **required**), `clientPoNo`, `remarks`.

Component line fields: `itemCodeText` (Item Code picker), `partName` (required), `material`, `drawingNo`, `uom` (default `NOS`), `orderQty` (required, min 1), `rate`, `dueDate`, `clientPoLineNo`.

Case 1 — Order for one part. The simplest sales order.

1. SO No.: keep the suggested `IN-SO-00001`.
 2. Date: today.
 3. Type: `component_manufacturing`.
 4. Client: pick `Acme Industries`. *(comes from the Client master; required)*
 5. In the line table, add one line:
 - Item Code: `SHAFT-12` *(comes from the Item master)*
 - Part Name: `Shaft 12mm`
 - Qty: `100`
 6. Save.
- Cascade: each line's Qty is the source amount that Planning and Production work against.

Case 2 — Order for several parts, with PO and delivery dates.

1. Fill header as Case 1, plus Client PO No.: `PO-9001`, GST %: `18`.
2. Line 1 → Item `SHAFT-12`, Part `Shaft 12mm`, Qty `100`, Rate `250`, Due `2026-07-10`.
3. Line 2 → Item `SLEEVE-4`, Part `Sleeve 4`, Qty `50`, Rate `120`, Due `2026-07-15`.
4. (Optional) Add a Delivery Schedule row: Lot `1`, Qty `40`, Due `2026-07-05`.
5. Save.

Case 3 — Equipment order linked to a BOM. Used when you sell a whole machine, not loose parts.

1. SO No., Date, Client: as before.
2. Type: change to `equipment`. The form now shows **Equipment Details**.
3. Equipment / Part No.: `PUMP-A1` *(comes from the Item master)*
4. Description: `Pump Assembly A1`
5. Order Qty: `2`

6. SO Value ₹ / unit:
 7. BOM: pick . (comes from the BOM master; only active BOMs show)
 8. Save.
- Cascade: linking a BOM lets Planning explode the equipment into its child parts (see 3.3).

2.2 Sales Order — Edit SO

What it does: Changes an existing order after it was first raised.

Case 1 — Change a quantity.

1. Open the SO and click Edit.
2. The SO No. is shown but cannot be changed.
3. Change a line's Qty from to .
4. Save.

Case 2 — Add a line to an existing order.

1. Edit the SO.
2. Add a new line → Item , Part , Qty .
3. Save. (New lines are added, changed lines are updated, removed lines are dropped.)

2.3 SO Documents — Upload Document

What it does: Attaches files (drawings, certificates, reports) to a sales order.

Fields: (whole SO, or one SO line), (/ / / / / / / / / , default , , (required).

Case 1 — Attach a drawing to the whole order.

1. Pick the Sales Order from the dropdown.
2. Click **Upload Document**.
3. SO Line: leave as .
4. Category: .
5. Files: choose the PDF. Upload.

Case 2 — Attach an inspection report to one line.

1. Pick the SO and click **Upload Document**.
 2. SO Line: choose .
 3. Category: .
 4. Document Type: .
 5. Files: choose the file. Upload.
-

3. Planning

What it does: Decides how each ordered part will be made, bought, or sent out — and breaks an equipment order into its parts.

3.1 Plans — New Plan

What it does: Creates a production plan that says how much of a part to make, buy, or outsource, and lists the work steps.

Header fields: `code` (auto `PLN-...` if blank), `planDate` (default today), `planType` (`manufacture` / `direct_purchase` / `full_outsource` / `assembly`, default `manufacture`, **locked after saving**), `itemCodeText` (Item picker, required), `orderQty`, `planQty` (required), `soLineId` (Sales Order line link), `plannedStartDate`, `plannedEndDate`, `remarks`. Operation rows (for `manufacture` / `assembly`): `opSeq`, `operation`, `opType` (`process` / `outsource` / `qc`), `machineCodeText`, `cycleTimeMin`, `qcRequired`, `outsourceVendorText`, `outsourceCost`, `outsourceLeadDays`.

Case 1 — Plan to make a part, one step.

1. Plan Type: `manufacture`. *(cannot be changed after saving)*
 2. Item Code: `SHAFT-12`. *(comes from the Item master)*
 3. Order Qty: `100`. Plan Qty: `100`.
 4. Add one operation → Seq `1`, Operation `Turning`, Type `process`, Machine `CNC-01`.
 5. Save.
- Cascade: running a `manufacture` or `assembly` plan creates a Job Card in Production.

Case 2 — Plan to make a part using its route card.

1. Plan Type `manufacture`, Item `SHAFT-12`, Plan Qty `100`.
2. Click **Load route card** to fill in the saved steps for that item.
3. Adjust steps if needed. Save.

Case 3 — Plan to buy a part instead of making it.

1. Plan Type: `direct_purchase`. The form shows the purchase block.
 2. Item Code: `SEAL-9`. Plan Qty: `200`.
 3. Vendor Code: `STEELCO`. *(comes from the Vendor master)*
 4. Unit Cost: `40`.
 5. Save.
- Cascade: a `direct_purchase` or `full_outsource` plan creates a Purchase Request (see Purchase).

3.2 SO Planning — Create Plan from a SO line

What it does: From a sales-order line, quickly start a plan for some of the remaining quantity.

Case 1 — Plan the whole remaining quantity.

1. Open the Sales Order line.
 2. Plan Qty: it is pre-filled with the remaining amount (for example **100**). You can lower it but not raise it above the remaining.
 3. Save. It opens the full plan screen so you can add steps.
- Note: item, order qty, and the SO link are filled in for you; type is fixed to **manufacture**.

3.3 SO Planning — BOM Planning (for equipment orders)

What it does: Breaks an equipment order's BOM into its child parts and lets you plan each one.

Each child row: **Plan?** (tick to plan it), **qty** (how many to plan), **Final Assembly Job Card** (tick to also plan the final build).

Case 1 — Plan the short parts.

1. Open BOM Planning for the equipment SO line.
 2. The screen lists every child part with its need, stock, and shortfall.
 3. For each part you want, tick **Plan?** and check the suggested Qty.
 4. (Optional) Tick **Final Assembly Job Card** to also plan the final build.
 5. Save.
- Cascade: each ticked part becomes its own plan — **purchase** parts become buy requests, the rest become make plans. The numbers come from the BOM master.

3.4 Production Schedule — Reschedule an operation

What it does: Drag a job's operation bar to a different machine and day.

Case 1 — Move a job to another machine.

1. Find the operation bar on the chart.
 2. Drag it onto a different machine row and drop it on the day you want.
 3. It saves the new machine and start date by itself.
- Note: there is nothing to type here. Only managers and admins can drag; others see a read-only chart. Machine Loading is a view-only screen with no entry.
-

4. Production

What it does: Runs the work on the shop floor — job orders, job cards, the operations on them, and logging how many pieces get done.

4.1 Job Work Order — New JWSO

What it does: Records an order where a client sends material for the shop to process into finished parts.

Header fields: `code` (JWSO No., auto `IN-JW-...`), `jwDate` (default today), `status` (`open` / `closed` / `dispatched` / `cancelled`, default `open`), `clientId` (Client picker, required), `clientPoNo`, `remarks`, `clientMaterial` (raw-material item picker), `clientMaterialQty`, `materialReceivedDate`, `materialReceivedQty`. Line fields: `itemCodeText` (Item picker), `partName` (required), `material`, `drawingNo`, `uom` (default `NOS`), `orderQty` (required), `rate` (processing charge per unit), `dueDate`.

Case 1 — Basic job-work order.

1. JWSO No.: keep the suggested number.
 2. Client: pick `Acme Industries`. *(comes from the Client master; required)*
 3. Add a line → Item `SHAFT-12`, Part `Shaft 12mm`, Qty `100`, Rate `60`.
 4. Save.
- Cascade: each line's Qty is the balance that Job Cards are raised against.

Case 2 — Record the client's supplied material.

1. Fill header and line as Case 1.
2. Client Material: pick the raw-material item the client sent.
3. Material Qty (Client Supplied): `500`.
4. Material Received Date: today. Received Qty: `500`.
5. Save.

4.2 Job Card — New Job Card

What it does: Creates a shop-floor batch for one item and quantity, with its sequence of steps.

Header fields: `jcDate` (default today), `priority` (`normal` / `high`, default `normal`), source line (JWSO No. picker, required), `itemCode` (Item picker, required), `orderQty` (required), `dueDate`, drawing upload. Operation rows: `machineCode` (Machine picker, for process), `operation`, `cycleTimeMin`, `program`, `toolDetails`, `qcRequired`, `opType` (`process` / `qc` / `outsource`), `outsourceVendorCode` (Vendor picker, for outsource), `outsourceCost`.

Case 1 — Job card with two machining steps.

1. Date: today. Priority: `normal`.
2. JWSO No.: pick the open job-work line. *(comes from the Job Work Order; fills item, qty, due)*
3. Item Code: `SHAFT-12` (filled in for you).

4. Order Qty: .
5. Add operations:
 - Machine , Operation .
 - Machine , Operation .
6. Save. (The JC number is made automatically and cannot be changed.)

Case 2 — Add a quality step and a drawing.

1. Fill as Case 1.
2. Click + **Add QC Op** → Operation .
3. Drawing: upload the part drawing.
4. Save.

Case 3 — Add an outside-process step.

1. Fill the machining steps.
 2. On a step, tick **OUTSOURCE** → Vendor: pick (*comes from the Vendor master*), ₹ Cost/pc .
 3. Save.
- Cascade: outsource steps feed the Outsource (OSP) flow when work starts.

4.3 Op Entry — Log completion

What it does: Records how many pieces an operator finished on one step.

Fields: (default today), (/ / , default), (required), (default), (Operator), .

Case 1 — Log finished pieces.

1. Open the operation on the job card.
 2. Date: today. Shift: .
 3. Qty done: .
 4. Save.
- Cascade: the finished quantity becomes the amount available for the next step, and updates the job card's progress.

Case 2 — Log with rejects and operator.

1. Date / Shift as above.
2. Qty done: . Reject qty: .
3. Operator: . (*comes from the Operator master*)
4. Remarks: .
5. Save.

4.4 Op Entry — QC Inspection

What it does: Records how many finished pieces passed or failed inspection on a step that needs QC.

Fields: `logDate` , `shift` (`day` / `night` / `general`), `qty` (accepted), `rejectQty` , `operatorName` (inspector), `remarks` , QC report attachment.

Case 1 — Accept all pieces.

1. Date: today. Accepted qty: `50` . Reject qty: `0` .
2. Save.

- Cascade: accepting clears the QC pending count and moves the job toward complete.

Case 2 — Accept some, reject some, attach the report.

1. Accepted qty: `47` . Reject qty: `3` .
2. Inspector: `Sunil More` .
3. QC report: upload the inspection PDF.
4. Save. (Accepted + Reject cannot be more than the pending quantity.)

4.5 JW Delivery Challan — New Outward DC

What it does: Records material sent out to a job-work vendor against a job-work purchase order.

Fields: `dcDate` (default today), `purchaseOrderId` (job-work PO picker, required), `vehicleNo` , `remarks` .
Line: tick the line, `sentQty` .

Case 1 — Send material out.

1. Date: today.
2. JWPO: pick the job-work purchase order. *(comes from the Purchase Order master; loads its lines and vendor)*
3. In the line list, keep the line ticked and set Qty to Send: `100` .
4. Save. (The DC number is made automatically.)

- Cascade: the sent quantity becomes the amount tracked as "pending return".

4.6 JW Delivery Challan — New Inward Entry

What it does: Records processed material coming back from the vendor against an outward challan.

Fields: `inwardDate` (default today), `jwDcOutwardId` (outward DC picker, required), `vendorChallanNo` , `vehicleNo` , `remarks` . Lines: `receivedQty` , `okQty` , `rejectedQty` .

Case 1 — Receive returned material.

1. Date: today.
2. JW DC: pick the outward challan that has pending returns.
3. On the line: Received `100` , OK `98` , Rejected `2` . (OK + Rejected must equal Received.)
4. Save.

4.7 Outsource Jobs — Create a Job-Work PO from requests

What it does: Groups one or more auto-made outsource requests into a single job-work purchase order to one vendor.

Fields: tick the requests, `poCode`, `poDate` (default today), `vendorId` (Vendor picker, required). Line: `rate`.

Case 1 — Turn outsource requests into one PO.

1. Tick the outsource requests you want to combine. *(these come from outsource job-card steps)*
 2. PO No.: `IN-JWPO-00001`.
 3. Vendor: pick `PLATERS` (often suggested from the first request).
 4. Set Rate ₹/pc on each line, for example `15`.
 5. Save.
-

5. Purchase

What it does: Asks for and orders materials and services from suppliers.

5.1 Purchase Request — New PR

What it does: Records a request to buy an item so it can later become a purchase order.

Fields: `code` (required), `prDate` (default today), `status` (`open` / `approved` / `po_created` / `cancelled` , default `open`), `vendorId` (Vendor picker) **or** `vendorCodeText` (typed), `requiredDate` , `itemCodeText` (Item picker), `itemName` , `operation` , `qty` (required, min 1), `estCost` , `remarks` .

Case 1 — Request one item.

1. PR No.: `PR-0001` .
2. Date: today.
3. Item Code: `SEAL-9` . *(comes from the Item master)*
4. Qty: `200` .
5. Save.

Case 2 — Request with a chosen vendor and cost.

1. Fill as Case 1.
 2. Vendor: pick `STEELCO` . *(comes from the Vendor master)*
 3. Required Date: `2026-07-01` . Est. Cost: `40` .
 4. Save.
- Cascade: when this PR becomes a PO, the Est. Cost is used as the line rate.

5.2 Purchase Order — New PO

What it does: Records an order placed with a supplier for one or more items.

Header fields: `code` (required), `poDate` (default today), `poType` (`standard` / `job_work` / `outsource` / `service` , default `standard`), `status` (`draft` / `open` / `partial` / `qc_pending` / `closed` / `cancelled` , default `draft`), `dueDate` , `prCodeText` , `vendorId` (Vendor picker) **or** `vendorCodeText` , `taxType` (`sgst_cgst` / `igst` / `none`), `sgstPct` , `cgstPct` , `igstPct` , `remarks` . Line fields: `itemCodeText` (Item picker), `itemName` (required), `qty` (required, min 1), `rate` , `dueDate` , `lineRemarks` .

Case 1 — Simple order to a supplier.

1. PO No.: `IN-PO-00001` . Date: today.
 2. Vendor: pick `STEELCO` . *(comes from the Vendor master)*
 3. Add a line → Item `SEAL-9` , Item Name `Seal 9mm` , Qty `200` , Rate `40` .
 4. Save.
- Cascade: this PO is what the Store receives against later (GRN).

Case 2 — Order with GST split and two lines.

1. Header as Case 1, plus Tax Type `sgst_cgst`, SGST `9`, CGST `9`.
2. Line 1 → `SEAL-9`, Qty `200`, Rate `40`.
3. Line 2 → `WASHER-2`, Qty `500`, Rate `5`.
4. Save.

Case 3 — Job-work purchase order.

1. PO No., Date, Vendor as before.
2. PO Type: `job_work`.
3. Add the line(s) for the outside work. Save.

- Cascade: a job-work PO is what an outward Delivery Challan ships against.

5.3 Purchase Order — Create PO from a PR

What it does: Turns an existing approved purchase request into a supplier order in one step.

Fields: `code` (required), `poDate` (default today), `poType` (default `job_work`), `dueDate`, tax fields, `remarks`. (The item, vendor, qty, and cost come from the request — you do not retype them.)

Case 1 — One-click PO from a request.

1. Open the approved PR and choose **Create PO**.
2. PO No.: `IN-PO-00002`. Date: today.
3. (The PR's vendor, item, qty, and cost are shown read-only at the top.)
4. Save. The request is marked as `po_created`.

5.4 Service PO — New Service PO

What it does: Records a purchase of a service (labour, transport, calibration), with no stock item involved.

Header fields: `spoNo` (required), `spoDate` (default today), `vendorId` (Vendor picker, required), `expenseHead` (`Transport` / `Calibration` / `Testing` / `Labour` / `AMC` / `Inspection` / `Machining` / `Consultancy` / `Other`), `costCenter` (`so` = Against SO / `general` = General Expense), `soRefId` (Sales Order picker, only when Against SO), `taxType` (`sgst_cgst` / `igst`), `gstPct` (default `18`), `paymentTerms` (`Immediate` / `15 days` / `30 days` / `45 days` / `60 days`), `remarks`. Line fields: `description` (required), `qty` (default `1`), `rate`.

Case 1 — Pay for a general service.

1. Service PO No.: `SPO-00001`. Date: today.
2. Vendor: pick `CALIBLAB`. (*comes from the Vendor master; required*)
3. Expense Head: `Calibration`. Cost Center: `General Expense`.
4. Add a line → Description `Gauge calibration`, Qty `1`, Rate `2500`.
5. Click **Save & Submit for Approval** (or **Save Draft**).

Case 2 — A service charged against a sales order.

1. Fill as Case 1, but Cost Center: **Against SO** .
 2. SO Reference: pick the Sales Order. *(comes from the Sales Order master)*
 3. Save.
- Note: only managers and admins can open this screen. Totals are worked out for you. Service POs do not affect stock.
-

6. Store

What it does: Records material coming in, going out, and what is in stock.

6.1 Goods Receipt Note (GRN) — New GRN

What it does: Records the goods a vendor delivered against a purchase order, with a quality check on each item.

Header fields: `code` (GRN No., required), `grnDate` (default today), `purchaseOrderId` (PO picker), `poCodeText`, `vendorId` (Vendor picker) **or** `vendorCodeText`, `dcNo`, `invoiceNo`, `remarks`. Line fields: `itemCodeText`, `itemName` (required), `receivedQty` (required), `dcRefNo`, `qcStatus` (`pending` / `in_progress` / `completed`, default `pending`), `qcAcceptedQty`, `qcRejectedQty`, `qcDate`, `qcRemarks`, QC report.

Case 1 — Receive against a PO, check later.

1. GRN No.: `GRN-00001`. Date: today.
2. Purchase Order: pick the PO. *(comes from the Purchase Order master; fills the vendor and the lines)*
3. On the line, set Received: `200`.
4. Leave QC Status as `pending`.
5. Save.

- Cascade: Received quantity updates the PO's received total and its status.

Case 2 — Receive and pass quality the same time.

1. Fill header and Received as Case 1.
2. QC Status: `completed`. QC Accepted: `200`. QC Rejected: `0`. QC Date: today.
3. Save.

- Cascade: when QC is `completed` with accepted pieces, that quantity is added to store stock (a stock-in entry). Once a line's QC is completed, it locks.

Case 3 — Partial accept with rejects and a report.

1. Received: `200`.
2. QC Status: `completed`. QC Accepted: `190`. QC Rejected: `10`.
3. QC Report: upload the inspection file. QC Remarks: `10 pcs rust`.
4. Save. (Accepted + Rejected cannot be more than Received.)

6.2 Store Issue — New Item Issue

What it does: Records consumable material taken out of the store, and who got it.

Fields: `issueDate` (default today), `qty` (required), `itemId` (Item picker, required), `issuedTo` (required), `refType` (`Job Card` / `SO` / `Production` / `Maintenance` / `Other`, default `Job Card`), `refNo`, `purpose`, `remarks`.

Case 1 — Issue material to a job.

1. Date: today.
 2. Item: pick `BAR-EN8` . *(comes from the Item master)*
 3. Qty to Issue: `20` .
 4. Issued To: `Sunil More` .
 5. Reference Type: `Job Card` . Reference No.: `JC-00001` .
 6. Save.
- Cascade: the issued quantity is taken out of stock straight away. You cannot issue more than the stock on hand.

6.3 Tool Issue — Issue Tool

What it does: Records a returnable tool given out, with an expected return date.

Fields: `issueDate` (default today), `expectedReturnDate` (required), `itemId` (Item picker, required), `qty` (required), `issuedTo` (required), `refType` (same list as above), `refNo` , `purpose` , `remarks` .

Case 1 — Give out a tool.

1. Date: today. Expected Return: `2026-06-26` .
 2. Tool / Item: pick `GAUGE-12` . *(comes from the Item master)*
 3. Qty: `1` . Issued To: `Sunil More` .
 4. Save.
- Cascade: the tool quantity is taken out of stock until it is returned.

6.4 Tool Issue — Record Return

What it does: Records how much of an issued tool came back good, damaged, or used up.

Fields: `returnDate` (default today), `returnedBy` , `goodQty` , `damagedQty` , `consumedQty` , `remarks` .

Case 1 — Tool returned in good shape.

1. Click **Return** on the issued row.
 2. Return Date: today.
 3. Returned Good: `1` .
 4. Save.
- Cascade: only the good quantity goes back into stock.

6.5 Party Material Master — Add Party Material

What it does: Sets up a catalogue entry for a raw material that a client supplies for job work.

Fields: `code` (auto `PM-...`), `uom` (`NOS` / `KG` / `MTR` / `SET` / `LOT` , default `NOS`), `itemId` (Item picker, optional), `name` (required), `description` , `material` , `clientId` (Client picker, required).

Case 1 — Add a client-supplied material.

1. Material Code: keep the auto code `PM-0001`.
 2. Name: `Forged Blank 50mm`.
 3. Client: pick `Acme Industries`. *(comes from the Client master; required)*
 4. UOM: `NOS`.
 5. Save.
- Note: these belong to the client, separate from the company Item master.

6.6 Party Material GRN — New Party GRN

What it does: Records client-supplied raw material received against a job-work order.

Header fields: `code` (auto `PGRN-...`), `grnDate` (default today), `jobWorkOrderId` (JWSO picker, required), `dcNo`, `remarks`. Line fields: `jwLineNoText`, `partyMaterialId` (Party Material picker, required), `receivedQty` (required).

Case 1 — Receive client material.

1. Date: today.
 2. JWSO No.: pick the open job-work order. *(comes from the Job Work Order master; shows the client read-only)*
 3. Add a line → Material: pick `Forged Blank 50mm`, Qty `500`.
 4. Save.
- Cascade: this adds to the party material's stock (not company item stock). The material must already exist in the Party Material master.

6.7 Delivery Challan — New Delivery Challan

What it does: Creates a dispatch document sending material out to a vendor against a job-work purchase order.

Fields: `code` (required), `dcDate` (default today), `transport`. Line: `shipQty`, `materialText`, `dcRemarks`.

Case 1 — Send material on a challan.

1. Open it from a job-work PO (use the **New DC** button on the PO).
 2. DC code: `DC-00001`. Date: today.
 3. On a line, set Ship qty: `100` (cannot exceed the PO line quantity).
 4. Save.
- Cascade: the shipped quantity is taken out of stock and flips any linked outside-work step to "sent".

6.8 Delivery Challan — Receive

What it does: Records material coming back from the vendor against a challan, split into received-good and rejected.

Fields: `receiptDate` (default today), `vendorInvoiceText`, `remarks`. Lines: `receivedQty`, `rejectedQty`, `rejectReason`.

Case 1 — Receive back good and rejected pieces.

1. Open the challan and click **Receive**.
 2. Receipt Date: today.
 3. On the line: Receive now `98`, Reject now `2`, Reject reason `surface marks`.
 4. Save.
- Cascade: the received-good quantity goes back into stock; the rejected quantity automatically creates a non-conformance (NC) in Quality.
-

7. Quality

What it does: Checks parts, records defects, and tracks the fixes.

7.1 QC Process Master — Add QC Process

What it does: Defines a named quality check (like a dimensional check) that can later be picked on route cards and job cards.

Fields: `code` (QC Process Name, required), `description`, `defaultCycleTimeMin`, `isActive` (`Active` / `Inactive`, default `Active`).

Case 1 — Add a check.

1. QC Process Name: `Final Dimensional Check` . *(cannot be changed later)*
 2. Save.
- Cascade: this name appears in the QC-step dropdowns on Route Cards and Job Cards.

7.2 NC Register — Report NC

What it does: Logs a quality defect found against a job card so it can be tracked and fixed.

Fields: `code` (NC No., auto-suggested), `ncDate` (default today), `reportedByText`, `jobCardId` (Job Card picker, required), `itemId` (Item picker, required), `soCodeText`, operation, `operatorText`, `machineCodeText`, `rejectedQty` (required), `reasonCategory` (`dimensional` / `surface` / `material` / `process` / `operator_error` / `machine_fault` / `other`, default `other`), `reason` (required).

Case 1 — Report a defect.

1. NC No.: keep the suggested `NC-0001` . Date: today.
2. Job Card: pick `JC-00001` . *(comes from the Job Card list; fills the item and its operations)*
3. Item: `SHAFT-12` (filled in for you).
4. Rejected Qty: `3` .
5. Problem description: `Outer diameter undersize by 0.05mm` .
6. Save.

Case 2 — Report with a reason category and details.

1. Fill as Case 1.
 2. Reason Category: `dimensional` .
 3. Operation: pick the step. Operator: `Sunil More` . Machine: `CNC-01` .
 4. Save.
- Cascade: this NC number can be picked later when opening a CAPA.

7.3 CAPA — New CAPA

What it does: Opens a corrective/preventive action to fix the root cause of a problem, often linked to an NC.

Fields: `type` (`Corrective` / `Preventive` , default `Corrective`), `capaDate` (default today), `ncRef` (NC picker), `jcNo` , `department` (`Production` / `QC` / `Store` / `Purchase` / `Design` , default `QC`), `problem` (required).

Case 1 — Open a CAPA from an NC.

1. Type: `Corrective` . Date: today.
2. NC Reference: pick `NC-0001` . (*comes from the NC Register; fills the JC, SO, item, and operation*)
3. Problem Description: check the filled-in text or add to it.
4. Save.

7.4 CAPA — Edit (5 steps)

What it does: Works the CAPA through its five stages — problem, root cause, corrective action, verification, and prevention/closure.

Key fields: `rootCauseMethod` (`5-Why` / `Fishbone` / `Other`), `rootCause` , `correctiveAction` , `responsible` , `targetDate` , `verification` , `verifiedBy` , `verifiedDate` , `preventiveAction` , `effectiveness` (`Effective` / `Not Effective` / `Monitoring`), `reviewDate` , `status` (`Open` / `In Progress` / `Verified` / `Closed`).

Case 1 — Fill the root cause and action.

1. Step 2 Method: `5-Why` . Root cause: `Tool wear not checked` .
2. Step 3 Corrective Action: `Add tool-wear check every 50 pcs` . Responsible: pick the person. Target Date: `2026-07-01` .
3. Save.

Case 2 — Verify and close.

1. Step 4 Verification: `Checked next 3 lots – within tolerance` . Verified By: `QC Head` . Verified Date: today.
2. Step 5 Effectiveness: `Effective` . Status: `Closed` .
3. Save.

7.5 QC Call Register — Submit QC

What it does: Accepts or rejects produced quantity for a job-card step that was called for inspection.

Fields: `logDate` (default today), `shift` , `accept` , `reject` (default `0`), `inspector` , `remarks` , QC report attachment.

Case 1 — Pass the pieces.

1. Open the pending call.
2. Date: today. Accept Qty: `50` . Reject Qty: `0` .

3. Save.

Case 2 — Partly reject with a report.

1. Accept Qty: . Reject Qty: .
2. Inspector: . QC report: upload the file.
3. Save. (Accept + Reject must be more than zero and not exceed the pending quantity.)

7.6 QC Documents — Upload Document

What it does: Attaches and records a QC file, optionally tagged to a job card and sales order.

Fields: (required), (/ / / / / / /), (/ / / / / / / /), , .

Case 1 — Upload an inspection report.

1. File: choose the PDF.
 2. Document Type: .
 3. (Optional) JC No.: . SO No.: .
 4. Save.
-

8. Finance

What it does: Records dispatches sent to customers and the invoices billed to them.

8.1 Customer Dispatch — New Dispatch

What it does: Records finished goods shipped to a customer against one of their sales orders.

Fields: `salesOrderId` (Sales Order picker, required), `dispatchDate` (default today), `transport`, `vehicleNo`, `remarks`. Line: `qty` (Dispatch Qty).

Case 1 — Ship finished goods.

1. Sales Order: pick `IN-SO-00001`. *(comes from the Sales Order master; loads the ready-to-ship lines)*
 2. Dispatch Date: today.
 3. On each line, the Dispatch Qty is pre-filled with what is ready (for example `100`). Lower it if you are shipping part.
 4. Save.
- Cascade: dispatched quantity is what an invoice can later bill.

Case 2 — Ship with transport details.

1. Fill as Case 1, plus Transport: `Acme Roadways`, Vehicle No.: `MH12AB1234`.
2. Save.

8.2 Invoice — Create Invoice

What it does: Raises a tax invoice for goods already dispatched on a sales order.

Fields: `salesOrderId` (Sales Order picker, required), `invoiceDate` (default today), `paymentTermsDays` (default `45`), `gstPercent` (`0` / `5` / `12` / `18` / `28`, default `18`), `remarks`. Lines: `qty` (Invoice Qty), `rate`.

Case 1 — Invoice dispatched goods.

1. Sales Order: pick `IN-SO-00001`. *(comes from the Sales Order master; loads the lines you can still bill)*
 2. Invoice Date: today.
 3. On each line, Invoice Qty is pre-filled with the available amount (for example `100`); Rate is pre-filled from the order.
 4. Save.
- Cascade: invoicing increases the order line's "already invoiced" count, so you cannot bill the same pieces twice. You can only invoice what has been dispatched.

Case 2 — Set payment terms and GST.

1. Fill as Case 1.
2. Payment Terms (days): `30`. GST %: `18`.
3. Save.

End of guide. Every field name and every option shown above is taken directly from the current system, so what you see on screen will match this document.