

CSS - MCQ

1. **Which of the following CSS selectors will apply a style to all elements with the class .menu that are inside a <div> element?**
 - a) div.menu
 - b) div .menu
 - c) .menu div
 - d) div > .menu
2. **Which of the following is the correct syntax to link an external CSS file called styles.css to an HTML document?**
 - a) <link href="styles.css" rel="stylesheet">
 - b) <stylesheet href="styles.css">
 - c) <css src="styles.css">
 - d) <style src="styles.css">
3. **What does the background-size: cover; property do?**
 - a) It scales the background image to fill the entire container while preserving its aspect ratio.
 - b) It ensures the background image is not repeated.
 - c) It sets the background image to cover only the content area.
 - d) It makes the background image fit the entire viewport.
4. **Which of the following is NOT a valid value for the border-style property?**
 - a) solid
 - b) dashed
 - c) groove
 - d) pattern
5. **When using the box-sizing: border-box; model, which of the following is true?**
 - a) Padding and border are included in the width and height of an element.
 - b) The padding and border are placed outside the width and height of an element.
 - c) The height and width of an element are ignored.
 - d) The border-box model works only with flexbox layouts.
6. **Which CSS property would you use to add space between an element's content and its border, without affecting the layout of surrounding elements?**
 - a) padding
 - b) margin
 - c) border-spacing
 - d) border-radius
7. **How do you reset the outline of an element in CSS?**
 - a) outline: none;
 - b) outline: 0px;
 - c) outline-style: hidden;
 - d) outline: reset;

8. **In the CSS box model, which of the following is NOT considered part of the box model when using `box-sizing: content-box`;**
- a) Content
 - b) Padding
 - c) Border
 - d) Margin
9. **Which of the following properties would you use to set the font for all `<h1>` elements on a page?**
- a) `h1 { font-size: 16px; }`
 - b) `h1 { font-family: Arial, sans-serif; }`
 - c) `h1 { font: Arial; }`
 - d) `h1 { font-style: normal; }`
10. **Which of the following CSS properties controls how a list item marker (bullet or number) is displayed?**
- a) `list-style-position`
 - b) `list-item-style`
 - c) `list-type`
 - d) `marker-style`
11. **Which CSS property can be used to prevent text from overflowing its container?**
- a) `text-overflow: ellipsis;`
 - b) `overflow: hidden;`
 - c) `visibility: hidden;`
 - d) `word-wrap: break-word;`
12. **Which of the following is the correct way to apply the `max-width` property?**
- a) `div { max-width: 50%; }`
 - b) `div { max-width: auto; }`
 - c) `div { max-width: 100vw; }`
 - d) `div { max-width: 500px; }`
13. **What happens when you set an element's position to absolute?**
- a) It is positioned relative to its closest positioned ancestor element.
 - b) It is positioned relative to the viewport.
 - c) It will remain in the document flow.
 - d) It will always stay in the same position regardless of the scrolling.
14. **Which of the following statements is true about the `z-index` property?**
- a) `z-index` only works with elements that have a position value other than static.
 - b) `z-index` can only be applied to elements with `position: absolute`;
 - c) `z-index` has no effect on stacked elements with `position: relative`;
 - d) `z-index` can be applied to all types of elements regardless of positioning.
15. **What is the effect of the `overflow: hidden` property?**

- a) It hides any content that exceeds the bounds of the element.
- b) It causes the content to scroll within the element.
- c) It forces the content to stay within the element but still display overflow.
- d) It hides the element itself if it overflows.

16. Which of the following float-related properties is used to clear floating elements?

- a) clear
- b) overflow
- c) position
- d) float-clear

17. Which of the following CSS properties can be used to create a navigation bar that aligns items horizontally?

- a) display: flex;
- b) display: block;
- c) display: inline-block;
- d) float: left;

18. Which of the following CSS properties would you use to create a 3D transform effect on an element?

- a) transform: rotate3d(1, 1, 0, 45deg);
- b) transform: scale(1.5, 1.5);
- c) transform: rotateX(30deg);
- d) transform: translateZ(50px);

19. How can you make the corners of a <div> element rounded?

- a) border-radius: 10px;
- b) corner-radius: 10px;
- c) radius: 10px;
- d) border: 10px solid rounded;

20. Which of the following properties is used to apply a shadow effect to text?

- a) box-shadow
- b) text-shadow
- c) shadow-effect
- d) text-effects

21. Which CSS property is used to specify how a background image should be positioned within an element?

- a) background-position
- b) background-repeat
- c) background-size
- d) background-image

22. Which CSS property allows you to embed a custom font in a webpage?

- a) @import
- b) @font-face
- c) font-family
- d) font-style

23. Which of the following is true about CSS transitions?
- a) They allow elements to gradually change from one style to another.
 - b) They can only be applied to background-color and color properties.
 - c) They are not supported in Internet Explorer.
 - d) They are triggered only by hover events.
24. Which of the following CSS properties is used to control the timing function of a transition?
- a) transition-delay
 - b) transition-duration
 - c) transition-timing-function
 - d) transition-type
25. Which CSS property is used to display a dropdown menu on hover?
- a) display: block; (on hover)
 - b) display: none; (on hover)
 - c) visibility: visible;
 - d) position: relative;
26. Which of the following CSS properties is used to specify the speed curve of a CSS transition?
- a) transition-timing
 - b) transition-function
 - c) transition-duration
 - d) transition-timing-function
27. What is the default value of the position property in CSS?
- a) absolute
 - b) fixed
 - c) relative
 - d) static
28. When using display: flex; on a parent element, which of the following properties is used to align the children items vertically?
- a) align-items
 - b) justify-content
 - c) align-content
 - d) flex-direction
29. Which CSS property can be used to change the behavior of an element when it is clicked?
- a) :active
 - b) :focus
 - c) :hover
 - d) :visited
30. What does the object-fit property do in CSS?

- a) Specifies how the content of an element should fill the container, maintaining aspect ratio.
- b) Changes the width and height of the element proportionally.
- c) Alters the position of an element inside its container.
- d) Specifies how the image should fit inside its boundary when resized.

CSS – FILL UP

31. what defines how the elements on a webpage are structured and how their width, height, padding, borders, and margins are calculated and displayed_____.
32. _____ property is used to draw a line around an element, outside the element's border, to make it stand out or highlight it. It is often used to indicate focus or provide a visual effect for accessibility or interaction purposes.
33. How to declare the length values of margin & padding_____.
34. The_____ property in CSS is used to position an element to the left or right of its container, allowing other content to flow around it. It's often used for layouts, images, and text wrapping
35. The default value of the position property is _____.
36. The _____ property in CSS is used to control the stacking order of elements that overlap.
37. which tag used for rounded corner_____.
38. The external CSS file should have a _____ extension.
39. A common value for **transition-timing-function** is **ease**, which starts slow, speeds up, and then slows down again. Other values include **linear**, **ease-in**, and _____.
40. what are the difference inline, internal, external CSS_____.