Target Mean Strength $sigma = {$ 10:3.5, 15:3.5, 20: 4, 25:4, 30: 5, 35: 5, 40: 5, 45: 5, 50: 5, 55: 5 } ft = fck + sigma[fck]*1.65print("Target Mean Strength: ", ft, "MPa") # Maximum free Water Cement Ratio # Reference IS 456: 2000 Table 5 if(Concreting=="Plain"): WC_ratio={ "Mild" : 0.6, "Moderate" :0.6, "Severe" :0.5, "Very Severe" :0.45, "Extreme":0.4 } else: WC_ratio ={ "Mild": 0.55, "Moderate":0.5, "Severe" :0.45, "Very Severe" :0.45, "Extreme":0.4 } print ("W/C Ratio:", WC_ratio[Exposure_Condition]) WC_ratio = WC_ratio [Exposure_Condition] # Minimum Cement Content if(Concreting == "plain"): Min_Cement_Content = { "Mild":220, "Moderate": 240, "Severe": 250, "Very Severe": 260, "Extreme": 280 }

else:

}

"Mild": 300, "Moderate" :300, "Severe": 320, "Very Severe" :340, "Extreme": 360

Min_Cement_Content = {

```
print ("Minmum Cement Content:", Min_Cement_Content[Exposure_Condition], "kg/m^3")
# Water Content
Water_Content = {
10:208.
20:186,
40:165
Water_Content = Water_Content[AGG_Size]
if (Slump == 75):
 Water_Content = Water_Content + Water_Content*0.03
elif (Slump == 100):
 Water_Content = Water_Content + Water_Content*0.06
elif (Slump == 125):
 Water_Content = Water_Content + Water_Content*0.09
elif (Slump == 150):
 Water Content = Water Content + Water Content*0.12
elif (Slump == 175)
 Water_Content = Water_Content + Water_Content*0.15
elif (Slump == 200):
 Water_Content = Water_Content + Water_Content*0.18
if (Nature_of_AGG == "Sub-Angular
 Water_Content = Water_Content
elif (Nature_of_AGG == "Gravel"):
 Water_Content = Water_Content - 20
elif (Nature_of_AGG == "Round"):
 Water_Content = Water_Content - 25
if (Admixture == "Plastisizer"):
                                                       -/m^3")
 Water_Content = Water_Content-(0.1*Water_Content)
elif (Admixture=="Super-plastisizer"):
 Water_Content = Water_Content-(0.2*Water_Content)
print("Water Content: ", Water_Content, "kg/m^3")
# Cement Content
Cement_Content = Water_Content/WC_ratio
print("Cement_Content:", Cement_Content, "kg/m^3")
print("As Per IS 456:2000, Maximum allowed Cement Content is 450 kg/m^3"
if (Cement Content<450):</pre>
 Cement_Content = Cement_Content
else:
 Cement Content=450
 if Cement_Content< 450:</pre>
    print("Safe")
# Volume Calculations
Vol Cement = Cement Content/(Gc*Water Density)
print("Volume of Cemnet: ", Vol_Cement, "m^3")
Vol_Water = Water_Content/Water_Density
print("Volume of Water: ", Vol_Water, "m^3")
Vol_AGG= 1-Vol_Water-Vol_Cement
print("Volume of Course Aggregates and Fine Aggregates: ", Vol_AGG, "m^3")
Zone_ID ={}
Zone_ID[1]= {10:0.44, 20:0.60, 40:0.69}
Zone_ID[2]={10:0.46, 20:0.62, 40:0.71}
Zone_ID[3]={10:0.48, 20:0.64, 40:0.73}
Zone_ID[4]={10:0.5, 20:0.66, 40:0.75}
Fraction = Zone_ID[Zone][AGG_Size]
if (WC ratio==0.5) :
Fraction=Fraction
elif (WC_ratio==0.45):
```

```
Fraction=Fraction+(0.01*Fraction)
elif (WC_ratio==0.4):
Fraction=Fraction+(0.02*Fraction)
elif (WC_ratio==0.55):
Fraction=Fraction-(0.01*Fraction)
elif (WC_ratio==0.60):
Fraction=Fraction-(0.02*Fraction)
print("Course Aggregate fraction:", Fraction)
Vol_CA = Vol_AGG*Fraction
print("Volume of Course Aggregate:", Vol_CA,"m^3")
Vol_FA = Vol_AGG-Vol_CA
print("Volume of Fine Aggregate: ", Vol_FA,"m^3")
Mass_CA= Vol_CA*Gca* Water_Density
print("Mass of Course Aggregates: ", Mass_CA, "Kg/m^3")
Mass_FA = Vol_FA*Gfa*Water_Density
print("Mass of Fine Aggregates:", Mass_FA, "kg/m^3")
# Ratios
print("Weight Batching")
print(Cement_Content,":", Mass_FA/Cement_Content,":", Mass_CA/Cement_Content,":", Water_Content/Cement_Content)
print("Volume Batching:")
print(Vol_Cement/Vol_Cement,":",Vol_FA/Vol_Cement,":", Vol_CA/Vol_Cement,":",Vol_Water/Vol_Cement)
   Enter the value of characteristic compressive strength:40
    Enter the value of specific gravity of CA: 2.74
                                                      Enter the value of specific gravity of FA: 2.74
    Enter the value of specific gravity of Cement: 3.15
    Enter the value of Water Density: 1000
     Enter the nominal Size of Aggregate: 20
    Nature of Aggregates:Sub-Angular
    Enter the value of workability of concrete: 100
     Type of Admixture:Super-Plasticizer
    Exposure Condition: Severe
    Type of Concreting:Reinforced
    Zone: 1
    Target Mean Strength: 48.25 MPa
    W/C Ratio: 0.45
    Minmum Cement Content: 320 kg/m^3
    Water Content: 187.16 kg/m^3
    Cement Content: 415.911111111111 kg/m^3
    As Per IS 456:2000, Maximum allowed Cement Content is 450 kg/m^3
    Volume of Cemnet: 0.1320352733686067 m^3
    Volume of Water: 0.18716 m^3
    Volume of Course Aggregates and Fine Aggregates: 0.6808047266313932 m^3
    Course Aggregate fraction: 0.606
    Volume of Course Aggregate: 0.4125676643386243 m^3
    Volume of Fine Aggregate: 0.26823706229276895 m^3
    Mass of Course Aggregates: 1130.4354002878308 Kg/m^3
    Mass of Fine Aggregates: 734.969550682187 kg/m^3
    Weight Batching
    1.0: 1.7671313197637537: 2.7179735527330835: 0.45
    Volume Batching:
    1.0 : 2.0315560792904463 : 3.1246776244924126 : 1.417499999999998
```