EXP NO: 4A	SUPPORT VECTOR MACHINES (SVM)

AIM:

To build an SVM model for a binary classification task, tune its hyperparameters, and evaluate it using accuracy, precision, recall, F1-score, confusion matrix, and ROC-AUC.

ALGORITHM:

1. Import libraries: numpy, pandas, matplotlib, sklearn.
2. Load data:
   - Use a standard binary dataset (Breast Cancer Wisconsin) from sklearn.datasets.
3. Train/Test split:
   - 80/20 stratified split with a fixed random_state.
4. Preprocess:
   - Standardize features using StandardScaler, since SVMs are sensitive to feature scale.
5. Model selection:
   - Use SVC with the RBF kernel.
6. Hyperparameter tuning:
   - Grid search on C and gamma with cross-validation (GridSearchCV, scoring = F1).
7. Train final model:
   - Fit on the training data using the best parameters.
8. Evaluate:
   - Predict on the test set; compute accuracy, precision, recall, F1-score, confusion matrix and ROC-AUC.
9. Plot the ROC curve and report the best parameters, metrics and observations.

CODE:

```
# pip install numpy pandas matplotlib seaborn scikit-learn   (if not already installed)

# 1) Imports
import pandas as pd
import matplotlib.pyplot as plt
from sklearn.datasets import load_breast_cancer
from sklearn.model_selection import train_test_split, GridSearchCV
from sklearn.preprocessing import StandardScaler
from sklearn.svm import SVC
from sklearn.metrics import (accuracy_score, precision_score, recall_score, f1_score,
                             confusion_matrix, classification_report, roc_auc_score,
roc_curve)
import warnings
warnings.filterwarnings("ignore", category=FutureWarning)

# 2) Load dataset (binary classification)
data = load_breast_cancer()
X = pd.DataFrame(data.data, columns=data.feature_names)
y = pd.Series(data.target, name="target")  # 0 = malignant, 1 = benign

# 3) Train/test split
X_train, X_test, y_train, y_test = train_test_split(
    X, y, test_size=0.20, random_state=42, stratify=y
)

# 4) Standardize features (important for SVMs)
scaler = StandardScaler()
X_train_sc = scaler.fit_transform(X_train)
X_test_sc = scaler.transform(X_test)

# 5) Define model
svm = SVC(kernel='rbf', probability=True, random_state=42)

# 6) Hyperparameter grid & tuning
param_grid = {
    "C": [0.1, 1, 10, 100],
    "gamma": ["scale", 0.01, 0.001, 0.0001],
}
grid = GridSearchCV(estimator=svm, param_grid=param_grid, scoring='f1', cv=5, n_jobs=1,
verbose=0)
grid.fit(X_train_sc, y_train)
print("Best Parameters from Grid Search:", grid.best_params_)
best_svm = grid.best_estimator_

# 7) Train final model & predict
best_svm.fit(X_train_sc, y_train)
y_pred = best_svm.predict(X_test_sc)
y_prob = best_svm.predict_proba(X_test_sc)[:, 1]

# 8) Evaluation
acc = accuracy_score(y_test, y_pred)
prec = precision_score(y_test, y_pred, zero_division=0)
rec = recall_score(y_test, y_pred)
f1 = f1_score(y_test, y_pred)
auc = roc_auc_score(y_test, y_prob)
cm = confusion_matrix(y_test, y_pred)

print("\n=== SVM (RBF) — Test Metrics ===")
```

```
print(f"Accuracy : {acc:.4f}")
print(f"Precision: {prec:.4f}")
print(f"Recall   : {rec:.4f}")
print(f"F1-Score : {f1:.4f}")
print(f"ROC-AUC  : {auc:.4f}")
print("\nConfusion Matrix:\n", cm)
print("\nClassification Report:\n", classification_report(y_test, y_pred,
zero_division=0))

# 9) Plot ROC Curve
fpr, tpr, thresholds = roc_curve(y_test, y_prob)
plt.figure()
plt.plot(fpr, tpr, label=f"SVM (AUC = {auc:.3f})")
plt.plot([0, 1], [0, 1], linestyle="--", color='gray')
plt.xlabel("False Positive Rate")
plt.ylabel("True Positive Rate")
plt.title("ROC Curve – SVM (RBF)")
plt.legend()
plt.grid(True)
plt.tight_layout()
plt.show()
```

OUTPUT:

```
Best Parameters from Grid Search: {'C': 10, 'gamma': 0.01}


=== SVM (RBF) — Test Metrics ===
Accuracy : 0.9825
Precision: 0.9861
Recall   : 0.9861
F1-Score : 0.9861
ROC-AUC  : 0.9977

Confusion Matrix:
 [[41  1]
 [ 1 71]]

Classification Report:
              precision    recall  f1-score   support

           0       0.98      0.98      0.98        42
           1       0.99      0.99      0.99        72

    accuracy                           0.98       114
   macro avg       0.98      0.98      0.98       114
weighted avg       0.98      0.98      0.98       114
```



RESULT:

The Support Vector Machine (SVM) with an RBF kernel was successfully implemented on the Breast Cancer Wisconsin dataset. Grid search selected C = 10 and gamma = 0.01. On the 114 test samples the model achieved an accuracy of 98.25%, with precision, recall and F1-score of 0.9861 each and a ROC-AUC of 0.9977. The confusion matrix shows only 2 misclassifications (1 malignant predicted as benign and 1 benign predicted as malignant). Thus, a tuned RBF-kernel SVM on standardized features is a highly accurate classifier for this task.