



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
HeroKaupp home page	12.073 s	1	1	0	0	2	2	0	0
Swag labs login page	36.949 s	5	5	0	0	25	25	0	0

TAG	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@Sanity	1	1	0	0	1	1	0	0
@tag	6	6	0	0	2	2	0	0



#	Feature Name	T	P	F	S	Duration
1	HeroKaupp home page	1	1	0	0	12.073 s
2	Swag labs login page	5	5	0	0	36.949 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	HeroKaupp home page	Verify link in HeroKaupp home page	2	2	0	0	12.060 s
2	Swag labs login page	Verify login to swag labs application with valid credentials	5	5	0	0	6.934 s
3		Verify login to swag labs application with valid credentials	5	5	0	0	6.408 s
4		Verify login to swag labs application with valid credentials	5	5	0	0	11.497 s
5		Verify login to swag labs application with invalid credentials	5	5	0	0	6.178 s
6		Verify login to swag labs application with invalid credentials	5	5	0	0	5.883 s

DETAILED SECTION -- 6 --

HeroKaupp home page


PASSED	DURATION - 12.073 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 8:43:22.278 p	m // 8:43:34.351 pm /	Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Verify link in HeroKaupp home page




#	Step / Hook Details	Status	Duration
1	Given user is in HeroKuapp page	PASSED	4.383 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.358 s
	Verify link in HeroKaupp home page_21:43:2024_08:43:33]	
	Welcome to the-internet Available Examples at hors And an an artifact of the internet of th		
2	Then link with name "Broken Images" will display in HeroKuapp home page	PASSED	0.182 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.179 s
	Verify link in HeroKaupp home page_21:43:2024_08:43:34		
	Welcome to the-internet Available Examples A bout		

Swag labs login page




Verify login to swag labs application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.598 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.257 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:39		
	Thing Larby Institute Ins		
2	And user enters username standard_user in swag labs login page	PASSED	0.344 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.251 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:39		
	Story Labric		
3	And user enters password secret_sauce in swag labs login page	PASSED	0.281 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.201 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:40		
	Song Labs Section Sec		
4	And clicks on login button in swag labs login page	PASSED	0.229 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.323 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:40		
	Tenders Ten		
5	Then swag labs inventory page will display	PASSED	0.131 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.174 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:41		
	Finding Fin		

Verify login to swag labs application with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.623 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.228 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:45		
	Sorg Labo The state of the sta		
2	And user enters username visual_user in swag labs login page	PASSED	0.334 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.117 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:46		
	Storg Labo Was cont. The story of the stor		
3	And user enters password secret_sauce in swag labs login page	PASSED	0.279 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.197 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:46		
	Forg Labo House and Manager for an analy **The Company of the Analy Service of the Analy Se		
4	And clicks on login button in swag labs login page	PASSED	0.204 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.367 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:47		
	Tong Labo Finders Tong Labo		
	The Last Designation of the Control		
5	Then swag labs inventory page will display	PASSED	0.101 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.169 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:47		

#	Step / Hook Details	Status	Duration
	Final List Beng Lists First List Beng N.		


Verify login to swag labs application with valid credentials

PASSED DURATION - 11.497 s	6 Steps	
/ 8:43:47.797 pm // 8:43:59.294 pm /	4 Total - 5 Pass - 5	
Swag labs login page	2 Fall - 0 Skip - 0	5
@tag	1 2 3 4 5	

#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.573 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.304 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:52		
	Forg Like The state of the sta		
2	And user enters username performance_glitch_user in swag labs login page	PASSED	0.373 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.242 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:52		
	Forg. Life Property and property Proper		
3	And user enters password secret_sauce in swag labs login page	PASSED	0.303 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.195 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:53		

#	Step / Hook Details	Status	Duration
	Dang Labb performance parts		
4	And clicks on login button in swag labs login page	PASSED	5.201 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.311 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:58		
	National Part List Self-State Control Part Li		
5	Then swag labs inventory page will display	PASSED	0.093 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.225 s
	Verify login to swag labs application with valid credentials_21:43:2024_08:43:58		
	States Fore Late States Fore		


Verify login to swag labs application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.631 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.242 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:03		

#	Step / Hook Details	Status	Duration
	They Labs		
2	And user enters username standard_user in swag labs login page	PASSED	0.331 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.206 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:04		
	Story Calcin		
3	And user enters password in swag labs login page	PASSED	0.231 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.177 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:04		
	String Lide's Office of the Control		
4	And clicks on login button in swag labs login page	PASSED	0.116 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.116 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:04		
	Story (with) Or of the control of		
5	Then error message "Epic sadface: Password is required" will display in swag labs login page	PASSED	0.101 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.145 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:05		
	Sing 1.491 Personal Control C		

Verify login to swag labs application with invalid credentials



#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.621 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.177 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:09		
	Dang Luba		
	Name And		
	Marginal assume control for 6d assets - manifold control cont		
2	And user enters username locked_out_user in swag labs login page	PASSED	0.388 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.182 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:10		
	Daug Labo		
	Ned Grand State of Control of Con		
	Anapar sacrome and Present In all seaso.		
	THE COLUMN AND ADDRESS OF THE COLUMN A		
3	And user enters password secret_sauce in swag labs login page	PASSED	0.274 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.182 s
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:10		
	Daug Labo		
	Anapot assume and Product to all seas.		
	Ferrican Hall and Johnson part of		
4	And clicks on login button in swag labs login page	PASSED	0.136 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.160 s

DETAILED SECTION -- 14 --

Step / Hook Details	Status	Duration
Verify login to swag labs application with invalid credentials_21:44:2024_08:44:10		
Desig Lates		
100.0.00		
Majori framer (see Namer fra 62 mar)		
Then error message "Epic sadface: Sorry, this user has been locked out." will display in swag labs login page	PASSED	0.092 s
AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.112 s
Verify login to swag labs application with invalid credentials_21:44:2024_08:44:11]	
Swag Lister		
Acquirement on the state of the		
	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:10 Then error message "Epic sadface: Sorry, this user has been locked out." will display in swag labs login page AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario) Verify login to swag labs application with invalid credentials_21:44:2024_08:44:11	Verify login to swag labs application with invalid credentials_21:44:2024_08:44:10 Then error message "Epic sadface: Sorry, this user has been locked out." will display in swag labs login page AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario) Verify login to swag labs application with invalid credentials_21:44:2024_08:44:11