

Cucumber Report

21 Jun 2024, 8:56:57 pm

Start : Jun 21, 8:56:04.634 pm

End : Jun 21, 8:56:56.188 pm

Duration : 51.554 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 0
SKIPPED - 0

PASSED - 6
FAILED - 0
SKIPPED - 0

PASSED - 27
FAILED - 0
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>HeroKaupp home page</u>	11.129 s	1	1	0	0	2	2	0	0
<u>Swag labs login page</u>	40.346 s	5	5	0	0	25	25	0	0

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Sanity	1	1	0	0	1	1	0	0
@tag	6	6	0	0	2	2	0	0





#	Feature Name	T	P	F	S	Duration
1	HeroKaupp home page	1	1	0	0	11.129 s
2	Swag labs login page	5	5	0	0	40.346 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>HeroKaupp home page</u>	<u>Verify link in HeroKaupp home page</u>	2	2	0	0	11.121 s
2	<u>Swag labs login page</u>	<u>Verify login to swag labs application with valid credentials</u>	5	5	0	0	7.416 s
3		<u>Verify login to swag labs application with valid credentials</u>	5	5	0	0	6.643 s
4		<u>Verify login to swag labs application with valid credentials</u>	5	5	0	0	13.202 s
5		<u>Verify login to swag labs application with invalid credentials</u>	5	5	0	0	6.514 s
6		<u>Verify login to swag labs application with invalid credentials</u>	5	5	0	0	6.502 s

HeroKaupp home page



PASSED	DURATION - 11.129 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:56:04.634 pm // 8:56:15.763 pm /					

Verify link in HeroKaupp home page



PASSED	DURATION - 11.121 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 8:56:04.642 pm // 8:56:15.763 pm /				
HeroKaupp home page				
@Sanity @tag				



#	Step / Hook Details	Status	Duration
1	Given user is in HeroKuapp page	PASSED	5.570 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.247 s
	Verify link in HeroKaupp home page_21:56:2024_08:56:14		
			
2	Then link with name "Broken Images" will display in HeroKuapp home page	PASSED	0.165 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.256 s
	Verify link in HeroKaupp home page_21:56:2024_08:56:15		
			




Swag labs login page

PASSED	DURATION - 40.346 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 25 Pass - 25 Fail - 0 Skip - 0	
/ 8:56:15.842 pm // 8:56:56.188 pm /					



Verify login to swag labs application with valid credentials

PASSED		DURATION - 7.416 s			Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:56:15.855 pm // 8:56:23.271 pm /						
Swag labs login page						
@tag						





#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	1.251 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.174 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:21		
			
2	And user enters username standard_user in swag labs login page	PASSED	0.345 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.191 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:21		
			
3	And user enters password secret_sauce in swag labs login page	PASSED	0.274 s


#	Step / Hook Details	Status	Duration
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario) Verify login to swag labs application with valid credentials_21:56:2024_08:56:22	PASSED	0.222 s
			
4	And clicks on login button in swag labs login page	PASSED	0.201 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario) Verify login to swag labs application with valid credentials_21:56:2024_08:56:22	PASSED	0.301 s
			
5	Then swag labs inventory page will display	PASSED	0.102 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario) Verify login to swag labs application with valid credentials_21:56:2024_08:56:22	PASSED	0.178 s
			

Verify login to swag labs application with valid credentials



PASSED	DURATION - 6.643 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:56:23.286 pm // 8:56:29.929 pm /				
Swag labs login page				
@tag				



#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.597 s




#	Step / Hook Details	Status	Duration
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.323 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:27		
			
2	And user enters username visual_user in swag labs login page	PASSED	0.299 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.248 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:28		
			
3	And user enters password secret_sauce in swag labs login page	PASSED	0.279 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.164 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:28		
			
4	And clicks on login button in swag labs login page	PASSED	0.197 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.353 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:29		
			
5	Then swag labs inventory page will display	PASSED	0.090 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.184 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:29		

#	Step / Hook Details	Status	Duration
			

Verify login to swag labs application with valid credentials

<div>PASSED</div> <div>DURATION - 13.202 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:56:29.937 pm // 8:56:43.139 pm /</div>			
<div>Swag labs login page</div>			
<div>@tag</div>			

#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.598 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.275 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:34		
			
2	And user enters username performance_glitch_user in swag labs login page	PASSED	0.381 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.277 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:34		
			
3	And user enters password secret_sauce in swag labs login page	PASSED	0.271 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.120 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:35		

#	Step / Hook Details	Status	Duration
			
4	And clicks on login button in swag labs login page	PASSED	5.184 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.314 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:40		
			
5	Then swag labs inventory page will display	PASSED	0.136 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.236 s
	Verify login to swag labs application with valid credentials_21:56:2024_08:56:41		
			



Verify login to swag labs application with invalid credentials



PASSED		DURATION - 6.514 s			<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:56:43.156 pm // 8:56:49.670 pm /						
Swag labs login page						
@tag						


#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.601 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.271 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:47		

#	Step / Hook Details	Status	Duration
			
2	And user enters username standard_user in swag labs login page	PASSED	0.341 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.260 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:48		
			
3	And user enters password in swag labs login page	PASSED	0.210 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.127 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:48		
			
4	And clicks on login button in swag labs login page	PASSED	0.141 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.144 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:49		
			
5	Then error message "Epic sadface: Password is required" will display in swag labs login page	PASSED	0.118 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.169 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:49		
			

Verify login to swag labs application with invalid credentials

<div><div>PASSED</div><div>DURATION - 6.502 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 5</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 8:56:49.686 pm // 8:56:56.188 pm /				
Swag labs login page				
@tag				

#	Step / Hook Details	Status	Duration
1	Given user is in swag labs login page	PASSED	0.613 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.318 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:54		
			
2	And user enters username locked_out_user in swag labs login page	PASSED	0.330 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.229 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:54		
			
3	And user enters password secret_sauce in swag labs login page	PASSED	0.260 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.159 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:55		
			
4	And clicks on login button in swag labs login page	PASSED	0.126 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.138 s

#	Step / Hook Details	Status	Duration
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:55		
			
5	Then error message "Epic sadface: Sorry, this user has been locked out." will display in swag labs login page	PASSED	0.079 s
	AFTER_STEP - parallel.ApplicationHooks.addScreenShot(io.cucumber.java.Scenario)	PASSED	0.114 s
	Verify login to swag labs application with invalid credentials_21:56:2024_08:56:55		
	