Name :- Vinayak purohit
Roll No :- 772
Division :- G

Activity Name : MainActivity

Screenshot of your output:

< Source Code of XML >

< XML CODE of `MainActivity` >

```xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@drawable/images"
    tools:context=".MainActivity">

    <EditText
        android:id="@+id/name"
        android:layout_width="0dp"
        android:layout_height="63dp"
        android:layout_marginStart="25dp"
        android:layout_marginTop="75dp"
        android:layout_marginEnd="25dp"
        android:layout_marginBottom="64dp"
        android:drawableLeft="@drawable/baseline_person_outline_24"
        android:ems="10"
        android:hint=" Name"
        android:inputType="text"
        android:textColor="#fff"
        android:textColorHint="#fff"
        app:layout_constraintBottom_toBottomOf="@+id/mobileno"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.0"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="@+id/textView"
        app:layout_constraintVertical_bias="1.0" />

    <!—Same of Email, mobileno, password Code as above -->

    <Button
        android:id="@+id/registerbtn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="20dp"
        android:text="Register"
        app:layout_constraintBottom_toTopOf="@+id/textView3"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.5"
        app:layout_constraintStart_toStartOf="parent" />
```

```xml
<TextView
    android:id="@+id/textView3"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="214dp"
    android:text="Already have an Account?"
    android:textColor="#fff"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="@+id/registerbtn"
    app:layout_constraintStart_toEndOf="@+id/registerbtn" />

<TextView
    android:id="@+id/rtologin"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="4dp"
    android:onClick="rtologinclicked"
    android:text="Login"
    android:textColor="#fff"
    android:textStyle="bold"
    app:layout_constraintBaseline_toBaselineOf="@+id/textView3"
    app:layout_constraintStart_toEndOf="@+id/textView3" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

< JAVA CODE of MainActivity >

```java
package com.example.unknown_app;


import androidx.appcompat.app.AppCompatActivity;

import androidx.fragment.app.Fragment;


import android.annotation.SuppressLint;

import android.content.Intent;

import android.os.Bundle;

import android.view.View;

import android.widget.Button;

import android.widget.EditText;

import android.widget.TextView;

import android.widget.Toast;


public class MainActivity extends AppCompatActivity {


    TextView rtologin,skip;

    EditText email,password,name, mobileno;

    Button registerbtn;
```

```java
@Override

protected void onCreate(Bundle savedInstanceState) {

    super.onCreate(savedInstanceState);

    setContentView(R.layout.activity_main);


    rtologin = (TextView) findViewById(R.id.rtologin);

    email = (EditText) findViewById(R.id.email);

    password = (EditText) findViewById(R.id.password);

    registerbtn = (Button) findViewById(R.id.registerbtn);

    name = (EditText) findViewById(R.id.name);

    mobileno = (EditText) findViewById(R.id.mobileno);

    skip = (TextView) findViewById(R.id.skip);


    skip.setOnClickListener(new View.OnClickListener() {

        @Override

        public void onClick(View view) {

            Intent skip = new Intent(getApplicationContext(), HomeActivity.class);

            startActivity(skip);

        }

    });


    registerbtn.setOnClickListener(new View.OnClickListener() {

        @Override
```

```java
public void onClick(View view) {

    String edusername = email.getText().toString();

    String edpass = password.getText().toString();

    String edname = name.getText().toString();

    String edmobileno = mobileno.getText().toString();

    if(edusername.equals("") || edpass.equals("") || edmobileno.equals("") ||
edname.equals(""))

    {

        raiserror(edusername,email);

        raiserror(edpass,password);

        raiserror(edmobileno,mobileno);

        raiserror(edname,name);

        Toast.makeText(MainActivity.this, "Please Enter All Detail",
Toast.LENGTH_SHORT).show();

    }else {


        Intent registertologin = new Intent(getApplicationContext(), LoginActivity.class);

        registertologin.putExtra("usernm", edusername);

        registertologin.putExtra("pass", edpass);

        registertologin.putExtra("Name", edname);

        registertologin.putExtra("mobileno",edmobileno);

        startActivity(registertologin);

        finish();

    }
```

```
        }

    });

}

public void rtologinclicked(View view){

    Intent rtologin = new Intent(getApplicationContext(), LoginActivity.class);

    startActivity(rtologin);

    finish();

}

public void raiserror(String string, EditText editText){

    if(string.isEmpty()){

        editText.setError("This field can't be Empty");

    }

}

}
```

Activity Name : LoginActivity

Screenshot of your output:

< XML CODE of LoginActivity >

```xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@drawable/download"
    android:id="@+id/id"
    tools:context=".LoginActivity">

    <TextView
        android:id="@+id/textView2"
        android:layout_width="93dp"
        android:layout_height="51dp"
        android:layout_marginBottom="35dp"
        android:text="Log in"
        android:textSize="32dp"
        android:textStyle="bold"
        android:textColor="#fff"
        app:layout_constraintBottom_toTopOf="@+id/eusername"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent" />

    <EditText
        android:id="@+id/eusername"
        android:layout_width="0dp"
        android:layout_height="47dp"
        android:layout_marginStart="41dp"
        android:layout_marginTop="144dp"
        android:layout_marginEnd="41dp"
        android:textColorHint="#fff"
        android:textColor="#fff"
        android:drawableLeft="@drawable/baseline_person_outline_24"
        android:ems="10"
        android:hint=" Username"
        android:inputType="text"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

    <EditText
        android:id="@+id/epassword"
        android:layout_width="0dp"
```

```xml
        android:layout_height="47dp"
        android:layout_marginStart="41dp"
        android:layout_marginTop="92dp"
        android:layout_marginEnd="41dp"
        android:layout_marginBottom="92dp"
        android:drawableLeft="@drawable/baseline_error_outline_24"
        android:ems="10"
        android:hint=" Password"
        android:textColor="#fff"
        android:textColorHint="#fff"
        android:inputType="textPassword"
        app:passwordToggleEnabled ="true"
        app:layout_constraintBottom_toBottomOf="@+id/loginbtn"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toBottomOf="@+id/textView2" />


    <Button
        android:id="@+id/loginbtn"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:text="Login"
        app:layout_constraintBottom_toTopOf="@+id/textView6"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.5"
        app:layout_constraintStart_toStartOf="parent" />

    <!--Here is code for Forgot password and Already account -->

</androidx.constraintlayout.widget.ConstraintLayout>
```

< JAVA CODE of LoginActivity >

```java
package com.example.unknown_app;

import androidx.appcompat.app.AppCompatActivity;
import androidx.constraintlayout.widget.ConstraintLayout;
import androidx.fragment.app.Fragment;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.TextView;
import android.widget.Toast;

public class LoginActivity extends AppCompatActivity {

    TextView newacc, forgotpassbtn;
    EditText eusername, epassword;
    Button loginbtn;
    String username, password, mobileno, name, changedpassword;
    int attemp = 0;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_login);

        newacc = (TextView) findViewById(R.id.newacc);
        eusername = (EditText) findViewById(R.id.eusername);
        epassword = (EditText) findViewById(R.id.epassword);
        loginbtn = (Button) findViewById(R.id.loginbtn);
        forgotpassbtn = (TextView) findViewById(R.id.btnforgotpassword);

        newacc.setOnClickListener(new View.OnClickListener() {
```

```java
    @Override
    public void onClick(View view) {
        Intent intent = new Intent(getApplicationContext(), MainActivity.class);
        startActivity(intent);


    }
});
Intent dataregister = getIntent();
username = dataregister.getStringExtra("usernm");
password = dataregister.getStringExtra("pass");
name = dataregister.getStringExtra("Name");
mobileno = dataregister.getStringExtra("mobileno");
changedpassword = dataregister.getStringExtra("changedpassword");




loginbtn.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {

        String usernm = eusername.getText().toString();
        String edpass = epassword.getText().toString();

        if (attemp < 3) {
            if (usernm.equals("") || edpass.equals("")) {
                raiseerror(usernm, eusername);
                raiseerror(edpass, epassword);
            } else {
                if (usernm.equals(username) && edpass.equals(password) ||
edpass.equals(changedpassword)) {
                    Toast.makeText(LoginActivity.this, "Logined Success",
Toast.LENGTH_SHORT).show();
                    Intent logintohome = new Intent(getApplicationContext(),
HomeActivity.class);
                    logintohome.putExtra("Name", name);
                    logintohome.putExtra("mobileno", String.valueOf(mobileno));
                    logintohome.putExtra("email", username);
```

```
                startActivity(logintohome);
                finish();
            } else {
                Toast.makeText(LoginActivity.this, "!! Something Went wrong !!" + "You have
" + (3 - attemp) + "Attempt Left", Toast.LENGTH_SHORT).show();
                attemp = attemp + 1;
            }
        }
    }else{
        Toast.makeText(LoginActivity.this, "Account Suspended",
Toast.LENGTH_SHORT).show();
            Intent logintoregister = new Intent(getApplicationContext(), MainActivity.class);
            startActivity(logintoregister);
        }
    }
});
forgotpassbtn.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View v) {
        Intent logintoforgotpass = new Intent(getApplicationContext(),
passwordchangeActivity.class);
        logintoforgotpass.putExtra("oldpass", password);
        startActivity(logintoforgotpass);
    }
});
}
public void raiseerror(String string, EditText editText){
    if(string.isEmpty())
        editText.setError("This Field can't be Empty");
}
}
```

Activity Name : Homefragment

Screenshot of your output:

< XML CODE OF Homefragment >

```xml
<?xml version="1.0" encoding="utf-8"?>

<androidx.constraintlayout.widget.ConstraintLayout

    xmlns:android="http://schemas.android.com/apk/res/android"

    xmlns:app="http://schemas.android.com/apk/res-auto"

    xmlns:tools="http://schemas.android.com/tools"

    android:layout_width="match_parent"

    android:layout_height="match_parent"

    tools:context=".HomeFragment">

    <ScrollView

        android:layout_width="match_parent"

        android:layout_height="wrap_content">

        <LinearLayout

            android:layout_width="match_parent"

            android:layout_height="match_parent"

            android:orientation="vertical"

            android:padding="16dp">


            <LinearLayout

                android:layout_width="wrap_content"

                android:layout_height="wrap_content"

                android:orientation="vertical">
```

```xml
    <TextView

        android:id="@+id/greetingtextview"

        android:layout_width="wrap_content"

        android:layout_height="wrap_content"

        android:textSize="32dp"

        android:textStyle="bold"

        android:layout_marginBottom="16dp" />

</LinearLayout>

<HorizontalScrollView

    android:layout_width="match_parent"

    android:layout_height="wrap_content">

    <LinearLayout

        android:layout_width="wrap_content"

        android:layout_height="wrap_content"

        android:orientation="horizontal">

        <androidx.cardview.widget.CardView

            android:layout_width="wrap_content"

            android:layout_height="wrap_content">

            <ImageView

                android:id="@+id/bcasem2"

                android:layout_width="200dp"

                android:layout_height="200dp"
```

```
        android:src="@drawable/bcasem2" />

    </androidx.cardview.widget.CardView>
```

<!—Same Two more cardview for tranding searches -->

```
    </LinearLayout>

</HorizontalScrollView>

<LinearLayout

    android:layout_width="wrap_content"

    android:layout_height="wrap_content"

    android:orientation="vertical">

    <ImageView

        android:id="@+id/bca"

        android:layout_width="301dp"

        android:layout_height="167dp"

        android:layout_gravity="center_horizontal"

        android:layout_marginTop="20dp"

        android:src="@drawable/bca"

        android:layout_marginLeft="30dp"/>
```

<!— Same For BCom and BBA -->

```
    </LinearLayout>

  </LinearLayout>

</ScrollView>

</androidx.constraintlayout.widget.ConstraintLayout>
```

Activity Name : bca_Activity

Screenshot of your output:

< XML CODE OF bca_Activity >

```xml
<?xml version="1.0" encoding="utf-8"?>

<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"

    xmlns:app="http://schemas.android.com/apk/res-auto"

    xmlns:tools="http://schemas.android.com/tools"

    android:layout_width="match_parent"

    android:layout_height="match_parent"

    tools:context=".bca_Activity">


    <ImageView

        android:id="@+id/imageView2"

        android:layout_width="0dp"

        android:layout_height="0dp"

        android:src="@drawable/bcabanner"

        app:layout_constraintBottom_toTopOf="@+id/scrollView3"

        app:layout_constraintEnd_toEndOf="parent"

        app:layout_constraintStart_toStartOf="parent"

        app:layout_constraintTop_toTopOf="parent" />


    <ScrollView

        android:id="@+id/scrollView3"
```

```
android:layout_width="0dp"

android:layout_height="wrap_content"

android:layout_marginBottom="189dp"

app:layout_constraintBottom_toBottomOf="parent"

app:layout_constraintEnd_toEndOf="parent"

app:layout_constraintStart_toStartOf="parent"

app:layout_constraintTop_toBottomOf="@+id/imageView2">


<GridLayout

    android:layout_width="match_parent"

    android:layout_height="wrap_content"

    android:columnCount="2"

    android:rowCount="3">


    <ImageView

        android:id="@+id/bcasem1"

        android:layout_width="180dp"

        android:layout_height="180dp"

        android:layout_gravity="center_horizontal"

        android:layout_marginLeft="13dp"

        app:srcCompat="@drawable/bcasem1" />


    <ImageView
```

```
android:id="@+id/bcasem2"

android:layout_width="180dp"

android:layout_height="180dp"

android:layout_gravity="center_horizontal"

android:layout_marginLeft="10dp"

app:srcCompat="@drawable/bcasem2" />
```

<!—Same For 6 semester for BCA -->

```
    </GridLayout>

  </ScrollView>

</androidx.constraintlayout.widget.ConstraintLayout>
```

Activity Name : bcasem3

Screenshot of your output:

< XML OF bcasem3>

```xml
<?xml version="1.0" encoding="utf-8"?>

<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"

    xmlns:app="http://schemas.android.com/apk/res-auto"

    xmlns:tools="http://schemas.android.com/tools"

    android:layout_width="match_parent"

    android:layout_height="match_parent"

    tools:context=".bcasem3">


    <ScrollView

        android:layout_width="match_parent"

        android:layout_height="wrap_content"

        android:id="@+id/scrollView4"

        app:layout_constraintTop_toTopOf="parent"

        app:layout_constraintStart_toStartOf="parent"

        app:layout_constraintEnd_toEndOf="parent">


    <GridLayout

        android:layout_width="match_parent"

        android:layout_height="wrap_content"

        android:columnCount="2">
```

```xml
<androidx.cardview.widget.CardView

        android:id="@+id/mad"

        android:layout_width="200dp"

        android:layout_height="wrap_content"

        android:layout_marginLeft="10dp"

        android:layout_marginTop="20dp">


    <LinearLayout

        android:layout_width="wrap_content"

        android:layout_height="wrap_content"

        android:orientation="vertical"

        android:background="#C5F5FB">


        <ImageView

            android:layout_width="180dp"

            android:layout_height="200dp"

            android:src="@drawable/bca3mad" />


        <TextView

            android:layout_width="wrap_content"

            android:layout_height="wrap_content"

            android:text="MOBILE APPLICATION"

            android:textStyle="bold"
```

```xml
        android:layout_gravity="center_horizontal"

        android:textSize="18dp" />


    <TextView

        android:layout_width="wrap_content"

        android:layout_height="wrap_content"

        android:text="DEVELOPMENT-1"

        android:textStyle="bold"

        android:layout_gravity="center_horizontal"

        android:textSize="20dp" />

    <!—Same for all Subjects of Bca sem 3 -->

    </LinearLayout>

  </GridLayout>

 </ScrollView>

</androidx.constraintlayout.widget.ConstraintLayout>
```

< JAVA CODE of bcasem3>

```java
package com.example.unknown_app;

import androidx.appcompat.app.AppCompatActivity;

import androidx.cardview.widget.CardView;


import android.content.Intent;

import android.os.Bundle;

import android.view.View;


public class bcasem3 extends AppCompatActivity {


    CardView stat,se,dhp,oops,mad,wd;


    @Override
    protected void onCreate(Bundle savedInstanceState) {

        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_bcasem3);

        stat = (CardView) findViewById(R.id.stat);

        se = (CardView) findViewById(R.id.se);

        dhp = (CardView) findViewById(R.id.dhp);

        oops = (CardView) findViewById(R.id.oops);

        mad = (CardView) findViewById(R.id.mad);
```

```
wd = (CardView) findViewById(R.id.wd);



stat.setOnClickListener(new View.OnClickListener() {

    @Override

    public void onClick(View view) {

        Intent intent = new Intent(getApplicationContext(), Chapter_Activity.class);

        intent.putExtra("sub","stat");

        startActivity(intent);

    }

});



se.setOnClickListener(new View.OnClickListener() {

    @Override

    public void onClick(View view) {

        Intent intent = new Intent(getApplicationContext(), Chapter_Activity.class);

        intent.putExtra("sub","se");

        startActivity(intent);

    }

});



dhp.setOnClickListener(new View.OnClickListener() {

    @Override

    public void onClick(View view) {
```

```java
        Intent intent = new Intent(getApplicationContext(), Chapter_Activity.class);

        intent.putExtra("sub","dhp");

        startActivity(intent);

    }

});

oops.setOnClickListener(new View.OnClickListener() {

    @Override

    public void onClick(View view) {

        Intent intent = new Intent(getApplicationContext(), Chapter_Activity.class);

        intent.putExtra("sub","oops");

        startActivity(intent);

    }

});

mad.setOnClickListener(new View.OnClickListener() {

    @Override

    public void onClick(View view) {

        Intent intent = new Intent(getApplicationContext(), Chapter_Activity.class);

        intent.putExtra("sub","mad");

        startActivity(intent);

    }

});

    }

}
```

Activity Name :- Chapter_Activity

Screenshot of your output:

< XML CODE OF Chapter_Activity >

```xml
<?xml version="1.0" encoding="utf-8"?>

<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"

    xmlns:app="http://schemas.android.com/apk/res-auto"

    xmlns:tools="http://schemas.android.com/tools"

    android:layout_width="match_parent"

    android:layout_height="match_parent"

    tools:context=".Chapter_Activity">


    <ListView

        android:id="@+id/chapterlist"

        android:layout_width="match_parent"

        android:layout_height="match_parent" />

</RelativeLayout>
```

< JAVA CODE OF Chapter_Activity >

```java
package com.example.unknown_app;


import android.app.Activity;

import android.content.Intent;

import android.os.Bundle;

import android.view.View;

import android.widget.AdapterView;

import android.widget.ArrayAdapter;

import android.widget.ListView;

import android.widget.Toast;


public class Chapter_Activity extends Activity {

    private ListView chapterListView;

    private String[] chapters = {"Chapter 1", "Chapter 2", "Chapter 3", "Chapter 4", "Chapter 5"};

    String sub;

    @Override

    protected void onCreate(Bundle savedInstanceState) {

        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_chapter);


        chapterListView = findViewById(R.id.chapterlist);
```

```java
ArrayAdapter<String> adapter = new ArrayAdapter<>(this, android.R.layout.simple_list_item_1, chapters);

chapterListView.setAdapter(adapter);

Intent intent = getIntent();

sub = intent.getStringExtra("sub");


chapterListView.setOnItemClickListener(new AdapterView.OnItemClickListener() {
    @Override
    public void onItemClick(AdapterView<?> parent, View view, int i, long id) {
        if(sub.equals("stat")){

            Intent pdf = new Intent(getApplicationContext(), PDF_Activity.class);

            pdf.putExtra("url","https://drive.google.com/file/d/1jQkUE28K2ez9qclUh_3Hda0-syte-zf0/view?usp=drive_link");

            startActivity(pdf);


        } else if (sub.equals("mad")) {

            if(i==0){

                Intent pdf = new Intent(getApplicationContext(), PDF_Activity.class);

pdf.putExtra("url","https://drive.google.com/file/d/1GBhrGS0iw18AQQgp1RHxnEmBeNstw5T9/view?usp=sharing");

                startActivity(pdf);


            } else if (i==1) {
```

```java
        Intent pdf = new Intent(getApplicationContext(), PDF_Activity.class);

        pdf.putExtra("url","https://drive.google.com/file/d/1nE3z-6iDcmaFZ2EfK_8-bJmECSzkB-Jc/view?usp=drive_link");

        startActivity(pdf);

    } else if (i==2) {

        Intent pdf = new Intent(getApplicationContext(), PDF_Activity.class);


pdf.putExtra("url","https://drive.google.com/file/d/1RD6axjsa6Mwhj7_mxMDNSCH1spvEpJ13/view?usp=drive_link");

        startActivity(pdf);

    } else if (i==3) {

        Intent pdf = new Intent(getApplicationContext(), PDF_Activity.class);


pdf.putExtra("url","https://drive.google.com/file/d/18ozGnzVocFdu1lsbrqns8oVMy3zNoF3l/view?usp=drive_link");

        startActivity(pdf);

    } else if (i==4) {

        Toast.makeText(Chapter_Activity.this, "Not available", Toast.LENGTH_SHORT).show();

    }
```

<!—Same for All Chapter and it's Units -->

```java
        }
    }
});
    }
}
```

Activity Name : PDF_Activity

Screenshot of your output:

A Simple PDF File

This is a small demonstration .pdf file -

just for use in the Virtual Mechanics tutorials. More text. And mc
text. And more text. And more text. And more text.

And more text. And more text. And more text. And more text. Ar
text. And more text. Boring, zzzzz. And more text. And more tex
more text. And more text. And more text. And more text. And mc
And more text. And more text.

And more text. And more text. And more text. And more text. Ar
text. And more text. And more text. Even more. Continued on pa

< XML CODE OF PDF_Activity >

```xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".PDF_Activity">

    <WebView
        android:id="@+id/webview"
        android:layout_width="match_parent"
        android:layout_height="wrap_content" />


</androidx.constraintlayout.widget.ConstraintLayout>
```

< JAVA CODE OF PDF_Activity >

```java
package com.example.unknown_app;


import androidx.appcompat.app.AppCompatActivity;


import android.content.Intent;

import android.os.Bundle;

import android.webkit.WebSettings;

import android.webkit.WebView;

import android.webkit.WebViewClient;

import android.widget.Toast;


public class PDF_Activity extends AppCompatActivity {

    WebView webView;


    @Override

    protected void onCreate(Bundle savedInstanceState) {

        super.onCreate(savedInstanceState);

        setContentView(R.layout.activity_pdf);

        webView = findViewById(R.id.webview);

        Intent geturl = getIntent();

        String url = geturl.getStringExtra("url");
```

```java
webView.setWebViewClient(new WebViewClient());

webView.getSettings().setSupportZoom(true);

webView.getSettings().setJavaScriptEnabled(true);

WebSettings webSettings = webView.getSettings();

webSettings.setJavaScriptEnabled(true); // Enable JavaScript (if needed)

webSettings.setCacheMode(WebSettings.LOAD_DEFAULT); // Use the default cache mode

webSettings.setRenderPriority(WebSettings.RenderPriority.HIGH);


webView.loadUrl("https://docs.google.com/gview?embedded=true&url="+url);

Toast.makeText(this, ""+url, Toast.LENGTH_SHORT).show();
    }
}
```