**Seat No:** 

### 2111000104050003

# B.C.A. S.Y (Sem – IV) Examination November -2023

	Mobile Application Development - II	
		(
[Time: Thr	ee Hours] [Max. marks: 70]	
Instruction		/ Ira
	2. Figure to the right indicate run marks.	11 (
	3. Mention your options clearly.	
Q.1 Ansv	ver the following question	
1)	OnCheckedChangeListener can be used with which control?	
	1. Button 2. CheckBox 3. Both Button & CheckBox 4. Spinner	
2)	Converts class file in to dex file.	
	1. Javac 2. Aapt 3. dex compiler 4. DVM	
3)	In Alert Dialog which method is used to keep Dialogbox open, even if Back button	
	pressed?	
15 T	1setCancelable(false) 2setCancelable(true)	
	3setHidden(false) 4setHidden(true)	
4)	What is true about R.java file?	
	1. It is auto-generated file which contains resource IDs of all Resources.	
Tr.	2. It is auto-generated file which contains configuration settings	
	3. It is auto-generated file which contains string objects	
	4. None of the above	
	A B CAN CAN CAN CAN	
5)	are views that display a long list of items.	
5) (5)	1. List view 2. Specialised fragments 3. Frame view 4. None	
6)	What are the correct types of progress available in Android?	
6	1. Spinning wheel and horizontal bar	
	2. Vertical bar	

3. Circle wheel 4. None of these

## Paper / Subject Code: 2111000104050003 / MOBILE APPICATION DEVELOPMENT-II

The me	thod of ImageSv	vitcher provide in	nplementation of ViewFactory	
interface.				
1. ViewFactory()	2. setFactory()	3. Factory()	4. GetFactory()	
			A B	
If you don't want t	to change the var	iable value, what	t keyword need to be used?	
1. Def	2. Const	3. Constant	4. Fixed	
		A ST	30	
1. declare()	2. list()	3. main()	4. return()	
	~~~	AC OCT		
3. Anead of Temp	, S	Accured Of Ten	ip.	
Which of the follo	vving is invisible	widget?		
	- 10	7 N= (),	4 Image	
1. Iddio button	2. checkoox	S. Column	1. Milage	
widget cl	hange their desci	ription dynamical	lly during their lifecycle.	
/ <sub>\</sub> \\ =	, (C) =	= ,		
3. visible widget		. 🗸 7		
is a widg	et in flutter that	combines a list o	f widgets and positions them on	
top of the other.				
1. The stack	2. The points	3. The list	4. The Form	
	rial design class	in flutter that pro	ovides text labels to explain the	
1. Tooltip	2. Flutterform	3. Charts	4. Switchs	
	1 EON			
nt Following Oues	tions [Any Two	1		14
•	V		nlain with example	1.
			piam with example.	
			in detail.	
2) I C	A B			
pt Following Ques	stions in detail [	Any Two]		14
		- Wh		
	<u> </u>			
Write a short note	on datatypes of	Dart.		
	interface.  1. ViewFactory()  If you don't want to the state of the following of the functionality.  1. Tooltip  Interface.  1. ViewFactory()  If you don't want to the following of the functionality.  Interface.  1. Def  What is an entry property of the following of the following of the following of the following of the functionality.  Interface.  1. Def  What is an entry property of the following of the following of the following of the functionality.  Interface.  1. ViewFactory()  If you don't want to the following of the fol	interface.  1. ViewFactory() 2. setFactory()  If you don't want to change the var 1. Def 2. Const  What is an entry point in Dart? 1. declare() 2. list()  Full form of AOT 1. Ahead Of Time 2. 3. Ahead of Temp 4.  Which of the following is invisible 1. radio button 2. checkbox  widget change their description 1. stateful widget 2. 3. visible widget 4.  is a widget in flutter that top of the other. 1. The stack 2. The points  is a material design class functionality. 1. Tooltip 2. Flutterform  Interface.  1. Tooltip 2. Flutterform  Interface 2. The points  Interface 2. The points 2. Flutterform  Interface 3. Visible widget 4.  Interface 4. Visible widget 5. Visible 4.	interface.  1. ViewFactory() 2. setFactory() 3. Factory()  If you don't want to change the variable value, what 1. Def 2. Const 3. Constant  What is an entry point in Dart?  1. declare() 2. list() 3. main()  Full form of AOT  1. Ahead Of Time 2. After Of Time 3. Ahead of Temp 4. Accured Of Ten  Which of the following is invisible widget?  1. radio button 2. checkbox 3. column  widget change their description dynamical 1. stateful widget 2. stateless widget 3. visible widget 4. invisible widget  is a widget in flutter that combines a list of top of the other.  1. The stack 2. The points 3. The list  is a material design class in flutter that profunctionality.  1. Tooltip 2. Flutterform 3. Charts  apt Following Questions [Any Two]  How to create dynamic radio button in android? Ex Write a short note on Android Manifest.	interface.  1. ViewFactory() 2. setFactory() 3. Factory() 4. GetFactory()  If you don't want to change the variable value, what keyword need to be used?  1. Def 2. Const 3. Constant 4. Fixed  What is an entry point in Dart?  1. declare() 2. list() 3. main() 4. return()  Full form of AOT

### Paper / Subject Code: 2111000104050003 / MOBILE APPICATION DEVELOPMENT-II

<b>Q.4</b>	Atten	npt Following Questions [Any Two]
	1)	Explain Decision making statements of Dart.
	2)	Explain features of Flutters.
	3)	Explain visible and invisible widget of Flutter.
Q.5	Write	e a Short Note on the following [Any Two]
	1)	Write a short note on Flutter Form.
	2)	Discuss architecture of flutter in detail.
	3)	Explain any three Flutter widget in detail