

1) Create an android application which shows the list of various food Items in a list view. Clicking on any food Item will show another activity with the food item details

Source Code :

MainActivity.java

```
package com.example.quickbite;

import androidx.appcompat.app.AppCompatActivity;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.AdapterView;
import android.widget.AdapterView.OnItemClickListener;
import android.widget.ListView;

public class MainActivity extends AppCompatActivity {

    ListView listView;

    int[] imageList = {R.drawable.burgur, R.drawable.pizza, R.drawable.noddles, R.drawable.pasta,
R.drawable.manchurian, R.drawable.sandwich,
R.drawable.hotdog,R.drawable.birayani,R.drawable.friedrice,R.drawable.specialthali};

    int[] descList = {R.string.burgur_description, R.string.pizza_description,
R.string.noodles_description,
R.string.pasta_description,R.string.sandwich_description,R.string.hot_dog_description,
R.string.veg_biryani_description,R.string.fried_rice_description,R.string.special_thali_description};
```

```
String[] nameList = {"Burgur", "Pizza", "Noodles", "Pasta", "Manchurian", "Sandwich", "Hot Dog",  
"Veg Biryani", "Fried Rice", "Special Thali"};
```

```
String[] timeList = {"30 mins", "2 mins", "45 mins", "10mins", "15 Mins", "20 Mins", "10 Mins", "15  
Mins", "10 Mins", "20 Mins"};
```

```
String[] price = {"200", "330", "129", "99", "159", "119", "150", "250", "149", "399"};
```

```
@Override
```

```
protected void onCreate(Bundle savedInstanceState) {
```

```
    super.onCreate(savedInstanceState);
```

```
    setContentView(R.layout.activity_main);
```

```
    listView = (ListView) findViewById(R.id.listView);
```

```
    CustomeListView customeListView = new
```

```
CustomeListView(getApplicationContext(),nameList,imageList,price);
```

```
    listView.setAdapter(customeListView);
```

```
    listView.setOnItemClickListener(new AdapterView.OnItemClickListener() {
```

```
        @Override
```

```
        public void onItemClick(AdapterView<?> parent, View view, int position, long id) {
```

```
            Intent intent = new Intent(MainActivity.this, activity_details.class);
```

```
            intent.putExtra("name",nameList[position]);
```

```
            intent.putExtra("time", timeList[position]);
```

```
            intent.putExtra("desc", descList[position]);
```

```
            intent.putExtra("image", imageList[position]);
```

```
        intent.putExtra("showprice",price[position]);  
  
        startActivity(intent);  
  
    }  
  
    });  
  
    }  
  
}
```

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>  
  
<LinearLayout  
  
    xmlns:android="http://schemas.android.com/apk/res/android"  
    xmlns:app="http://schemas.android.com/apk/res-auto"  
    xmlns:tools="http://schemas.android.com/tools"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    android:backgroundTint="@color/white"  
    android:orientation="vertical"  
    tools:context=".MainActivity">  
  
    <LinearLayout  
  
        android:layout_width="match_parent"  
        android:layout_height="wrap_content"  
        android:gravity="center">
```

<TextView

```
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_gravity="center"
    android:text="Quick Bite"
    android:textStyle="bold"
    android:textSize="30dp"
    android:textColor="#23BEED"
    android:padding="10dp"/>
```

</LinearLayout>

<ListView

```
    android:id="@+id/listView"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:layout_marginStart="12dp"
    android:layout_marginTop="12dp"
    android:layout_marginEnd="12dp"
    android:divider="@android:color/transparent"
    android:dividerHeight="10.0sp"
    android:listSelector="#EDEDED"
    android:scrollbars="vertical"
    tools:listitem="@layout/activity_list_item" />
```

</LinearLayout>

Output :

Quick Bite



Burgur

₹ 200



Pizza

₹ 330



Noodles

₹ 129



Pasta

₹ 99



Manchurian

₹ 159



Sandwich

₹ 119



Hot Dog

₹ 150



Veg Biryani

₹ 250

list_item.java

```
package com.example.quickbite;

import androidx.appcompat.app.AppCompatActivity;
import android.os.Bundle;

public class list_item extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_list_item);
    }
}
```

activity_list_item.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.cardview.widget.CardView xmlns:android="http://schemas.android.com/apk/res/android"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    xmlns:app="http://schemas.android.com/apk/res-auto">
```

```
android:layout_marginStart="12dp"  
android:layout_marginEnd="12dp"  
android:layout_marginVertical="10dp"  
android:layout_marginHorizontal="10dp"  
app:cardCornerRadius="20dp"  
app:cardElevation="8dp">
```

```
<RelativeLayout
```

```
    android:layout_width="match_parent"  
    android:layout_height="wrap_content">
```

```
<com.google.android.material.imageview.ShapeableImageView
```

```
    android:id="@+id/image"  
    android:layout_width="60dp"  
    android:layout_height="60dp"  
    android:src="@drawable/maggi"  
    android:scaleType="centerCrop"  
    android:layout_marginStart="10dp"  
    android:layout_marginBottom="10dp"  
    android:layout_marginTop="10dp" />
```

```
<TextView
```

```
    android:layout_width="120dp"  
    android:layout_height="30dp"  
    android:id="@+id/name"
```

```
android:text="Name"  
android:textColor="@color/lavender"  
android:textSize="20sp"  
android:layout_marginTop="25dp"  
android:layout_marginStart="30dp"  
android:layout_toEndOf="@id/image"/>
```

```
<TextView
```

```
    android:layout_width="80dp"  
    android:layout_height="30dp"  
    android:id="@+id/price"  
    android:text="time"  
    android:textSize="16sp"  
    android:layout_toEndOf="@id/name"  
    android:layout_marginTop="25dp"  
    android:layout_marginStart="50dp"  
    android:textColor="@color/lavender"/>
```

```
</RelativeLayout>
```

```
</androidx.cardview.widget.CardView>
```


CustomListView.java

```
package com.example.quickbite;

import android.content.Context;
import android.view.LayoutInflater;
import android.view.View;
import android.view.ViewGroup;
import android.widget.BaseAdapter;
import android.widget.ImageView;
import android.widget.TextView;

public class CustomListView extends BaseAdapter {

    Context context;

    String names[];

    int images[];

    String price[];

    LayoutInflater inflater;

    public CustomListView(Context ctx,String[] nm ,int[] img, String[] amount){

        this.context = ctx;

        this.images = img;

        this.names = nm;

        this.price = amount;

        inflater = LayoutInflater.from(ctx);

    }

    @Override
```

```
public int getCount() {  
    return names.length;  
}  
  
@Override  
public Object getItem(int position) {  
    return null;  
}  
  
@Override  
public long getItemId(int position) {  
    return 0;  
}  
  
@Override  
public View getView(int position, View convertView, ViewGroup parent) {  
    convertView = inflater.inflate(R.layout.activity_list_item,null);  
  
    TextView txtview = (TextView) convertView.findViewById(R.id.name);  
    ImageView img = (ImageView) convertView.findViewById(R.id.image);  
    TextView pricetxt = (TextView) convertView.findViewById(R.id.price);  
    txtview.setText(names[position]);  
    pricetxt.setText("₹ "+price[position]);  
    img.setImageResource(images[position]);  
    return convertView;  
}  
}
```

Activity_details

```
package com.example.quickbite;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
import android.content.Intent;
```

```
import android.os.Bundle;
```

```
import android.view.View;
```

```
import android.widget.Button;
```

```
import android.widget.ImageView;
```

```
import android.widget.TextView;
```

```
import android.widget.Toast;
```

```
public class activity_details extends AppCompatActivity {
```

```
    Button button ;
```

```
    ImageView detailImage;
```

```
    int quantity = 1,showprice;
```

```
    TextView Desc,showtime,detailname,price,showquantity,increment,decrement;;
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
```

```
setContentView(R.layout.activity_details);
```

```
button = (Button) findViewById(R.id.btnplaceoder);  
detailImage = (ImageView) findViewById(R.id.detailImage);  
Desc = (TextView) findViewById(R.id.desc);  
showtime = (TextView) findViewById(R.id.showtime);  
price = (TextView) findViewById(R.id.price);  
detailname = (TextView) findViewById(R.id.detailName);  
showquantity = (TextView) findViewById(R.id.quantity);  
increment = (TextView) findViewById(R.id.incrementButton);  
decrement = (TextView) findViewById(R.id.decrementButton);
```

```
showquantity.setText(""+quantity);  
Intent intent = this getIntent();  
if (intent != null) {  
    String name = intent.getStringExtra("name");  
    String time = intent.getStringExtra("time");  
    int desc = intent.getIntExtra("desc", R.string.manchurian_description);  
    int image = intent.getIntExtra("image", R.drawable.manchurian);  
    showprice = intent.getIntExtra("showprice", 100);  
  
    detailname.setText(name);  
    showtime.setText("⌚ " +time);
```

```
Desc.setText(desc);  
  
price.setText("₹ "+showprice*quantity);  
  
detailImage.setImageResource(image);  
  
}
```

```
increment.setOnClickListener(new View.OnClickListener() {  
  
    @Override  
  
    public void onClick(View v) {  
  
        if(quantity < 20){  
  
            quantity++;  
  
            showquantity.setText(""+quantity);  
  
            price.setText("₹ "+showprice*quantity);  
  
        }else {  
  
            Toast.makeText(activity_details.this, "!! Max 20 item you can select at a time !!",  
Toast.LENGTH_SHORT).show();  
  
        }  
  
    }  
  
});
```

```
decrement.setOnClickListener(new View.OnClickListener() {  
  
    @Override  
  
    public void onClick(View v) {  
  
        if(quantity > 1){  
  
            quantity--;
```

```
        showquantity.setText(""+quantity);

        price.setText("₹ "+showprice*quantity);

    } else {

        Toast.makeText(activity_details.this, "!! Quantity Can't to less than 1 !!",
Toast.LENGTH_SHORT).show();

    }

}

});

button.setOnClickListener(new View.OnClickListener() {

    @Override

    public void onClick(View v) {

        Toast.makeText(activity_details.this, "Order Placed..! 📦",
Toast.LENGTH_SHORT).show();

        Intent i=new Intent(getApplicationContext(),MainActivity.class);

        startActivity(i);

    }

});

}

}
```

activity_details.xml

```
<?xml version="1.0" encoding="utf-8"?>

<ScrollView xmlns:android="http://schemas.android.com/apk/res/android"

    xmlns:app="http://schemas.android.com/apk/res-auto"

    xmlns:tools="http://schemas.android.com/tools"

    android:layout_width="match_parent"

    android:layout_height="match_parent"

    android:layout_margin="20dp"

    android:backgroundTint="@color/white"

    tools:context=".activity_details"

    tools:ignore="ExtraText">

    <LinearLayout

        android:layout_width="match_parent"

        android:layout_height="wrap_content"

        android:orientation="vertical">

        <androidx.cardview.widget.CardView

            android:id="@+id/cardImage"

            android:layout_width="380dp"

            android:layout_height="220dp"

            android:layout_gravity="center"

            android:layout_margin="10dp"

            app:cardCornerRadius="10dp"

            app:cardElevation="8dp">
```

```
<ImageView
```

```
    android:id="@+id/detailImage"  
    android:layout_width="match_parent"  
    android:layout_height="match_parent"  
    android:layout_gravity="center"  
    android:contentDescription="@string/todo"  
    android:scaleType="centerCrop"  
    android:src="@drawable/maggi" />
```

```
</androidx.cardview.widget.CardView>
```

```
<RelativeLayout
```

```
    android:layout_width="match_parent"  
    android:layout_height="wrap_content">
```

```
<TextView
```

```
    android:layout_width="100dp"  
    android:layout_height="wrap_content"  
    android:text="☆ 4.5 Rating"  
    android:textColor="@color/black" />
```

```
<TextView
```

```
    android:id="@+id/showtime"  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:breakStrategy="balanced"  
    android:gravity="end"  
    android:text="⌚ 45min " />
```

```
</RelativeLayout>
```



```
<LinearLayout
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_marginTop="15dp"
```

```
    android:orientation="horizontal">
```

```
<TextView
```

```
    android:id="@+id/detailName"
```

```
    android:layout_width="0dp"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_weight="1"
```

```
    android:layout_marginStart="10dp"
```

```
    android:text="@string/recipe_name"
```

```
    android:textColor="#FAAF42"
```

```
    android:textSize="24sp"
```

```
    android:layout_gravity="center"
```

```
    android:textStyle="bold" />
```

```
<LinearLayout
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:padding="5dp"
```

```
    android:layout_marginEnd="5dp"
```

```
    android:background="#FBEFEF"
```

```
    android:orientation="horizontal">
```

```
<LinearLayout
```

```
        android:layout_width="wrap_content"
        android:layout_height="wrap_content">
<TextView
    android:id="@+id/decrementButton"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:textSize="30sp"
    android:layout_gravity="center"
    android:textStyle="bold"
    android:text="-" />
```

```
<TextView
    android:id="@+id/quantity"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginStart="10dp"
    android:layout_marginEnd="10dp"
    android:background="#ffffff"
    android:layout_gravity="center"
    android:text="0"
    android:textSize="24sp"/>
```

```
<TextView
    android:id="@+id/incrementButton"
    android:layout_width="wrap_content"
```

```
        android:layout_height="wrap_content"

        android:textSize="30sp"

        android:layout_gravity="center"

        android:text="+"/>

    </LinearLayout>

</LinearLayout>

</LinearLayout>

<TextView

    android:layout_width="wrap_content"

    android:layout_height="wrap_content"

    android:layout_marginStart="10dp"

    android:layout_marginTop="15dp"

    android:text="Description"

    android:textColor="@color/black"

    android:textSize="20sp"

    android:textStyle="bold" />

<TextView

    android:id="@+id/desc"

    android:layout_width="match_parent"

    android:layout_height="wrap_content"

    android:layout_marginStart="10dp"

    android:layout_marginTop="10dp"

    android:text="@string/descriptioninfo"

    android:textColor="#605F5F"
```

```
android:textSize="18dp" />
```

```
<TextView
```

```
    android:id="@+id/addno"
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:layout_marginStart="10dp"
```

```
    android:layout_marginTop="25dp"
```

```
    android:text="Add on"
```

```
    android:textColor="@color/black"
```

```
    android:textSize="20sp"
```

```
    android:textStyle="bold" />
```

```
<androidx.cardview.widget.CardView
```

```
    android:id="@+id/cardadd"
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    app:cardCornerRadius="15dp"
```

```
    app:cardUseCompatPadding="true">
```

```
<RadioGroup
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:background="#FBFBF7"
```

```
    android:padding="0dp">
```

```
<RadioButton
```

```
android:layout_width="match_parent"  
android:layout_height="match_parent"  
android:text=" Corn"  
android:textSize="20dp" />
```

```
<RadioButton  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:text=" Olive"  
    android:textSize="20dp" />
```

```
<RadioButton  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:text=" Bell Pepper"  
    android:textSize="20dp" />
```

```
<RadioButton  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:text=" Extra Cheese"  
    android:textSize="20dp" />
```

```
</RadioGroup>
```

```
</androidx.cardview.widget.CardView>
```

```
<RelativeLayout
```

```
android:layout_width="match_parent"  
android:layout_height="52dp"  
android:layout_marginTop="5dp"  
android:layout_marginEnd="10dp"  
android:gravity="center|bottom">
```

```
<TextView
```

```
    android:id="@+id/price"  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_marginStart="30dp"  
    android:layout_marginTop="5dp"  
    android:text="$19.00"  
    android:textSize="20dp" />
```

```
<TextView
```

```
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:layout_marginStart="28dp"  
    android:layout_marginTop="27dp"  
    android:text="included Taxes"  
    android:textSize="10dp"  
    tools:ignore="TextSizeCheck" />
```

```
<com.google.android.material.button.MaterialButton
```

```
    android:id="@+id/btnplaceoder"
```


```
android:layout_width="match_parent"  
android:layout_height="wrap_content"  
android:layout_marginStart="40dp"  
android:layout_toEndOf="@id/price"  
android:backgroundTint="#FBA629"  
android:gravity="center"  
android:text="Place Order"  
android:textSize="18dp"  
app:cornerRadius="10dp" />
```

```
</RelativeLayout>
```

```
</LinearLayout>
```

```
</ScrollView>
```

Output :



★ 4.5 Rating ⌚ 2 mins

Pizza - 1 +

Description

A savory dish of Italian origin, consisting of a usually round, flattened base of leavened wheat-based dough topped with various ingredients.

Add on

- ☐ Corn
- ☐ Olive
- ☐ Bell Pepper
- ☐ Extra Cheese

₹ 100
included Taxes

Place Order

- 2) Create a flutter application which shows the list of students in a list view.
Clicking on any student will show another page with student's details.**
-

main.dart

```
import 'package:flutter/material.dart';  
import 'package:student_data/student_details.dart';  
import 'model/student.dart';
```

```
void main() {  
  runApp(const MyApp());  
}
```

```
class MyApp extends StatelessWidget {  
  const MyApp({Key? key}) : super(key: key);
```

```
  @override
```

```
  Widget build(BuildContext context) {  
    return MaterialApp(  
      title: 'Student Data',  
      theme: ThemeData(  
        primarySwatch: Colors.blue,  
      ),  
      debugShowCheckedModeBanner: false,  
      home: const StudentList(),  
    );
```

```
}  
  
}
```

```
class StudentList extends StatelessWidget {  
  const StudentList({Key? key}) : super(key: key);  
  
  @override  
  Widget build(BuildContext context) {  
    final student = students;  
    return Scaffold(  
      appBar: AppBar(  
        title: const Text(  
          "SDJ International Collage",  
          style: TextStyle(  
            fontWeight: FontWeight.bold,  
            color: Colors.white, // Set text color to white  
          ),  
        ),  
        backgroundColor: const Color(0xFF52B8F7),  
        elevation: 0,  
        centerTitle: true,  
      ),  
      backgroundColor: const Color(0xFF52B8F7),  
      body: SingleChildScrollView(  
        child: Column(  

```

```
crossAxisAlignment: CrossAxisAlignment.start,
children: [
  students.isEmpty
    ? const Center(
      child: Text(
        'No students available',
        style: TextStyle(fontSize: 18),
      ),
    )
    : ListView.builder(
      physics: const NeverScrollableScrollPhysics(),
      shrinkWrap: true,
      itemCount: student.length,
      itemBuilder: (context, index) {
        final student = students[index];
        return Padding(
          padding: const EdgeInsets.all(10),
          child: Card(
            color: Colors.white,
            elevation: 5,
            child: ListTile(
              onTap: () {
                Navigator.push(
                  context,
                  MaterialPageRoute(
```

```
builder: (context) =>  
    StudentDetails(student: students[index]),  
    ),  
    );  
},  
leading: CircleAvatar(  
    backgroundImage: NetworkImage(student.imageUrl),  
    ),  
title: Text(  
    student.name,  
    style: const TextStyle(  
        fontSize: 20,  
        color: Colors.black,  
    ),  
    ),  
subtitle: Text(  
    "Class : " + student.Class,  
    style: const TextStyle(  
        fontSize: 15,  
    ),  
    ),  
    ),  
    ),  
    );  
},
```

```
    ),  
    ],  
    ),  
    ),  
    );  
}  
}
```

student.dart

```
class Student {  
    final String name;  
    final String imageUrl;  
    final String Class;  
    final int rollNo;  
  
    Student({  
        required this.name,  
        required this.imageUrl,  
        required this.Class,  
        required this.rollNo,  
    });  
}  
  
List<Student> students = [
```

Name :- PUROHIT VINAYAK RAMESHKUMAR
Roll No :- 872
Division :- G

Student(

name: "Vinayak Purohit",

imageUrl: "https://cdn.pixabay.com/photo/2020/07/01/12/58/icon-5359553_640.png",

Class: "SYBCA",

rollNo: 872,

),

Student(

name: "Shailesh Prajapti",

imageUrl: "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcRASaDRmInbjo1pwypLMkP3Z3LC1UeAymCAEh0ZUIM-Ww&s",

Class: "SYBCA",

rollNo: 871,

),

Student(

name: "Vishal Purohit",

imageUrl: "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQK_BCYNz54BP19xEJsd01kUxzd-GdtIMn_Ew",

Class: "SYBCOM",

rollNo: 798,

),

Student(

name: "Ketan Lad",

imageUrl: "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcRkiIFjCOZ-mMeqxd2ryrneiHedE8G9S0AboA&usqp=CAU",

Class: "SYBCA",

rollNo: 838,

),

Student(

name: "Divyesh Rawal",

imageUrl: "https://encrypted-
tbn0.gstatic.com/images?q=tbn:ANd9GcRDWNeajmNh6MxbMbl21K71y8PuOtx9klR4FXYKx_reslyhcf
ce-SwSyJRmJM_BMCDfVI8",

Class: "SYBCOM",

rollNo: 235,

),

Student(

name: "Mahesh Prajapati",

imageUrl: "https://encrypted-
tbn0.gstatic.com/images?q=tbn:ANd9GcRDWNeajmNh6MxbMbl21K71y8PuOtx9klR4FXYKx_reslyhcf
ce-SwSyJRmJM_BMCDfVI8",

Class: "TYBCA",

rollNo: 897,


),

];

Output:

SDJ International Collage

**Vinayak Purohit**
Class : SYBCA

**Shailesh Prajapti**
Class : SYBCA

**Vishal Purohit**
Class : SYBCOM

**Ketan Lad**
Class : SYBCA

**Divyesh Rawal**
Class : SYBCOM

**Mahesh Prajapati**
Class : TYBCA

student.dart

```
import 'package:flutter/material.dart';  
import 'package:student_data/model/student.dart';
```

```
class StudentDetails extends StatelessWidget {  
  final Student student;
```

```
  const StudentDetails({  
    Key? key,  
    required this.student,  
  }) : super(key: key);
```

```
  @override
```

```
  Widget build(BuildContext context) {  
    return Scaffold(  
      backgroundColor: Colors.white70,  
      appBar: AppBar(  
        title: const Text("Student Details"),  
        elevation: 0,  
        backgroundColor: Colors.blue,  
      ),  
      body: Padding(  
        padding: const EdgeInsets.all(16),  
        child: Column(  

```

crossAxisAlignment: CrossAxisAlignment.center,

children: [

const Text(

"SDJ International Collage",

style: TextStyle(

fontSize: 24,

fontWeight: FontWeight.bold,

),

),

const SizedBox(height: 16),

Center(

child: Column(

children: [

CircleAvatar(

backgroundImage: NetworkImage(student.imageUrl),

radius: 50,

),

const SizedBox(height: 45),

Text(

"NAME:- \${student.name}",

style: const TextStyle(fontSize: 20),

),

const SizedBox(height: 16),

Text(

"CLASS:- \${student.Class}",

```
        style: const TextStyle(fontSize: 20),  
      ),  
      const SizedBox(height: 16),  
      Text(  
        "ROLL No:- ${student.rollNo}",  
        style: const TextStyle(fontSize: 20),  
      ),  
    ],  
  ),  
),  
],  
,  
,  
,  
),  
);  
}  
}
```

Output :

 **Student Details**

SDJ International Collage



NAME:- Vinayak Purohit

CLASS:- SYBCA

ROLL No:- 872