

# Model Monitoring & Observability

**CS 203: Software Tools and Techniques for AI**

Prof. Nipun Batra, IIT Gandhinagar

# The "Silent Failure" of ML

Traditional Software fails loudly:

- `NullPointerException`, `500 Internal Server Error`.
- You know immediately.

ML Models fail silently:

- The API returns `200 OK`.
- The prediction is `0.85`.
- But the prediction is **wrong** because the world has changed.

**Monitoring** is how we detect silent failures.

# Types of Drift

## 1. Data Drift (Input changes):

- Training data: High quality images.
- Production data: Blurry, dark images.
- $P(X)$  changes.

## 2. Concept Drift (Relationship changes):

- Housing Price Model trained in 2019.
- 2020: COVID hits, market behavior changes.
- Inputs ( $X$ ) are same (sq ft, rooms), but Output ( $Y$ ) relation changes.
- $P(Y|X)$  changes.

## 3. Label Drift (Target changes):

# Detection Strategies

## 1. Reference vs. Current Distribution

- Compare Training Set (Reference) vs Last 24h Production Data (Current).

## 2. Statistical Tests:

- **Numerical:** Kolmogorov-Smirnov (KS) test, Wasserstein Distance, KL Divergence.
- **Categorical:** Chi-Square test, Population Stability Index (PSI).

## 3. Rule-based:

- "If percentage of nulls  $> 10\%$  -> Alert"
- "If mean input value  $> 5$  std dev from train mean -> Alert"

# Tooling: Evidently AI

Open-source Python library for evaluating, testing, and monitoring data/models.

```
pip install evidently
```

## Generate a Dashboard:

```
import pandas as pd
from evidently.report import Report
from evidently.metric_preset import DataDriftPreset

ref_data = pd.read_csv("train.csv")
curr_data = pd.read_csv("production_log.csv")

report = Report(metrics=[
    DataDriftPreset(),
])

report.run(reference_data=ref_data, current_data=curr_data)
```

# Tooling: Alibi Detect

Focused on outlier detection, adversarial detection, and drift detection.

```
from alibi_detect.cd import KSDrift

# Initialize drift detector with reference data
cd = KSDrift(X_ref, p_val=0.05)

# Predict drift on new batch
preds = cd.predict(X_new)

print(f"Drift detected: {preds['data']['is_drift']}")
```

# Monitoring Architecture

1. **Prediction Service:** Logs inputs/outputs (async) to storage.
2. **Storage:** Logs stored in Data Warehouse (BigQuery/Postgres) or Object Store (S3).
3. **Analyzer:** Scheduled job (Airflow) runs daily.
  - Pulls logs.
  - Calculates drift metrics.
  - Stores metrics in Time Series DB (Prometheus).
4. **Dashboard:** Grafana visualizes metrics over time.
5. **Alerter:** Slack/Email alert if drift > threshold.

# Prometheus & Grafana

**Prometheus:** Time-series database designed for monitoring.

**Grafana:** Visualization UI.

**Exposing Metrics in Python:**

```
from prometheus_client import start_http_server, Summary, Counter

REQUEST_TIME = Summary('request_processing_seconds', 'Time spent processing request')
PREDICTION_COUNTER = Counter('predictions_total', 'Total predictions')

@REQUEST_TIME.time()
def process_request(t):
    PREDICTION_COUNTER.inc()
    # ... logic
```



# Feedback Loops

Drift detection is a proxy. The *gold standard* is actual performance.

**Challenge:** Ground truth comes late (delayed labels).

- Credit Risk: Know default status after months.
- E-commerce Recs: Know click/purchase immediately.

**Logging Feedback:**

- Log `prediction_id` with prediction.
- Later, log `prediction_id` + `actual_outcome`.
- Join them to calculate Accuracy/F1 over time.

# Lab: Drift Detection Dashboard

**Objective:** Simulate model decay and detect it.

**Steps:**

1. **Train:** Train a model on "Old" data (e.g., Bike Sharing 2011).
2. **Simulate Serving:** Predict on "New" data (Bike Sharing 2012) batch by batch.
3. **Monitor:**
  - Calculate KS-test p-values for key features for each batch.
  - Use **Evidently AI** to generate HTML reports.
4. **Visualize:** Plot drift scores over time.

# Resources

- **Evidently AI Tutorials:** [evidentlyai.com](https://evidentlyai.com)
- **Made With ML (Monitoring):** [madewithml.com/courses/mlops/monitoring/](https://madewithml.com/courses/mlops/monitoring/)
- **Google Cloud Architecture:** "Architecture for MLOps using TFX, Kubeflow Pipelines, and Cloud Build"

**Questions?**