

AurionPro CloudOps

AWS Account Onboarding Guide

A step-by-step walkthrough for registering a new AWS account with the CloudOps monitoring platform, including the required IAM read-only user setup.

Process Overview

1. Create an IAM User in the target AWS account with read-only permissions, and generate an Access Key ID / Secret Access Key for it.
2. Navigate to the CloudOps onboarding page and fill in the account identity and metadata.
3. Provide the Access Key ID and Secret Access Key so CloudOps can collect metrics.
4. Select the CloudWatch metrics/services to monitor.
5. Submit the form to queue the account for onboarding.
6. After onboarding, fine-tune which metrics are watched and set custom alert thresholds at any time.

Step 1 – Create the IAM User in AWS

Before onboarding the account into CloudOps, an IAM user with read-only permissions must exist in the target AWS account. CloudOps uses this user's Access Key ID and Secret Access Key to poll CloudWatch metrics without being able to modify any resources.

1.1 Create the user

- 1. Sign in to the AWS Management Console and open the IAM service.
- 2. Go to Users → Add user.
- 3. Name the user **CloudOps_User**.
- 4. Under Permissions policies, attach the AWS managed policy **ReadOnlyAccess** (job-function policy). Do not attach any write/modify policies.
- 5. Generate an Access Key ID and Secret Access Key for this user, and save both securely — the Secret Access Key is shown only once.

The screenshot below confirms the expected end-state: a user with exactly one permissions policy attached — the AWS-managed ReadOnlyAccess job-function policy.




Figure 1 — IAM user permissions policy: ReadOnlyAccess (AWS managed - job function) attached.

Do not attach broader policies (e.g. PowerUserAccess or AdministratorAccess). CloudOps only needs read/list/describe permissions to pull CloudWatch metrics and resource metadata — it never needs write access to your account.

Step 2 – Open the CloudOps Onboarding Page

Navigate to onboarding page and sign in with a user with admin privilege in CloudOps. The onboarding page has three cloud provider tabs: AWS, Azure, and GCP. Select the AWS tab.

2.1 Account Identity

Field	Description	Example
Account Name	A friendly label for this AWS account.	ProductionEast
AWS Account ID	The 12-digit numeric AWS account ID.	123456789012
Primary Region	Default AWS region CloudOps should poll first.	us-east-1
Environment	Environment classification (dropdown).	Production

2.2 Metadata

Fill in **Owner Team** (e.g. HCS, CloudOps) and optionally an **Alias / Alias Tag** (e.g. prod-eu) and a free-text **Description** of the account's purpose.

2.3 IAM Credentials (CloudWatch Read-Only)

Enter the **Access Key ID** and **Secret Access Key** of the read-only IAM user (CloudOps_User) created in Step 1.

The screenshot shows the 'Onboard AWS Account' form in the CloudOps interface. The form is titled 'Onboard AWS Account' and has a subtitle 'Register a new AWS account for centralized CloudWatch monitoring'. The form is divided into three main sections: Account Identity, Metadata, and IAM Credentials (CloudWatch Read-Only). The Account Identity section includes fields for Account Name, AWS Account ID, Primary Region, and Environment. The Metadata section includes fields for Owner Team, Alias / Alias Tag, and a Description. The IAM Credentials section includes a note about credentials being stored encrypted, a toggle for IAM Role ARN (selected) vs Access Keys, and fields for IAM Role ARN and External ID. A 'Test Connection' button is at the bottom.

Field	Description	Example
Account Name	A friendly label for this AWS account.	ProductionEast
AWS Account ID	The 12-digit numeric AWS account ID.	123456789012
Primary Region	Default AWS region CloudOps should poll first.	us-east-1
Environment	Environment classification (dropdown).	Production

Metadata

Owner Team: e.g. HCS, CloudOps

Alias / Alias Tag: e.g. prod-eu

Description: Brief description of this account's purpose...

IAM Credentials (CloudWatch Read-Only)

Credentials stored encrypted at rest. IAM Role ARN preferred over Access Keys.

IAM Role ARN (selected) | Access Keys

IAM Role ARN: arn:aws:iam::123...:role/CloudOps

External ID: Optional STS ExternalId

Test Connection

Figure 2 — Onboard AWS Account form: Account Identity, Metadata, and IAM Credentials sections.

Step 3 – Select Metrics to Monitor

Scrolling down the same onboarding form reveals the Metrics to Monitor section. CloudOps pre-selects a set of cost-optimized recommended defaults, grouped by category (Core, Extended, Directory) and further broken down by AWS service (Amazon EBS, EC2, ECS, RDS, S3, Application Load Balancer, etc.).

1. Use the search box or the All / Core / Extended / Directory filter tabs to narrow the list.
2. Click Select all on a service card to monitor every metric for that service, or expand a card to hand-pick individual metrics.
3. Click Apply recommended to reset to the cost-optimized default selection, or Clear all to start from zero.
4. The running total ('N metrics selected · N services shown') at the top of the panel confirms your current selection.

The screenshot displays the 'Metrics to Monitor' section of the AurionPro CloudOps Account Onboarding interface. The interface is dark-themed with a sidebar on the left containing navigation icons. The main content area has a header with the AurionPro CloudOps logo and the title 'Account Onboarding'. Below the header is a 'Test Connection' button. The 'METRICS TO MONITOR' section includes a search bar and filter tabs for 'All', 'Core', 'Extended', and 'Directory'. The 'All' tab is selected, showing a total of 186 metrics selected and 165 services shown. Below this, there are two main categories: 'CORE' (Already collected by this app today) and 'EXTENDED' (Curated, common AWS services). The 'CORE' category shows 28/64 metrics selected and lists five services: Amazon EBS (4/11), Amazon EC2 (6/17), Amazon RDS (8/16), Application Load Balancer (6/12), and AWS Lambda (4/8). Each service card has a 'Select all' button and a 'â–¼' icon. The 'EXTENDED' category shows 78/175 metrics selected. At the bottom right, there are 'Clear Form' and 'Onboard Account →' buttons.

Category	Service	Metrics Selected	Services Shown
CORE	Amazon EBS	4/11	165
	Amazon EC2	6/17	
	Amazon RDS	8/16	
	Application Load Balancer	6/12	
	AWS Lambda	4/8	
EXTENDED		78/175	
All		186	165

Figure 3 — Metrics to Monitor: service-level metric selection with recommended defaults.

Step 4 – Submit the Account for Onboarding

Once the form is complete, review the selections and click **Onboard Account** → at the bottom of the page. The account will appear in the **Onboarding Queue** panel on the right-hand side of the screen, moving from **Pending** to active once CloudOps successfully validates the credentials and begins collecting metrics.

If you need to start over, use **Clear Form** to reset all fields without submitting.

Step 5 – Post-Onboarding: Adjust Metrics & Thresholds

After the account has been onboarded, you are not locked into the initial metric selection. From the account's monitoring dashboard, you can edit which metrics are being watched and set custom alert thresholds (Warn / Critical) for each one, based on your team's requirements.

1. Open the monitored account and go to the relevant service card (e.g. ALB, EC2, RDS).
2. Toggle individual metrics ON/OFF to control what is actively watched.
3. Enter Warn and Critical threshold values for each metric (count, seconds, or the relevant unit) to match your SLAs.
4. Click Save on each metric card to apply the updated thresholds.




Figure 4 — Example: ALB metric cards with editable Warn/Critical thresholds and per-metric ON/OFF toggles.

Summary Checklist

- IAM user 'CloudOps_User' created in AWS with the ReadOnlyAccess managed policy attached.
- Access Key ID and Secret Access Key generated and saved securely.
- Navigated to the CloudOps onboarding page and signed in with a user with admin privilege in CloudOps.
- Account Name, AWS Account ID, Primary Region, and Environment filled in.
- Owner Team (and optionally Alias/Description) filled in.
- Access Key ID and Secret Access Key entered under IAM Credentials.
- Desired metrics selected (or recommended defaults applied).
- Form submitted via 'Onboard Account →' and confirmed in the Onboarding Queue.
- Post-onboarding: metrics reviewed and Warn/Critical thresholds adjusted per team requirements.