```
#######################
# Install required packages
# tidyverse for data import and wrangling
# lubridate for date functions
# ggplot for visualization
########################
> install.packages("tidyverse")
> install.packages("lubridate")
> install.packages("ggplot2")
library(tidyverse) #helps wrangle data
library(lubridate) #helps wrangle date attributes
library(ggplot2) #helps visualize data
              #displays your working directory
> getwd()
[1] "C:/Users/Dell/Desktop/bike_sharing_csv"
> setwd("C:/Users/Dell/Desktop/bike_sharing_csv") #sets your working directory to simplify calls to data
#==========
# STEP 1: UPLOAD DATA
#-----
# Upload Divvy datasets (csv files) here
> m1_2021 <- read.csv("202101-divvy-tripdata.csv")
> m2_2021 <- read.csv("202102-divvy-tripdata.csv")
> m3_2021 <- read.csv("202103-divvy-tripdata.csv")
> m4_2021 <- read.csv("202104-divvy-tripdata.csv")
> m5_2021 <- read.csv("202105-divvy-tripdata.csv")
> m6_2021 <- read.csv("202106-divvy-tripdata.csv")
> m7_2021 <- read.csv("202107-divvy-tripdata.csv")
> m8_2021 <- read.csv("202108-divvy-tripdata.csv")
```

```
> m9_2021 <- read.csv("202109-divvy-tripdata.csv")
> m10_2021 <- read.csv("202110-divvy-tripdata.csv")
> m11_2021 <- read.csv("202111-divvy-tripdata.csv")
> m12_2021 <- read.csv("202112-divvy-tripdata.csv")
# STEP 2: WRANGLE DATA AND COMBINE INTO A SINGLE FILE
# Compare column names each of the files
# While the names don't have to be in the same order, they do need to match perfectly before we can use a
command to join them into one file
> colnames(m1 2021)
[1] "ride id"
                 "rideable type"
                                   "started at"
                                                   "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "start_lat"
                  "start_Ing"
                                 "end_lat"
                                                "end_Ing"
[13] "member_casual"
> colnames(m2_2021)
[1] "ride_id"
                 "rideable_type"
                                   "started_at"
                                                   "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
                  "start_Ing"
                                 "end_lat"
                                                "end_Ing"
[9] "start_lat"
[13] "member_casual"
> colnames(m3_2021)
[1] "ride_id"
                 "rideable_type"
                                   "started_at"
                                                   "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
                  "start Ing"
                                 "end lat"
[9] "start lat"
                                                "end Ing"
[13] "member casual"
> colnames(m4_2021)
[1] "ride id"
                 "rideable type"
                                   "started at"
                                                   "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
                                                "end Ing"
[9] "start_lat"
                  "start_Ing"
                                 "end_lat"
[13] "member_casual"
```

```
> colnames(m5_2021)
[1] "ride_id"
                  "rideable_type"
                                    "started_at"
                                                     "ended_at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "start_lat"
                  "start_Ing"
                                  "end_lat"
                                                 "end_Ing"
[13] "member_casual"
> colnames(m6_2021)
[1] "ride_id"
                  "rideable_type"
                                    "started_at"
                                                     "ended_at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "start_lat"
                  "start_Ing"
                                  "end_lat"
                                                 "end_Ing"
[13] "member_casual"
> colnames(m7_2021)
[1] "ride_id"
                  "rideable_type"
                                    "started_at"
                                                     "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "start_lat"
                  "start_Ing"
                                  "end_lat"
                                                 "end_Ing"
[13] "member_casual"
> colnames(m8_2021)
[1] "ride_id"
                  "rideable_type" "started_at"
                                                     "ended_at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "start_lat"
                  "start_Ing"
                                  "end_lat"
                                                 "end_Ing"
[13] "member_casual"
> colnames(m9_2021)
[1] "ride_id"
                  "rideable_type"
                                    "started_at"
                                                     "ended_at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
                   "start_Ing"
                                  "end_lat"
[9] "start_lat"
                                                  "end_Ing"
[13] "member casual"
> colnames(m10_2021)
[1] "ride_id"
                                   "started_at"
                  "rideable_type"
                                                     "ended_at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "start_lat"
                   "start_Ing"
                                  "end_lat"
                                                 "end_Ing"
[13] "member_casual"
> colnames(m11_2021)
[1] "ride_id"
                  "rideable_type"
                                    "started_at"
                                                     "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
```

```
[9] "start lat"
                   "start Ing"
                                   "end lat"
                                                  "end Ing"
[13] "member_casual"
> colnames(m12_2021)
[1] "ride id"
                  "rideable type"
                                     "started at"
                                                      "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "start_lat"
                   "start_Ing"
                                   "end_lat"
                                                  "end Ing"
[13] "member casual"
# Inspect the dataframes and look for incongruencies
> str(m1 2021)
'data.frame':
                96834 obs. of 13 variables:
$ ride id
              : chr "E19E6F1B8D4C42ED" "DC88F20C2C55F27F" "EC45C94683FE3F27"
"4FA453A75AE377DB" ...
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
                : chr "2021-01-23 16:14:19" "2021-01-27 18:43:08" "2021-01-21 22:35:54" "2021-01-07
$ started at
13:31:13" ...
$ ended at
                : chr "2021-01-23 16:24:44" "2021-01-27 18:47:12" "2021-01-21 22:37:14" "2021-01-07
13:42:55" ...
$ start station name: chr "California Ave & Cortez St" "California Ave & Cortez St" "California Ave & Cortez
St" "California Ave & Cortez St" ...
$ start_station_id : chr "17660" "17660" "17660" "17660" ...
$ end_station_name : chr "" "" "" ...
$ end station id : chr "" "" "" ...
$ start lat
              : num 41.9 41.9 41.9 41.9 41.9 ...
$ start_lng
              : num -87.7 -87.7 -87.7 -87.7 -87.7 ...
$ end lat
              : num 41.9 41.9 41.9 41.9 41.9 ...
$ end Ing
              : num -87.7 -87.7 -87.7 -87.7 -87.7 ...
$ member_casual : chr "member" "member" "member" "member" ...
> str(m2_2021)
'data.frame':
                49622 obs. of 13 variables:
$ ride id
              : chr "89E7AA6C29227EFF" "0FEFDE2603568365" "E6159D746B2DBB91"
"B32D3199F1C2E75B" ...
$ rideable_type : chr "classic_bike" "classic_bike" "electric_bike" "classic_bike" ...
$ started at
                : chr "2021-02-12 16:14:56" "2021-02-14 17:52:38" "2021-02-09 19:10:18" "2021-02-02
17:49:41" ...
```

```
$ ended at
                : chr "2021-02-12 16:21:43" "2021-02-14 18:12:09" "2021-02-09 19:19:10" "2021-02-02
17:54:06" ...
$ start_station_name: chr "Glenwood Ave & Touhy Ave" "Glenwood Ave & Touhy Ave" "Clark St & Lake St"
"Wood St & Chicago Ave" ...
$ start_station_id : chr "525" "525" "KA1503000012" "637" ...
$ end_station_name : chr "Sheridan Rd & Columbia Ave" "Bosworth Ave & Howard St" "State St & Randolph
St" "Honore St & Division St" ...
$ end_station_id : chr "660" "16806" "TA1305000029" "TA1305000034" ...
$ start_lat
              : num 42 42 41.9 41.9 41.8 ...
$ start_Ing
              : num -87.7 -87.7 -87.6 -87.7 -87.6 ...
$ end_lat
              : num 42 42 41.9 41.9 41.8 ...
$ end_Ing
              : num -87.7 -87.7 -87.6 -87.7 -87.6 ...
$ member casual : chr "member" "casual" "member" "member" ...
> str(m3_2021)
'data.frame':
                228496 obs. of 13 variables:
              : chr "CFA86D4455AA1030" "30D9DC61227D1AF3" "846D87A15682A284"
$ ride id
"994D05AA75A168F2" ...
$ rideable_type : chr "classic_bike" "classic_bike" "classic_bike" "classic_bike" ...
$ started_at :chr "2021-03-16 08:32:30" "2021-03-28 01:26:28" "2021-03-11 21:17:29" "2021-03-11
13:26:42" ...
               : chr "2021-03-16 08:36:34" "2021-03-28 01:36:55" "2021-03-11 21:33:53" "2021-03-11
$ ended at
13:55:41" ...
$ start_station_name: chr "Humboldt Blvd & Armitage Ave" "Humboldt Blvd & Armitage Ave" "Shields Ave &
28th PI" "Winthrop Ave & Lawrence Ave" ...
$ start_station_id : chr "15651" "15651" "15443" "TA1308000021" ...
$ end_station_name : chr "Stave St & Armitage Ave" "Central Park Ave & Bloomingdale Ave" "Halsted St &
35th St" "Broadway & Sheridan Rd" ...
$ end_station_id : chr "13266" "18017" "TA1308000043" "13323" ...
$ start_lat
             : num 41.9 41.9 41.8 42 42 ...
$ start Ing
              : num -87.7 -87.7 -87.6 -87.7 -87.7 ...
$ end_lat
              : num 41.9 41.9 41.8 42 42.1 ...
$ end_Ing
              : num -87.7 -87.7 -87.6 -87.6 -87.7 ...
$ member_casual : chr "casual" "casual" "casual" "casual" ...
> str(m4_2021)
```

'data.frame':

337230 obs. of 13 variables:

```
$ ride id
              : chr "6C992BD37A98A63F" "1E0145613A209000" "E498E15508A80BAD"
"1887262AD101C604" ...
$ rideable_type : chr "classic_bike" "docked_bike" "docked_bike" "classic_bike" ...
$ started_at : chr "2021-04-12 18:25:36" "2021-04-27 17:27:11" "2021-04-03 12:42:45" "2021-04-17
09:17:42" ...
$ ended at
              : chr "2021-04-12 18:56:55" "2021-04-27 18:31:29" "2021-04-07 11:40:24" "2021-04-17
09:42:48" ...
$ start_station_name: chr "State St & Pearson St" "Dorchester Ave & 49th St" "Loomis Blvd & 84th St"
"Honore St & Division St" ...
$ start_station_id : chr "TA1307000061" "KA1503000069" "20121" "TA1305000034" ...
$ end_station_name : chr "Southport Ave & Waveland Ave" "Dorchester Ave & 49th St" "Loomis Blvd & 84th
St" "Southport Ave & Waveland Ave" ...
$ end_station_id : chr "13235" "KA1503000069" "20121" "13235" ...
$ start lat
             : num 41.9 41.8 41.7 41.9 41.7 ...
$ start_Ing
             : num -87.6 -87.6 -87.7 -87.7 -87.7 ...
$ end_lat
             : num 41.9 41.8 41.7 41.9 41.7 ...
$ end_Ing
              : num -87.7 -87.6 -87.7 -87.7 -87.7 ...
$ member_casual : chr "member" "casual" "casual" "member" ...
> str(m5_2021)
'data.frame':
                531633 obs. of 13 variables:
             : chr "C809ED75D6160B2A" "DD59FDCE0ACACAF3" "OAB83CB88C43EFC2"
$ ride id
"7881AC6D39110C60" ...
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
$ started_at :chr "2021-05-30 11:58:15" "2021-05-30 11:29:14" "2021-05-30 14:24:01" "2021-05-30
14:25:51" ...
$ ended_at
               : chr "2021-05-30 12:10:39" "2021-05-30 12:14:09" "2021-05-30 14:25:13" "2021-05-30
14:41:04" ...
$ start_station_name: chr "" "" "" ...
$ start_station_id : chr "" "" "" ...
$ end_station_name : chr "" "" "" ...
$ end_station_id : chr "" "" "" ...
$ start_lat
             : num 41.9 41.9 41.9 41.9 41.9 ...
$ start_lng : num -87.6 -87.6 -87.7 -87.7 -87.7 ...
$ end_lat
              : num 41.9 41.8 41.9 41.9 41.9 ...
$ end_Ing
             : num -87.6 -87.6 -87.7 -87.7 -87.7 ...
$ member_casual : chr "casual" "casual" "casual" "casual" ...
```

```
'data.frame':
                729595 obs. of 13 variables:
$ ride id
            : chr "99FEC93BA843FB20" "06048DCFC8520CAF" "9598066F68045DF2" "B03C0FE48C412214"
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
               : chr "2021-06-13 14:31:28" "2021-06-04 11:18:02" "2021-06-04 09:49:35" "2021-06-03
$ started at
19:56:05" ...
$ ended at
               : chr "2021-06-13 14:34:11" "2021-06-04 11:24:19" "2021-06-04 09:55:34" "2021-06-03
20:21:55" ...
$ start_station_name: chr "" "" "" ...
$ start_station_id : chr "" "" "" ...
$ end_station_name : chr "" "" "" ...
$ end_station_id : chr "" "" "" ...
$ start_lat
              : num 41.8 41.8 41.8 41.8 41.8 ...
$ start_lng : num -87.6 -87.6 -87.6 -87.6 -87.6 ...
$ end_lat
             : num 41.8 41.8 41.8 41.8 41.8 ...
$ end Ing
              : num -87.6 -87.6 -87.6 -87.6 -87.6 ...
$ member_casual : chr "member" "member" "member" "member" ...
> str(m7_2021)
                822410 obs. of 13 variables:
'data.frame':
              : chr "0A1B623926EF4E16" "B2D5583A5A5E76EE" "6F264597DDBF427A"
$ ride id
"379B58EAB20E8AA5" ...
$ rideable type : chr "docked bike" "classic bike" "classic bike" "classic bike" ...
$ started at
             : chr "2021-07-02 14:44:36" "2021-07-07 16:57:42" "2021-07-25 11:30:55" "2021-07-08
22:08:30" ...
$ ended at
               : chr "2021-07-02 15:19:58" "2021-07-07 17:16:09" "2021-07-25 11:48:45" "2021-07-08
22:23:32" ...
$ start_station_name: chr "Michigan Ave & Washington St" "California Ave & Cortez St" "Wabash Ave & 16th
St" "California Ave & Cortez St" ...
$ start_station_id : chr "13001" "17660" "SL-012" "17660" ...
$ end_station_name : chr "Halsted St & North Branch St" "Wood St & Hubbard St" "Rush St & Hubbard St"
"Carpenter St & Huron St" ...
$ end_station_id : chr "KA1504000117" "13432" "KA1503000044" "13196" ...
$ start_lat
              : num 41.9 41.9 41.9 41.9 41.9 ...
$ start_lng : num -87.6 -87.7 -87.6 -87.7 -87.7 ...
```

> str(m6 2021)

\$ end\_lat

: num 41.9 41.9 41.9 41.9 41.9 ...

```
$ end Ing
             : num -87.6 -87.7 -87.6 -87.7 -87.7 ...
$ member_casual : chr "casual" "casual" "member" "member" ...
> str(m8_2021)
'data.frame':
                804352 obs. of 13 variables:
$ ride_id
              : chr "99103BB87CC6C1BB" "EAFCCCFB0A3FC5A1" "9EF4F46C57AD234D"
"5834D3208BFAF1DA" ...
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
                : chr "2021-08-10 17:15:49" "2021-08-10 17:23:14" "2021-08-21 02:34:23" "2021-08-21
$ started at
06:52:55" ...
$ ended_at
                : chr "2021-08-10 17:22:44" "2021-08-10 17:39:24" "2021-08-21 02:50:36" "2021-08-21
07:08:13" ...
$ start_station_name: chr "" "" "" ...
$ start station id : chr "" "" "" ...
$ end_station_name : chr "" "" "" ...
$ end_station_id : chr "" "" "" ...
$ start lat
             : num 41.8 41.8 42 42 41.8 ...
$ start Ing
              : num -87.7 -87.7 -87.7 -87.6 ...
$ end_lat
              : num 41.8 41.8 42 42 41.8 ...
$ end Ing
              : num -87.7 -87.6 -87.7 -87.7 -87.6 ...
$ member casual : chr "member" "member" "member" "member" ...
> str(m9 2021)
'data.frame':
                756147 obs. of 13 variables:
              : chr "9DC7B962304CBFD8" "F930E2C6872D6B32" "6EF72137900BB910"
$ ride id
"78D1DE133B3DBF55" ...
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
$ started at :chr "2021-09-28 16:07:10" "2021-09-28 14:24:51" "2021-09-28 00:20:16" "2021-09-28
14:51:17" ...
$ ended_at
                : chr "2021-09-28 16:09:54" "2021-09-28 14:40:05" "2021-09-28 00:23:57" "2021-09-28
15:00:06" ...
$ start_station_name: chr "" "" "" ...
$ start station id : chr "" "" "" ...
$ end_station_name : chr "" "" "" ...
$ end station id : chr "" "" "" ...
$ start lat
             : num 41.9 41.9 41.8 41.8 41.9 ...
$ start_lng : num -87.7 -87.6 -87.7 -87.7 -87.7 ...
```

```
$ end lat
             : num 41.9 42 41.8 41.8 41.9 ...
              : num -87.7 -87.7 -87.7 -87.7 -87.7 ...
$ end_Ing
$ member_casual : chr "casual" "casual" "casual" "casual" ...
> str(m10_2021)
'data.frame':
                631226 obs. of 13 variables:
              : chr "620BC6107255BF4C" "4471C70731AB2E45" "26CA69D43D15EE14"
$ ride id
"362947F0437E1514" ...
$ rideable type : chr "electric bike" "electric bike" "electric bike" "electric bike" ...
$ started at
                : chr "2021-10-22 12:46:42" "2021-10-21 09:12:37" "2021-10-16 16:28:39" "2021-10-16
16:17:48" ...
                : chr "2021-10-22 12:49:50" "2021-10-21 09:14:14" "2021-10-16 16:36:26" "2021-10-16
$ ended_at
16:19:03" ...
$ start_station_name: chr "Kingsbury St & Kinzie St" "" "" "" ...
$ start_station_id : chr "KA1503000043" "" "" "" ...
$ end_station_name : chr "" "" "" ...
$ end station id : chr "" "" "" ...
$ start lat
              : num 41.9 41.9 41.9 41.9 41.9 ...
$ start_Ing
              : num -87.6 -87.7 -87.7 -87.7 -87.7 ...
$ end_lat
              : num 41.9 41.9 41.9 41.9 41.9 ...
$ end Ing
              : num -87.6 -87.7 -87.7 -87.7 -87.7 ...
$ member casual : chr "member" "member" "member" "member" ...
> str(m11 2021)
'data.frame':
                359978 obs. of 13 variables:
              : chr "7C00A93E10556E47" "90854840DFD508BA" "0A7D10CDD144061C"
$ ride id
"2F3BE33085BCFF02" ...
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
$ started_at : chr "2021-11-27 13:27:38" "2021-11-27 13:38:25" "2021-11-26 22:03:34" "2021-11-27
09:56:49" ...
$ ended at
                : chr "2021-11-27 13:46:38" "2021-11-27 13:56:10" "2021-11-26 22:05:56" "2021-11-27
10:01:50" ...
$ start station name: chr "" "" "" ...
$ start_station_id : chr "" "" "" ...
$ end station name : chr "" "" "" ...
$ end station id : chr "" "" "" ...
$ start lat : num 41.9 42 42 41.9 41.9 ...
```

```
$ start Ing
              : num -87.7 -87.7 -87.7 -87.8 -87.6 ...
$ end_lat
              : num 42 41.9 42 41.9 41.9 ...
$ end_Ing
              : num -87.7 -87.7 -87.7 -87.8 -87.6 ...
$ member casual : chr "casual" "casual" "casual" "casual" ...
> str(m12 2021)
'data.frame':
                247540 obs. of 13 variables:
             : chr "46F8167220E4431F" "73A77762838B32FD" "4CF42452054F59C5" "3278BA87BF698339"
$ ride id
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "classic_bike" ...
$ started at
               : chr "2021-12-07 15:06:07" "2021-12-11 03:43:29" "2021-12-15 23:10:28" "2021-12-26
16:16:10" ...
$ ended_at
                : chr "2021-12-07 15:13:42" "2021-12-11 04:10:23" "2021-12-15 23:23:14" "2021-12-26
16:30:53" ...
$ start_station_name: chr "Laflin St & Cullerton St" "LaSalle Dr & Huron St" "Halsted St & North Branch St"
"Halsted St & North Branch St" ...
$ start_station_id : chr "13307" "KP1705001026" "KA1504000117" "KA1504000117" ...
$ end_station_name : chr "Morgan St & Polk St" "Clarendon Ave & Leland Ave" "Broadway & Barry Ave"
"LaSalle Dr & Huron St" ...
$ end_station_id : chr "TA1307000130" "TA1307000119" "13137" "KP1705001026" ...
$ start_lat
              : num 41.9 41.9 41.9 41.9 41.9 ...
$ start_lng : num -87.7 -87.6 -87.6 -87.6 -87.7 ...
$ end_lat
              : num 41.9 42 41.9 41.9 41.9 ...
               : num -87.7 -87.7 -87.6 -87.6 -87.6 ...
$ end_Ing
$ member_casual : chr "member" "casual" "member" "member" ...
# Convert ride id and rideable type to character so that they can stack correctly
> m1_2021 <- mutate(m1_2021, ride_id = as.character(ride_id)
           ,rideable_type = as.character(rideable_type))
> m2_2021 <- mutate(m2_2021, ride_id = as.character(ride_id)
           ,rideable type = as.character(rideable type))
> m3_2021 <- mutate(m3_2021, ride_id = as.character(ride_id)
           ,rideable_type = as.character(rideable_type))
> m4_2021 <- mutate(m4_2021, ride_id = as.character(ride_id)
           ,rideable_type = as.character(rideable_type))
```

```
> m5_2021 <- mutate(m5_2021, ride_id = as.character(ride_id)
          ,rideable_type = as.character(rideable_type))
> m6_2021 <- mutate(m6_2021, ride_id = as.character(ride_id)
          ,rideable_type = as.character(rideable_type))
> m7_2021 <- mutate(m7_2021, ride_id = as.character(ride_id)
          ,rideable_type = as.character(rideable_type))
> m8_2021 <- mutate(m8_2021, ride_id = as.character(ride_id)
          ,rideable type = as.character(rideable type))
> m9_2021 <- mutate(m9_2021, ride_id = as.character(ride_id)
          ,rideable_type = as.character(rideable_type))
> m10_2021 <- mutate(m10_2021, ride_id = as.character(ride_id)
          ,rideable_type = as.character(rideable_type))
> m11_2021 <- mutate(m11_2021, ride_id = as.character(ride_id)
          ,rideable_type = as.character(rideable_type))
> m12_2021 <- mutate(m12_2021, ride_id = as.character(ride_id)
         ,rideable_type = as.character(rideable_type))
# Stack individual quarter's data frames into one big data frame
> all_rides <- bind_rows(m1_2021,m2_2021,m3_2021,m4_2021,m5_2021,m6_2021,
            m7_2021,m8_2021,m9_2021,m10_2021,m11_2021,m12_2021)
# Remove lat, long fields
> all rides <- all rides %>%
+ select(-c(start_lat,start_lng,end_lat,end_lng))
# STEP 3: CLEAN UP AND ADD DATA TO PREPARE FOR ANALYSIS
```

# Inspect the new table that has been created

```
> colnames(all_rides) #List of column names
[1] "ride id"
                  "rideable_type" "started_at"
                                                    "ended at"
[5] "start_station_name" "start_station_id" "end_station_name" "end_station_id"
[9] "member casual"
> nrow(all_rides)
                    #How many rows are in data frame?
[1] 5595063
> dim(all rides)
                   #Dimensions of the data frame?
[1] 5595063
> head(all_rides)
                   #See the first 6 rows of data frame
      ride_id rideable_type
                               started_at
                                               ended_at
                                                             start_station_name
1 E19E6F1B8D4C42ED electric_bike 2021-01-23 16:14:19 2021-01-23 16:24:44 California Ave & Cortez St
2 DC88F20C2C55F27F electric_bike 2021-01-27 18:43:08 2021-01-27 18:47:12 California Ave & Cortez St
3 EC45C94683FE3F27 electric_bike 2021-01-21 22:35:54 2021-01-21 22:37:14 California Ave & Cortez St
4 4FA453A75AE377DB electric_bike 2021-01-07 13:31:13 2021-01-07 13:42:55 California Ave & Cortez St
5 BE5E8EB4E7263A0B electric_bike 2021-01-23 02:24:02 2021-01-23 02:24:45 California Ave & Cortez St
```

6 5D8969F88C773979 electric\_bike 2021-01-09 14:24:07 2021-01-09 15:17:54 California Ave & Cortez St

1	17660	member
2	17660	member
3	17660	member
4	17660	member
5	17660	casual
6	17660	casual

> str(all\_rides) #See list of columns and data types (numeric, character, etc)

start\_station\_id end\_station\_name end\_station\_id member\_casual

'data.frame': 5595063 obs. of 9 variables:

\$ ride\_id : chr "E19E6F1B8D4C42ED" "DC88F20C2C55F27F" "EC45C94683FE3F27" "4FA453A75AE377DB" ...

```
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
                                    : chr "2021-01-23 16:14:19" "2021-01-27 18:43:08" "2021-01-21 22:35:54" "2021-01-07
 $ started_at
13:31:13" ...
 $ ended_at
                                  : chr "2021-01-23 16:24:44" "2021-01-27 18:47:12" "2021-01-21 22:37:14" "2021-01-07
13:42:55" ...
 $ start_station_name: chr "California Ave & Cortez St" "California Ave & Cortez St" "California Ave & Cortez
St" "California Ave & Cortez St" ...
 $ start_station_id : chr "17660" "17660" "17660" "17660" ...
 $ end_station_name : chr "" "" "" ...
 $ end_station_id : chr "" "" "" ...
 $ member_casual : chr "member" "member" "member" "member" ...
> summary(all_rides) #Statistical summary of data. Mainly for numerics
    ride id
                               rideable_type
                                                                     started_at
                                                                                                         ended_at
                                                                                                                                        start_station_name
 Length:5595063 Length:5595063 Length:5595063 Length:5595063 Length:5595063
 Class:character Class:characte
 Mode :character Mode :character Mode :character Mode :character
 start_station_id end_station_name end_station_id member_casual
 Length:5595063 Length:5595063 Length:5595063 Length:5595063
 Class: character Class: character Class: character Class: character
 Mode :character Mode :character Mode :character
# Begin by seeing how many observations fall under each usertype
> table(all_rides$member_casual)
 casual member
2529005 3066058
```

# Add columns that list the date, month, day, and year of each ride

# This will allow us to aggregate ride data for each month, day, or year

> all\_rides\$date <- as.Date(all\_rides\$started\_at) #The default format is yyyy-mm-dd

> all\_rides\$month <- format(as.Date(all\_rides\$date), "%m")

```
> all_rides$day <- format(as.Date(all_rides$date), "%d")
> all_rides$year <- format(as.Date(all_rides$date), "%Y")
> all_rides$day_of_week <- format(as.Date(all_rides$date), "%A")
# Add a "ride length" calculation to all trips (in seconds)
> all_rides$ride_length <- difftime(all_rides$ended_at,all_rides$started_at)
# Inspect the structure of the columns
> str(all rides)
'data.frame':
                5595063 obs. of 15 variables:
$ ride id
              : chr "E19E6F1B8D4C42ED" "DC88F20C2C55F27F" "EC45C94683FE3F27"
"4FA453A75AE377DB" ...
$ rideable_type : chr "electric_bike" "electric_bike" "electric_bike" "electric_bike" ...
              : chr "2021-01-23 16:14:19" "2021-01-27 18:43:08" "2021-01-21 22:35:54" "2021-01-07
$ started at
13:31:13" ...
$ ended at
               : chr "2021-01-23 16:24:44" "2021-01-27 18:47:12" "2021-01-21 22:37:14" "2021-01-07
13:42:55" ...
$ start_station_name: chr "California Ave & Cortez St" "California Ave & Cortez St" "California Ave & Cortez
St" "California Ave & Cortez St" ...
$ start_station_id : chr "17660" "17660" "17660" "17660" ...
$ end_station_name : chr "" "" "" ...
$ end_station_id : chr "" "" "" ...
$ member casual : chr "member" "member" "member" "member" ...
             : Date, format: "2021-01-23" "2021-01-27" "2021-01-21" ...
$ date
$ month
              : chr "01" "01" "01" "01" ...
             : chr "23" "27" "21" "07" ...
$ day
             : chr "2021" "2021" "2021" "2021" ...
$ year
                : chr "Saturday" "Wednesday" "Thursday" "Thursday" ...
$ day_of_week
$ ride_length : 'difftime' num 625 244 80 702 ...
```

# Convert "ride\_length" from Factor to numeric so we can run calculations on the data

>is.factor(all\_trips\$ride\_length)

```
> all_rides$ride_length <- as.numeric(as.character(all_rides$ride_length))
> is.numeric(all_rides$ride_length)
[1] TRUE
# Remove "bad" data
# We will create a new version of the dataframe (total_rides) since data is being removed
> total_rides <- all_rides[!(all_rides$start_station_name == "HQ QR" | all_rides$ride_length<0),]
# STEP 4: CONDUCT DESCRIPTIVE ANALYSIS
# Descriptive analysis on ride_length
> mean(total_rides$ride_length)
[1] 1316.18
> median(total_rides$ride_length)
[1] 720
> max(total_rides$ride_length)
[1] 3356649
> min(total_rides$ride_length)
[1] 0
# You can condense the four lines above to one line using summary() on the specific attribute
> summary(total_rides$ride_length)
 Min. 1st Qu. Median Mean 3rd Qu. Max.
   0 405 720 1316 1307 3356649
```

## # STEP 5: EXPORT SUMMARY FILE FOR FURTHER ANALYSIS

#-----

# Create a csv file that we will visualize in Excel, Tableau, or my presentation software

write.csv(total\_rides, "C:/Users/Dell/Desktop/bike\_sharing\_csv/data.csv")