```sql
SELECT SUM("Sales") AS Total_Sales FROM "Superstore";
```

	Total_Sales
1	2297200.8603

```
Execution finished without errors.
Result: 1 rows returned in 16ms
At line 1:
SELECT SUM("Sales") AS Total_Sales FROM "Superstore";
```

File Edit View Tools Help

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```
1  SELECT AVG("Sales") AS Avg_Sales FROM "Superstore";
```

	Avg_Sales
1	229.858000830498

```
Execution finished without errors.
Result: 1 rows returned in 34ms
At line 1:
SELECT AVG("Sales") AS Avg_Sales FROM "Superstore";
```

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
SELECT "Region", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Region"
ORDER BY Total_Sales DESC;
```

	Region	Total_Sales
1	West	725457.8245
2	East	678781.24
3	Central	501239.8908
4	South	391721.905

```
Execution finished without errors.
Result: 4 rows returned in 35ms
At line 1:
SELECT "Region", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Region"
ORDER BY Total_Sales DESC;
```

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
SELECT "Customer Name", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Customer Name"
ORDER BY Total_Sales DESC
LIMIT 5;
```

	Customer Name	Total_Sales
1	Sean Miller	25043.05
2	Tamara Chand	19052.218
3	Raymond Buch	15117.339
4	Tom Ashbrook	14595.62
5	Adrian Barton	14473.571

```
Execution finished without errors.
Result: 5 rows returned in 30ms
At line 1:
SELECT "Customer Name", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Customer Name"
ORDER BY Total_Sales DESC
LIMIT 5;
```

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
SELECT *
FROM "Superstore"
WHERE "Region" = 'West';
```

	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State	Postal Co
1	3	CA-2016-138688	6/12/2016	6/16/2016	Second Class	DV-13045	Darrin Van Huff	Corporate	United States	Los Angeles	California	90036
2	6	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032
3	7	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032
4	8	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032
5	9	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032
6	10	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California	90032

```
Execution finished without errors.
Result: 3203 rows returned in 38ms
At line 1:
SELECT *
FROM "Superstore"
WHERE "Region" = 'West';
```

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
SELECT "Region", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Region"
HAVING Total_Sales > 100000;
```

	Region	Total_Sales
1	Central	501239.8908
2	East	678781.24
3	South	391721.905
4	West	725457.8245

```
Execution finished without errors.
Result: 4 rows returned in 26ms
At line 1:
SELECT "Region", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Region"
HAVING Total_Sales > 100000;
```

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
SELECT *
FROM "Superstore"
WHERE "Sales" > (
    SELECT AVG("Sales") FROM "Superstore"
);
```

	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name	Segment	Country	City	State
1	1	CA-2016-152156	11/8/2016	11/11/2016	Second Class	CG-12520	Claire Gute	Consumer	United States	Henderson	Kentucky
2	2	CA-2016-152156	11/8/2016	11/11/2016	Second Class	CG-12520	Claire Gute	Consumer	United States	Henderson	Kentucky
3	4	US-2015-108966	10/11/2015	10/18/2015	Standard Class	SO-20335	Sean O'Donnell	Consumer	United States	Fort Lauderdale	Florida
4	8	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California
5	11	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California
6	12	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	Consumer	United States	Los Angeles	California

```
Execution finished without errors.
Result: 2360 rows returned in 39ms
At line 1:
SELECT *
FROM "Superstore"
WHERE "Sales" > (
    SELECT AVG("Sales") FROM "Superstore"
);
```

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```sql
CREATE VIEW Sales_Summary1 AS
SELECT "Region", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Region";
```

```
Execution finished without errors.
Result: query executed successfully. Took 0ms
At line 1:
CREATE VIEW Sales_Summary1 AS
SELECT "Region", SUM("Sales") AS Total_Sales
FROM "Superstore"
GROUP BY "Region";
```

New Database | Open Database | Write Changes | Revert Changes | Undo | Open Project | Save Project | Attach Database | Close Database

Database Structure | Browse Data | Edit Pragmas | Execute SQL

SQL 1*

```
1   SELECT * FROM Sales_Summary1;
```

	Region	Total_Sales
1	Central	501239.8908
2	East	678781.24
3	South	391721.905
4	West	725457.8245

```
Execution finished without errors.
Result: 4 rows returned in 31ms
At line 1:
SELECT * FROM Sales_Summary1;
```