PCPNDT Inspection Report (CHFW)

Application No

Check List For Verification Of Genetic Counselling Centre Fresh / Renewal

1.
Facility Name :
Alexander Mclaughlin
Address :
257,Amos Tate,Gudimalkapur,Asifnagar,Hyderabad
Phone :
1231231232
Email :
hinag@gmail.com

Yes

2.
Applicant Name :
Alexander Mclaughlin
Qualification :
Address :
838Wynne StaffordBejjurBejjurKumarambheem(Asifabad)
Phone
Email :

Yes

A. PLACE
A room with an area of seven (7) square meters.

Yes

B. EQUIPMENT
Educational charts / models

SL NO	Name	SerialNumber	Model	Make
1	asdf	asdf	asdf	asdf

Yes

C. EMPLOYEES
Any one of the following:
1) Medical Geneticist

Yes

2) Gynaecologist with 6 months experience, in genetic counselling or having completed 4 weeks training in genetic counselling

Yes

Yes

SL NO	Name	Designation	Experience	Registration Number
1	asdf	DepartmentAdmin	2Year(s),2Months,2Days	asdf

D.
a) Maintenance of Form F.

Yes

b)PC&PNDT Record maintenance Register

Yes

c)Filling of IT Returns

Yes

E.
In view of the inspection obtained in the check-list it is recommended / not recommended that the registration / renewal to the facility of the applicant be granted

Yes

GENETIC LABORATORY

1.
Facility Name :
Alexander Mclaughlin
Address :
257,Amos Tate,Gudimalkapur,Asifnagar,Hyderabad
Phone :
1231231232
Email :
hinag@gmail.com

Yes

2.
Applicant Name :
Alexander Mclaughlin
Qualification :
Address :
838Wynne StaffordBejjurBejjurKumarambheem(Asifabad)
Phone
Email :

Yes

Whether a Medical Geneticist and a Laboratory technician having a B.SC. degree in Boological Science or a degree or a Diploma in Medical Laboratory course with at least one year experience in conducting appropriate pre-natal diagnostic test

Yes

A. Place:

A Room with adequate space for carrying out test

Yes

B. Equipment:

Chromosomal Studies:

1) Laminar flow-hood with ultraviolet and fluorescent light or orther suitable cluture hood

Yes

2) Photo Microscope with fluorescent source of flight

Yes

3) Inverted microscope

Yes

4) Incubator and Oven

Yes

5) Carbon-di-oxide incubator or closed system with 5% CO2 atmosphere

Yes

6) Autoclave

Yes

7) Refrigerator

Yes

8) Water-bath

Yes

9) Centrifuge

Yes

10) Vortex Mixer

Yes

11) Magnetic Stirrer

Yes

12) pH Meter

Yes

13) A sensitive blance with sensitivity of 0.1 mgs

Yes

14) Double distillation apparatus

Yes

Bio-chemicals Studies:

1) Laminar flow-hood with ultraviolet and fluorescent light or orther suitable cluture hood

Yes

2) Inverted microscope

Yes

3) Incubator and Oven

Yes

4) Carbon-di-oxide incubator or closed system with 5% CO2 atmosphere

Yes

5) Autoclave

Yes

6) Refrigerator

7) Water-bath

Yes

8) Centrifuge

Yes

9) Electrophorosis Apparatus and Power supply

Yes

10) Chromatography chamber

Yes

11) Spectro photometer and Elisa reader

Yes

12) Vortex Mixer

Yes

13) Magnetic StirrerA sensitive blance with sensitivity of 0.1 mgs

Yes

14) pH MeterDouble distillation apparatus

Yes

15) A sensitive blance with sensitivity of 0.1 mgs

Yes

16) Double distillation apparatus

Yes

17) Liquid nitrogen tank

Yes

Molecular Studies:

1) Inverted microscope

Yes

2) Incubator

Yes

3) Oven

Yes

4) Autoclave

Yes

5) Refrigerators(4 degree and minus 20 degree Centigrade)

Yes

6) Water-bath

Yes

7) Refrigerator

Yes

8) Electrophorosis Apparatus and Power supply

Yes

9) Vortex Mixer

Yes

10) Magnetic Stirrer

Yes

11) pH Meter

Yes

12) A sensitive blance with sensitivity of 0.1 miliigrams

Yes

13) Double distillation apparatus

Yes

14) PCR machine

Yes

15) Refrigerated Centrifuge

Yes

16) U.V Illuminator with photographic attachment or orther documentation system

Yes

17) Precision micropipettes

Yes

C. Employees:

1) A Medical Geneticist

Yes

2) A Laboratory technician having a B.SC. degree in Boological Science or a degree or a Diploma in Medical Laboratory course with at least one year experience in conducting appropriate pre-natal diagnostic test

Yes

D

a) Maintenance of form F

Yes

b) PC&PNDT Record maintenance Register

Yes

c) Filing of IT Returns

Yes

E

In View of Inspection obtained in the check-list it is recommended/not recommended that the registration/Renewal to the facility of the applicant be granted

Yes