


Problem Solution –

Task 1 – We can clean the data remove blank , duplicate and errors.









	FlightID	FlightNumber	Airline	Destination	Status
1	1001	FL1102	Airline D	Houston	On Time
2	1002	FL1435	Airline B	Chicago	On Time
3	1003	FL1860	Airline A	New York	Cancelled
4	1004	FL1270	Airline C	Chicago	Delayed
5	1005	FL1106	Airline C	New York	Delayed
6	1006	FL1071	Airline A	Phoenix	On Time
7	1007	FL1700	Airline C	Los Angeles	Cancelled
8	1008	FL1020	Airline C	Los Angeles	Delayed
9	1009	FL1614	Airline A	Los Angeles	Cancelled
10	1010	FL1121	Airline D	Chicago	Cancelled
11	1011	FL1466	Airline A	Phoenix	On Time
12	1012	FL1214	Airline D	New York	Delayed
13	1013	FL1330	Airline C	Houston	On Time
14	1014	FL1458	Airline C	New York	Delayed
15	1015	FL1087	Airline C	Houston	Delayed
16	1016	FL1372	Airline B	New York	Delayed
17	1017	FL1099	Airline D	Phoenix	Delayed
18	1018	FL1871	Airline B	Houston	Delayed
19	1019	FL1663	Airline B	Chicago	Cancelled
20	1020	FL1130	Airline A	New York	On Time
21	1021	FL1661	Airline B	New York	Cancelled
22	1022	FL1308	Airline A	Houston	Delayed

Task 2 – We can create relationship between three tables with the key Flight ID.



Task 3 – We can create condition column(Customer_Condition) if status is contain On Time then show Best but if status show other then show be To Be Improved.




	FlightNumber	Airline	Destination	Status	Customer_Condition
1	1001 FL1102	Airline D	Houston	On Time	Best
2	1002 FL1435	Airline B	Chicago	On Time	Best
3	1003 FL1860	Airline A	New York	Cancelled	To Be Improved
4	1004 FL1270	Airline C	Chicago	Delayed	To Be Improved
5	1005 FL1106	Airline C	New York	Delayed	To Be Improved
6	1006 FL1071	Airline A	Phoenix	On Time	Best
7	1007 FL1700	Airline C	Los Angeles	Cancelled	To Be Improved
8	1008 FL1020	Airline C	Los Angeles	Delayed	To Be Improved
9	1009 FL1614	Airline A	Los Angeles	Cancelled	To Be Improved
10	1010 FL1121	Airline D	Chicago	Cancelled	To Be Improved
11	1011 FL1466	Airline A	Phoenix	On Time	Best
12	1012 FL1214	Airline D	New York	Delayed	To Be Improved
13	1013 FL1330	Airline C	Houston	On Time	Best
14	1014 FL1458	Airline C	New York	Delayed	To Be Improved
15	1015 FL1087	Airline C	Houston	Delayed	To Be Improved
16	1016 FL1372	Airline B	New York	Delayed	To Be Improved
17	1017 FL1099	Airline D	Phoenix	Delayed	To Be Improved
18	1018 FL1871	Airline B	Houston	Delayed	To Be Improved
19	1019 FL1663	Airline B	Chicago	Cancelled	To Be Improved
20	1020 FL1130	Airline A	New York	On Time	Best
21	1021 FL1661	Airline B	New York	Cancelled	To Be Improved
22	1022 FL1308	Airline A	Houston	Delayed	To Be Improved

Task 4 – We can count total passenger , total ticket booked , filter Best only.


Formula - Total Passenger = DISTINCTCOUNT(ticket_information[FlightID])

Formula - Total_Ticket_Booked = COUNT(ticket_information[TicketID])





Task 5 – We create visuals


- Clustered Bar chart – Count no of passenger by Airline.
- Pie Chart – In this we see booking status and no of booking status.
- Stacked column chart – No of flights by Destination.
- Slicer – We can Destination and Airline put in field.




Task 6 – We can create a dashboard using reports and we can create Row – Level-Security Airline A contain and setup schedule refresh everyday at 5 pm .




Internshala Trainings
DS PGC C3 Final Project
Task 6 - Power BI
Power BI Project Summary
app.powerbi.com/groups/1ef08044-540d-458d-b4c4-adc96e446795/dashboards/dd5de656-2d51-485d-a493-3a16d041e229?experience=po...
Task 6
Search
Trial: 58 days left
File
Share
Chat in Teams
Comment
Subscribe to dashboard
Edit
Ask a question about your data
1020 FL1130 On Time Best
1023 FL1769 On Time Best
1025 FL1491 On Time Best
1027 FL1805 On Time Best
Airline B
0
10
20
30
No of Passenger
No of Flight
BY BY DESTINATION
By Destination Houston Los Angeles Phoenix New York Chicago
40
20
0
No of Flight
Houston
Los Angeles
Phoenix
New York
Chicago
By Destination
Count of BookingStatus
BY BOOKINGSTATUS
14 (28%)
19 (38%)
17 (34%)
BookingStatus
Cancelled
Confirmed
Pending


Project Solution • Last saved: Today at 1:00 PM
Search
vinay soni
File
Home
Share
Manage relationships
Relationships
Manage security roles
Create new security roles and use filters to define row-level data restrictions.
Roles
New
Task 6
Select tables
flight_informat...
Measure functi...
passenger_inf...
ticket_informat...
Filter data
Switch to DAX editor
New
Select all
Delete
Group
Ungroup
Show data if All of these rules are true
Column
Condition
Value
Airline
Equals
Airline A
New
Save
Close
Page 1
Page 2
Page 2 of 2
68%
flight_information
Airline
Customer_Co...
Destination
FlightID
FlightNumber
Status
Measure functions
Column1
Total Passenger
Total_Ticket_B...
passenger_informati...
FlightID
PassengerID
SeatNumber
ticket_information
BookingStatus
FlightID


Internshala Trainings
DS PGC C3 Final Project
Power BI
Power BI Project Summary
app.powerbi.com/groups/1ef08044-540d-458d-b4c4-adc96e446795/settings/datasets/26c5bbad-b615-4ef1-aca7-44ae7bfd7537?experience...
Power BI Institution-Analysis
Search
Trial: 58 days left
15
Home
Create
Workspaces
Institution-Analysis
Task 6
Project Solution
Project Solution
Power BI
Refresh
Time zone
Time zone configuration is applied not only to determine the schedule refresh time but also to establish the current date and time for incremental refresh models during on-demand and API refreshes.Learn more
(UTC) Coordinated Universal Time
Configure a refresh schedule
Define a data refresh schedule to import data from the data source into the semantic model. Learn more
On
Refresh frequency
Daily
Time
5
00
PM
Add another time
Send refresh failure notifications to
Semantic model owner
These contacts:
Enter email addresses