



Name : MR MALLIKARJUNA NAGESH

Age : 35 Yr(s) Sex :Male

Registration No : MH009764134

Lab No : 132250704535

Patient Episode : H11000019419

Collection Date : 22 Jul 2025 08:47

Referred By : HEALTH CHECK MHM

Reporting Date : 22 Jul 2025 10:18

Receiving Date : 22 Jul 2025 09:35

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
Arsenazo IIISERUM CALCIUM	9.86	mg/dL	[8.40-10.20]
LIPID PROFILE			
TOTAL CHOLESTEROL (CHOD/POD)	175	mg/dl	Specimen: Serum [<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	72	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL (Direct)	46	mg/dl	[40-60]
VLDL - Cholesterol (Calculated)	14	mg/dl	[0-40]
LDL- CHOLESTEROL	115 #	mg/dl	[<100] Near/Above optimal-100-129 Borderline High:130-159 High Risk:160-189
T.Chol/HDL.Chol ratio	3.8		<4.0 Optimal 4.0-5.0 Borderline >6 High Risk
LDL.CHOL/HDL.CHOL Ratio	2.5		<3 Optimal 3-4 Borderline >6 High Risk

Note:

Reference ranges based on ATP III Classifications.

Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.





Name : MR MALLIKARJUNA NAGESH
Registration No : MH009764134
Patient Episode : H11000019419
Referred By : HEALTH CHECK MHM
Receiving Date : 22 Jul 2025 09:35

Age : 35 Yr(s) Sex :Male
Lab No : 132250704535
Collection Date : 22 Jul 2025 08:47
Reporting Date : 22 Jul 2025 10:19

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
LIVER FUNCTION TEST			
			Specimen : Serum
BILIRUBIN-TOTAL (mod.Diazo)**	1.26	mg/dl	[0.20-1.30]
BILIRUBIN - Conjugated(Colorimetric)	0.00	mg/dl	[<0.2]
BILIRUBIN - Unconjugated(Colorimetric)	0.82	mg/dl	[0.20-1.00]
DIRECT BILIRUBIN*(Calculated)	0.4	mg/dl	[0.0-0.4]
TOTAL PROTEIN (mod.Biuret)	7.8	g/dl	[7.0-9.0]
SERUM ALBUMIN (BCG-dye)	4.7	g/dl	[3.5-5.0]
SERUM GLOBULIN (Calculated)	3.1	g/dl	[2.3-3.6]
ALB/GLOB (A/G) Ratio	1.52		[1.20-1.80]
SGOT/ AST (P5P,IFCC)	22	U/L	[17-59]
SGPT/ ALT (P5P,IFCC)	22	U/L	[0-50]
ALP (p-NPP,kinetic)*	83	U/L	[38-126]
GGT (Kinetic)	23	U/L	[15-73]

Note:

**NEW BORN:Vary according to age (days), body wt & gestation of baby
*New born: 4 times the adult value





Name : MR MALLIKARJUNA NAGESH
Registration No : MH009764134
Patient Episode : H11000019419
Referred By : HEALTH CHECK MHM
Receiving Date : 22 Jul 2025 09:35

Age : 35 Yr(s) Sex :Male
Lab No : 132250704535
Collection Date : 22 Jul 2025 08:47
Reporting Date : 22 Jul 2025 10:19

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
TOTAL PROSTATE SPECIFIC ANTIGEN (PSA):	0.761	ng/mL	[<2.000]

Method :ECLIA

Note : PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution : Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

Page 3 of 6





Name : MR MALLIKARJUNA NAGESH
Registration No : MH009764134
Patient Episode : H11000019419
Referred By : HEALTH CHECK MHM
Receiving Date : 22 Jul 2025 09:35

Age : 35 Yr(s) Sex :Male
Lab No : 132250704535
Collection Date : 22 Jul 2025 08:47
Reporting Date : 22 Jul 2025 10:19

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
RENAL PANEL - II FASTING			
Specimen- Serum			
GLUCOSE - Fasting (GOD/POD)	100	mg/dl	[70-100]
BUN (Urease/GLDH)	10.30	mg/dL	[7.00-17.00]
SERUM CREATININE(Enzymatic)	0.93	mg/dL	[0.66-1.25]
*eGFR	106.0	ml/min/1.73sq.m	[>60.0]
SERUM SODIUM (direct ISE)	140.0	mmol/L	[136.0-145.0]
SERUM POTASSIUM (direct ISE)	4.94	mmol/L	[3.40-5.10]
SERUM CHLORIDE (direct ISE)	108.0 #	mmol/L	[98.0-107.0]
SERUM BICARBONATE	23.2	mmol/L	[22.0-30.0]

Disclaimer :

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to 1.73 sq.m BSA and is not applicable to individuals below 18 years.

eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia."

**New born: Vary according to age (days), body wt & gestation of baby

*New born: 4 times the adult value





Name : MR MALLIKARJUNA NAGESH

Age : 35 Yr(s) Sex :Male

Registration No : MH009764134

Lab No : 132250704535

Patient Episode : H11000019419

Collection Date : 22 Jul 2025 08:47

Referred By : HEALTH CHECK MHM

Reporting Date : 22 Jul 2025 10:19

Receiving Date : 22 Jul 2025 09:35

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
Specimen : Serum Serum TSH (ECLIA)	1.519	μIU/mL	[0.470-4.680]

Note : TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m. and at a minimum between 6-10 pm . Factors such as change of seasons, hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

* References ranges recommended by the American Thyroid Association

1) Thyroid. 2011 Oct;21(10):1081-125.PMID .21787128

2) <http://www.thyroid-info.com/articles/tsh-fluctuating.html>

SERUM URIC ACID (Uricase PAP) 4.7 mg/dL Specimen : Serum [3.5-8.5]

Serum VITAMIN D-(25-Hydroxy) 36.50 ng/ml
Method:Chemiluminiscent Microparticle Immunoassay

Deficiency : Less than 20 ng/ml
Insufficiency : 20-29 ng/ml
Optimum level : 30-80 ng/ml

Note:

Recent studies consider the lower limit of 30ng/ml to be a threshold for optimal health.

Ref: Hollis BW. J Nutr. 2005 Feb;135(2) : 317-22.





Name : MR MALLIKARJUNA NAGESH
Registration No : MH009764134
Patient Episode : H11000019419
Referred By : HEALTH CHECK MHM
Receiving Date : 22 Jul 2025 09:35

Age : 35 Yr(s) Sex : Male
Lab No : 132250704535
Collection Date : 22 Jul 2025 08:47
Reporting Date : 22 Jul 2025 10:49

BIOCHEMISTRY

TEST	RESULT	UNIT	BIOLOGICAL REFERENCE INTERVAL
Glycosylated Hemoglobin			Specimen: EDTA
HbA1c (Glycosylated Hemoglobin)	5.4		As per American Diabetes Association(ADA) % [4.0-6.5] HbA1c in % Non diabetic adults ≥ 18 years < 5.7 Prediabetes (At Risk) 5.7-6.4 Diagnosing Diabetes ≥ 6.5

Method: (HPLC)

Estimated Average Glucose (eAG) 108 mg/dl

Comments : HbA1c provides an index of average blood glucose levels over the past 8-12 weeks and is a much better indicator of long term glycemic control.

Urine Albumin/Creatinine Ratio:

Urine Albumin(Immunometry)	6.00	mg/L	[0.00-16.70]
Urine Creatinine(Enzymatic)	47.30	mg/dl	
Urine Albumin/Creatinine Ratio	12.7	mg/g	[<30.0] Microalbuminuria: 30-300 mg/g Clinical albuminuria: >300 mg/g

Page 6 of 6

-----END OF REPORT-----

Dr Murali Woodi
Consultant Biochemist

