Go to Power BI Desktop settings and follow the steps in the pictures.






Untitled - Power BI Desktop
Search
Marcus Techproed
Home
Open
Save
Save as
Share
Get data
Import
Export
Publish
Sign out
Options and settings
About
Options and settings
Options
Data source settings


Options
GLOBAL
Data Load
Power Query Editor
DirectQuery
R scripting
Python scripting
Security
Privacy
Regional Settings
Updates
Usage Data
Diagnostics
Preview features
Save and Recover
Report settings
Copilot (preview)
CURRENT FILE
Data Load
Regional Settings
Privacy
Auto recovery
Published semantic model settings
Query reduction
Report settings
Preview features
The following features are available for you to try in this release. Preview features might change or be removed in future releases.
Shape map visual Learn more
Spanish language support for Q&A Learn more
Q&A for live connected Analysis Services databases Learn more
Connect to external semantic models shared with me Learn more | Share feedback
Modern visual tooltips Learn more | Share feedback
Sparklines Learn more
Metrics visual Learn more
Quick measure suggestions Learn more | Share feedback
Field parameters Learn more
Enhanced row-level security editor Learn more
On-object interaction Learn more | Share feedback
Power BI Home in Desktop Learn more | Share feedback
Set sensitivity label on exported PDF Learn more
Dynamic format string for measures Learn more
Save to OneDrive and SharePoint Learn more
Share to OneDrive and SharePoint Learn more
Enhanced publish dialogs Learn more
Power BI Project (.pbip) save option Learn more
Store semantic model using TMDL format Learn more
New card visual Learn more
Button slicer visual
Less elevated user support Learn more
Model explorer and Calculation group authoring Learn more
Auto-create mobile layout Learn more | Share feedback
OK
Cancel



To change the software language:


Options
GLOBAL
Data Load
Power Query Editor
DirectQuery
R scripting
Python scripting
Security
Privacy
Regional Settings
Updates
Usage Data
Diagnostics
Preview features
Save and Recover
Report settings
Copilot (preview)
CURRENT FILE
Data Load
Regional Settings
Privacy
Auto recovery
Published semantic model settings
Query reduction
Report settings
Application language
Language used in the Power BI Desktop user interface, such as the ribbon and dialog boxes.
English (United States)
Model language
Language used when comparing strings in data and for creating internal date fields. This only applies when a report is first created, and can't be changed on existing reports.
Use application language
DAX separators
Specify the culture to use for list and decimal separators in DAX expressions:
(Recommended) Use standard DAX separators: comma (,) as list separator and dot (.) as decimal separator
Use localized DAX separators: list and decimal separators are defined by Windows locale settings
Learn more
OK
Cancel