


JWpulsegen-V3.PrjPCB



Document Creation Date: 7/6/2025


Design : Vincent Himpe

Fullyrouted

1	2	3	4	5	6
GENERAL					
A	GENERAL				
	1. DO NOT ALTER SUPPLIED COPPER OR DRILL DATA				
	2. NO COPPER BALANCING OR REMOVAL OF UNUSED PADS ALLOWED.				
	3. SILKSCREEN MAY BE CLIPPED / TRIMMED TO EXPOSE COPPER				
	4. PCB DESIGN AND ACCEPTANCE CRITERIA SHALL FOLLOW THE REQUIREMENTS OF IPC-2221, IPC-2222, AND IPC-6012 CLASS 2				
	5. ALL SPECIFICATIONS SHALL BE THE LATEST STANDARDS, UNLESS OTHERWISE NOTED				
B	6. ALL MODIFICATIONS MUST BE COMMUNICATED AND APPROVED IN WRITING.				
	MATERIALS				
	7. MATERIALS SHALL BE ACCORDING TO THE STACKUP DRAWING IN THIS DOCUMENT.				
	8. MATERIAL SHALL HAVE A FLAMABILITY RATING OF UL 94V-0 OR BETTER				
	9. SURFACE FINISH : HASL				
	10. SOLDER MASK COLOR : BLACK				
C	11. SOLDERMASK MAX REGISTRATION ERROR : 0.05mm				
	12. SILKSCREEN COLOR : WHITE				
	STACKUP / IMPEDANCE CONTROL				
	13. THICKNESS LISTED IN LAYER STACK LEGEND REPRESENT FINAL PRESSED VALUES FOR THE PREPREG				
	14. IMPEDANCE CONTROL, IF ANY, SHALL BE PER LISTED TABLE WITH A MAX TOLERANCE OF +/-10%				
	QA, ELECTRICAL TEST AND MARKINGS				
D	15. PCB SHALL BE 100% ELECTRICALLY TESTED FOR SHORTS AND CONTINUITY				
				Fullyrouted Project JWpulsegen-V3.PrjPCB Version: Variant [No Variations] FABRICATION DRAWING	
1	2	3	4	5	6

DRILL DRAWING

Drill Drawing View (Scale 4:1)




Project JWpulsegen-V3.PrjPCB

Version: | Variant [No Variations]

FABRICATION DRAWING


COMPOSITE VIEW FRONT

Top Layer (Scale 4:1)




COMPOSITE VIEW BACK

Bottom Layer (Scale 4:1)




LAYER VIEW : TOP LAYER

Top Layer (Scale 4:1)




LAYER VIEW : MID LAYER 1

Layer 1 (Scale 4:1)




LAYER VIEW : MID LAYER 2

Layer 2 (Scale 4:1)




LAYER VIEW : BOTTOM LAYER

Bottom Layer (Scale 4:1)



LAYER VIEW : TOP SOLDER MASK

Top Solder (Scale 4:1)



73

74

75


76

77

78

LAYER VIEW : BOTTOM SOLDER MASK

Bottom Solder (Scale 4:1)



73

74

75


76

77

78

LAYER VIEW : TOP SILKSCREEN (LEGEND)

Top Overlay (Scale 4:1)




LAYER VIEW : BOTTOM SILKSCREEN (LEGEND)

Bottom Overlay (Scale 4:1)



SILICONVALLEYGARAGE



GIThub :
vincent-himpe/Jim-Williams-PulseGenerator

Original Design : Jim Williams
Linear Technologies / Analog Devices
Application notes AN61 , AN94

!!! DANGER !!!
HIGH VOLTAGE ON CASCADE

FB1

C5
C6

C12
C11

L1

U1

R4

R6
C13
R7

C1

D1
D2
D3
D4
D5


C3

C4

C7

C8

GENERAL



Unless otherwise specified the following rules apply:

- 1. DO NOT DEVIATE FROM ARTWORK OR BOM WITHOUT PRIOR AUTHORIZATION.
- 2. ASSEMBLE AND INSPECT PER IPC-610 CLASS 2

Bill of Materials and Material Handling

- 3. THE BOM CONTAINED IN THIS DOCUMENT IS AS-BUILT. NON-INSTALLED PARTS HAVE BEEN REMOVED. ADDITIONAL BOM FORMATS ARE AVAILABLE IN THE PROJECT FILES
- 4. ANY PART SUBSTITUTIONS MUST BE APPROVED IN WRITING BEFORE ASSEMBLY
- 5. ALL MATERIALS MUST BE PROCURED FROM MANUFACTURER AUTHORIZED DISTRIBUTORS OR THE ORIGINAL MANUFACTURER
- 6. ALL COMPONENTS AND BOARDS TO BE HANDLED AND STORED ACCORDING TO IPC GUIDELINES
- 7. ESD CONTROL PER IPC RULES

Soldering


- 8. SOLDERING TO BE DONE USING SN37PB63 ALLOY USING ALLOY MANUFACTURER RECOMMENDED NO-CLEAN FLUX
- 9. BGA COMPONENTS WITH LEAD-FREE CONNECTIONS NEED TO BE REBALLED WITH SN63PB37. MIXING OF ALLOYS IS NOT PERMITTED.
- 10. SOLDERING PREFERRABLY TO BE DONE USING NITROGEN ATMOSPHERE
- 11. SURPLUS COMPONENTS TO VACUUM SEALED WITH DESSICANT IN ANTISTATIC BAGS
- 12. INCOMING MATERIAL (BOARDS AND COMPONENTS) NEEDS TO BE INSPECTED FOR HUMIDITY AND BAKED IF NEEDED PRIOR TO USE.
- 13. MANUAL REWORK / TOUCHUP TO BE DONE USING SAME ALLOY AND APPROPRIATE FLUX. FLUX MUST BE REMOVED.

2D VIEW


View from Front side (Scale 2:1)




View from Top side (Scale 2:1)




View from Right side (Scale 2:1)




View from Bottom side (Scale 2:1)



View from Back side (Scale 2:1)



View from Left side (Scale 2:1)




Project JWpulsegen-V3.PrjPCB

Version: | Variant [No Variations]


ASSEMBLY DRAWING

3D VIEW

View from Top side (Scale 2:1)




View from Bottom side (Scale 2:1)




1	2	3	4	5	6
Bill Of Materials					

123456

DESIGNATORS FRONT



View from Top side (Scale 4:1)



View from Bottom side (Scale 4:1)

123456

PASTE MASK TOP

A

A

B

B

C

C

D

D

Top Paste (Scale 4:1)



