Default test TESTNG RESULTS

Mon Jun 19 09:56:37 IST 2017

FAILED TESTS				
Class	Method	Time (ms)	Exception	
[TestClass name=class PDFEmail.TestGuru99 PDEmail]	testPDFReporTwo	8953	org.openqa.selenium.r emote.UnreachableBr owserException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Build info: version: '2.52.0', revision: '4c2593c', time: '2016-02-11 19:06:42' System info: host: 'Gregorys-MacBook-Pro.local', ip: '192.168.0.101', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.11.3', java.version: '1.7.0_79' Driver info: driver.version: ChromeDriver[SCREE N SHOT]	
[TestClass name=class PDFEmail.TestGuru99 PDEmail]	testPDFReportOne	5799	org.openqa.selenium.r emote.UnreachableBr owserException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Build info: version: '2.52.0', revision: '4c2593c', time: '2016-02-11 19:06:42' System info: host: 'Gregorys-MacBook-Pro.local', ip: '192.168.0.101', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.11.3', java.version: '1.7.0_79' Driver info: driver.version: ChromeDriver[SCREE N SHOT]	

[TestClass name=class PDFEmail.TestGuru99 PDEmail] testPDFReportTh	org.openqa.selenium.r emote.UnreachableBr owserException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure. Build info: version: '2.52.0', revision: '4c2593c', time: '2016-02-11 19:06:42' System info: host: 'Gregorys-MacBook-Pro.local', ip: '192.168.0.101', os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.11.3', java.version: '1.7.0_79' Driver info: driver.version: ChromeDriver[SCREE] N SHOT]
--------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

EXCEPTIONS SUMMARY

org.openqa.selenium.remote.UnreachableBrowserException: Could not start a new session. Possible causes are invalid address of the remote server or browser start-up failure.

Build info: version: '2.52.0', revision: '4c2593c', time: '2016-02-11 19:06:42'

System info: host: 'Gregorys-MacBook-Pro.local', ip: '192.168.0.101', os.name: 'Mac OS X',

os.arch: 'x86_64', os.version: '10.11.3', java.version: '1.7.0_79'

Driver info: driver.version: ChromeDriver

org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:665)

org.openga.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:249)

org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)

org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:144)

org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:170)

org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:159)

org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:116)

PDFEmail.BaseClass.getDriver(BaseClass.java:18)

PDFEmail.TestGuru99PDEmail.testPDFReportThree(TestGuru99PDEmail.java:52)

sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)

sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

java.lang.reflect.Method.invoke(Method.java:606)

org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)

org.testng.internal.lnvoker.invokeMethod(Invoker.java:646)

```
org.testng.internal.Invoker.invokeTestMethod(Invoker.java:823)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1131)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
org.testng.TestRunner.privateRun(TestRunner.java:778)
org.testng.TestRunner.run(TestRunner.java:632)
org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
org.testng.SuiteRunner.run(SuiteRunner.java:268)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1225)
org.testng.TestNG.runSuitesLocally(TestNG.java:1150)
org.testng.TestNG.runSuites(TestNG.java:1075)
org.testng.TestNG.run(TestNG.java:1047)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:126)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:137)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:58)
org.openga.selenium.remote.UnreachableBrowserException: Could not start a new
session. Possible causes are invalid address of the remote server or browser start-up
failure.
Build info: version: '2.52.0', revision: '4c2593c', time: '2016-02-11 19:06:42'
System info: host: 'Gregorys-MacBook-Pro.local', ip: '192.168.0.101', os.name: 'Mac OS X',
os.arch: 'x86 64', os.version: '10.11.3', java.version: '1.7.0 79'
Driver info: driver.version: ChromeDriver
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:665)
org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:249)
org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:144)
org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:170)
org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:159)
org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:116)
PDFEmail.BaseClass.getDriver(BaseClass.java:18)
PDFEmail.TestGuru99PDEmail.testPDFReporTwo(TestGuru99PDEmail.java:44)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:606)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
org.testng.internal.lnvoker.invokeMethod(Invoker.java:646)
```

```
org.testng.internal.Invoker.invokeTestMethod(Invoker.java:823)
org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1131)
org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)
org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)
org.testng.TestRunner.privateRun(TestRunner.java:778)
org.testng.TestRunner.run(TestRunner.java:632)
org.testng.SuiteRunner.runTest(SuiteRunner.java:366)
org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)
org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)
org.testng.SuiteRunner.run(SuiteRunner.java:268)
org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)
org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)
org.testng.TestNG.runSuitesSequentially(TestNG.java:1225)
org.testng.TestNG.runSuitesLocally(TestNG.java:1150)
org.testng.TestNG.runSuites(TestNG.java:1075)
org.testng.TestNG.run(TestNG.java:1047)
org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:126)
org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:137)
org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:58)
org.openga.selenium.remote.UnreachableBrowserException: Could not start a new
session. Possible causes are invalid address of the remote server or browser start-up
failure.
Build info: version: '2.52.0', revision: '4c2593c', time: '2016-02-11 19:06:42'
System info: host: 'Gregorys-MacBook-Pro.local', ip: '192.168.0.101', os.name: 'Mac OS X',
os.arch: 'x86 64', os.version: '10.11.3', java.version: '1.7.0 79'
Driver info: driver.version: ChromeDriver
org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:665)
org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:249)
org.openga.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:131)
org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:144)
org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:170)
org.openga.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:159)
org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:116)
PDFEmail.BaseClass.getDriver(BaseClass.java:18)
PDFEmail.TestGuru99PDEmail.testPDFReportOne(TestGuru99PDEmail.java:36)
sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
java.lang.reflect.Method.invoke(Method.java:606)
org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:86)
org.testng.internal.lnvoker.invokeMethod(Invoker.java:646)
```

org.testng.internal.Invoker.invokeTestMethod(Invoker.java:823)

org.testng.internal.Invoker.invokeTestMethods(Invoker.java:1131)

org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:129)

org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:112)

org.testng.TestRunner.privateRun(TestRunner.java:778)

org.testng.TestRunner.run(TestRunner.java:632)

org.testng.SuiteRunner.runTest(SuiteRunner.java:366)

org.testng.SuiteRunner.runSequentially(SuiteRunner.java:361)

org.testng.SuiteRunner.privateRun(SuiteRunner.java:319)

org.testng.SuiteRunner.run(SuiteRunner.java:268)

org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)

org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:86)

org.testng.TestNG.runSuitesSequentially(TestNG.java:1225)

org.testng.TestNG.runSuitesLocally(TestNG.java:1150)

org.testng.TestNG.runSuites(TestNG.java:1075)

org.testng.TestNG.run(TestNG.java:1047)

org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:126)

org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:137)

org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:58)