Tables and figures

Tables

Tinytable emits raw Typst content directly. Keep `results: "typst"` to pass it through into the document. Note that at the time of writing, Typst HTML export did not support the complex type of table created below. Switch to PDF view to see the full effect.

```
#calepin.chunk(results: "typst")[
```r
library(tinytable)
dat <- head(iris)
tt(dat, caption = "Hello world!") |>
  style_tt(i = 1:2, j = 2:3, background = "teal", color = "white") |>
  print('typst')
```
]
```

Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa

Table 1: Hello world!

Multi-plot figures

Chunks that produce multiple plots can be displayed as one figure. Use `fig-layout-columns` and `fig-layout-rows` to control the grid, and `fig-subcaptions` to add per-panel captions.

```
#calepin.chunk(
  fig-caption: [Regression diagnostics],
  fig-subcaptions: (
    [Residuals vs fitted],
    [Normal Q-Q],
    [Scale-location],
    [Cook's distance],
  ),
  fig-layout-columns: (1fr, 1fr),
  fig-layout-rows: (auto, auto),
  fig-width: 90%,
)[```r
model <- lm(mpg ~ wt + hp, data = mtcars)

plot(model, which = 1)
plot(model, which = 2)
plot(model, which = 3)
plot(model, which = 4)
```]
```
```



Residuals vs fitted



Normal Q-Q



Scale-location



Cook’s distance

Figure 1: Regression diagnostics

With `fig-layout-columns: (1fr, 1fr)`, Calepin displays the four plots in a two-column grid. The first plot is saved with the chunk label, and later plots use numbered artifact names such as `fig-diagnostics-2.svg`.