Kitchen Sink

Every Feature in One File

March 25, 2026

Abstract

This document exercises every supported feature of Calepin in a single file.

Keywords: test, features

0.1 Markdown basics

This section tests standard CommonMark and GFM features.

0.1.1 Inline formatting

Italic, **bold**, ***bold italic***, ~~strikethrough~~, and `inline code`.

0.1.2 Lists

Ordered:

- First item
- Second item
- Third item

Unordered:

- Alpha
- Beta
- Gamma

0.1.3 Blockquote

> This is a blockquote with **bold** and *italic* text.

0.1.4 Links and images

A link to nowhere and a reference-style link.



0.1.5 Footnotes

Here is a sentence with a footnote[1].

[1] This is the footnote content.

0.1.6 Horizontal rule

0.1.7 Table

Name	Score	Grade
Alice	95	A
Bob	87	B
Carol	92	A

0.2 Code chunks

0.2.1 R chunks

```
x <- 1:10
mean(x)
```

```
> [1] 5.5
```

0.2.1.1 Echo fenced

```
```{r, chunk-2}
#| echo: fenced
summary(mtcars$mpg)
```
```

```
>    Min. 1st Qu.  Median    Mean 3rd Qu.    Max.
>   10.40   15.43   19.20   20.09   22.80   33.90
```

0.2.1.2 Figure from R

```
plot(1:10, (1:10)^2, pch = 19, col = "steelblue",
     xlab = "x", ylab = "x squared")
```

See Figure 1 for the scatter plot.

0.2.1.3 Echo false

0.2.1.4 Eval false

```
stop("this would error if evaluated")
```

0.2.1.5 Include false (silent execution)

0.2.1.6 Results asis

```
cat("**This is bold from asis output.**\n")
```

This is bold from asis output.

image("kitchen_sink_files/fig-scatter-1.svg", width: 80%)

Figure 1: Scatter plot of x vs x squared

0.2.1.7 Warning and message control

```r
warning("suppressed warning")
message("suppressed message")
cat("Only this output appears.\n")
```

```
> Only this output appears.
```

0.2.2 Python chunks

```python
import math
print(f"Pi is approximately {math.pi:.4f}")
```

```
> Pi is approximately 3.1416
```

```python
squares = [x**2 for x in range(1, 6)]
print(squares)
```

```
> [1, 4, 9, 16, 25]
```

0.2.3 Shell chunks

```bash
echo "Hello from shell"
```

```
> Hello from shell
```

0.2.4 Inline code

The mean of 1 to 10 is 5.5. Pi is 3.14. The secret value is __CALEPIN_264c_2___ERROR:object 'secret_value' not found.

0.3 Cross-references

We can reference sections (Section 1), figures (Figure 1), tables (Table 1), theorems (Theorem 1), definitions (Definition 1), and code listings (Listing 1).

Bracketed form: [Figure 1].

0.4 Callouts

> **i Note**
>
> ### 0.4.1 A note
>
> This is a **note** callout with a custom title.

> 💡 **Tip**
>
> A tip callout with the default title.

> ⚠️ **Warning**
>
> ### 0.4.2 Watch out
>
> A warning callout.

❗ **Important**

An important callout with the default title.

🔥 **Caution**

0.4.3 Collapsible caution

This caution callout starts collapsed.

0.5 Theorems

Theorem 1.

0.5.1 Fermat's Last Theorem

For , there are no positive integers , , such that .

Proof. The proof was completed by Andrew Wiles in 1995 and is too long to include here.

□

Definition 1. === Group A group is a set with a binary operation satisfying closure, associativity, identity, and invertibility.

Lemma 1. *Every finite group has an element of order dividing the group order.*

Corollary 1. *Every group of prime order is cyclic.*

Example 1. The integers under addition form a group.

Remark 1. Groups are fundamental to abstract algebra.

By Theorem 1 and Definition 1, we see the connection. Also see Lemma 1, Corollary 1, Example 1, and Remark 1.

0.6 Tabsets

0.6.1 Tab A

Content of the first tab.

0.6.2 Tab B

Content of the second tab with some math: .

0.6.3 Tab C

```
cat("Code in a tab\n")
```

```
> Code in a tab
```

0.7 Layouts

0.7.1 Two-column layout

Left column content. This paragraph appears on the left side of a two-column layout.

Right column content. This paragraph appears on the right side.

0.7.2 Custom grid layout







0.8 Figure divs

See Figure 1.



Figure 2: A figure div with a caption.

0.9 Table divs

Planet	Moons
Earth	1
Mars	2
Jupiter	95

Table 1: Number of known moons for selected planets.

See Table 1.

0.10 Code listings

```
square <- function(x) x^2
square(7)
```

```
> [1] 49
```

See Listing 1.

0.11 Content visibility

This paragraph is only visible in **Typst** output.

This paragraph is hidden in HTML output but visible elsewhere.

This paragraph is visible because `show_extra` is true.

0.12 Hidden div

The hidden div executed: __CALEPIN_264c_3___ERROR:object 'hidden_result' not found.

0.13 Raw blocks

This is raw Typst.

0.14 Jinja features

0.14.1 Context variables

The document title is: Kitchen Sink.

The sample size is: 50.

The current format is: typst.

0.14.2 Conditionals

Rendering to typst.

0.14.3 Loops

Features of this document:

- R code chunks
- Python code chunks

- Cross-references

0.14.4 Built-in spans

Lorem ipsum dolor sit amet consectetur adipiscing elit. Elit sed do eiusmod tempor incididunt ut labore et dolore magna.

After the page break.

0.15 Syntax highlighting

Non-executable code blocks with syntax highlighting:

```
function greet(name) {
  return `Hello, ${name}!`;
}
```

```
def factorial(n: int) -> int:
    return 1 if n <= 1 else n * factorial(n - 1)
```