

Install

Typst CLI

Calepin requires Typst 0.15.0 or newer. Install or update the Typst CLI from the Typst installation instructions, and make sure it is available on your PATH.

Calepin

MacOS and Linux:

```
curl --proto '=https' --tlsv1.2 -LsSf https://github.com/vincentarelbundock/calepin/releases/latest/download/calepin-installer.sh | sh
```

Windows via powershell:

```
powershell -ExecutionPolicy Bypass -c "irm https://github.com/vincentarelbundock/calepin/releases/latest/download/calepin-installer.ps1 | iex"
```

Jupyter support

Calepin has built-in support for **Python** and **R**, and can also run many other languages through Jupyter kernels, but that requires installing the language kernel and kernel client tooling.

To use a Jupyter kernel, install `jupyter_client` first:

```
pip install jupyter_client
```

Most kernels then install with a single `pip install`:

```
pip install bash_kernel      # Bash
pip install octave_kernel    # GNU Octave
pip install gnuplot_kernel    # Gnuplot
```

Some Python kernel packages also need to register a Jupyter kernelspec after installation. For Bash, run this in the same Python environment that Calepin uses:

```
python -m bash_kernel.install --sys-prefix
```

If you use `uv run`, the equivalent command is:

```
uv run python -m bash_kernel.install --sys-prefix
```

Some kernels are installed from their language's own package manager:

```
# Julia
julia -e 'using Pkg; Pkg.add("IJulia")'
```

Run `jupyter kernelspec list` to see what engines are registered and available.