

Tables and figures

Tables

Use results: "asis" when a chunk emits Typst markup. Add kind: "table" when the result should be wrapped as a table figure with a caption and label.

```
#calepin.chunk(  
  "r",  
  label: "tbl-model",  
  results: "asis",  
  kind: "table",  
  fig-caption: [Model summary],  
)[``r  
cat('#table(  
  columns: 2,  
  [Term], [Estimate],  
  [Intercept], [37.29],  
  [Weight], [-5.34],  
)')  
``]
```

Multi-plot figures

Chunks that produce multiple plots can be displayed as one figure. Use fig-layout-columns and fig-layout-rows to control the grid, and fig-subcaptions to add per-panel captions.

```
#calepin.chunk(  
  "r",  
  label: "fig-diagnostics",  
  echo: false,  
  fig-caption: [Regression diagnostics],  
  fig-subcaptions: (  
    [Residuals vs fitted],  
    [Normal Q-Q],  
    [Scale-location],  
    [Cook's distance],  
  ),  
  fig-layout-columns: (1fr, 1fr),  
  fig-layout-rows: (auto, auto),  
  fig-display-width: 90%,  
)[``r  
model <- lm(mpg ~ wt + hp, data = mtcars)  
  
plot(model, which = 1)  
plot(model, which = 2)  
plot(model, which = 3)  
plot(model, which = 4)  
``]
```

With fig-layout-columns: (1fr, 1fr), Calepin displays the four plots in a two-column grid. The first plot is saved with the chunk label, and later plots use numbered artifact names such as fig-diagnostics-2.svg.