

Cross-references

Give a chunk a label and you can refer to its output from the prose with Typst's `@label` syntax. Use a recognized prefix so *Calepin* knows what the label points at; a `fig-` label attaches to figure output.

There are three ways to attach a label. Use exactly one of them per chunk.

label argument

The clearest place for a label is the `label` argument of `#calepin.chunk`, alongside the caption:

```
In prose we mention @fig-cross-scatter.  
  
#calepin.chunk(label: "fig-cross-scatter", fig-caption: [Miles per gallon and  
horsepower]) [  
  `` `r  
  plot(mpg ~ hp, data = mtcars)  
  `` `]
```

In prose we mention Figure 1.




Figure 1: Miles per gallon and horsepower


#| header

Put `#| label:` at the top of a plain fenced block when you want the label next to other chunk options:

```
In prose we mention @fig-cross-qmd.  
  
`` `r  
#| label: fig-cross-qmd  
#| fig-caption: Distribution of car weights  
hist(mtcars$wt, col = "gray80", border = "white")  
`` `
```

In prose we mention Figure 2.

```
hist(mtcars$wt, col = "gray80", border = "white")
```



Trailing fence label


For a plain fenced block, you can also write a single label right after the closing fence. This is the most compact form, equivalent to one `#| label: header`:

In prose we mention `@fig-cross-trailing`.

```
```r
plot(dist ~ speed, data = cars)
```<fig-cross-trailing>
```

In prose we mention Figure 3.

```
plot(dist ~ speed, data = cars)
```



Label prefixes

Use a recognized prefix so *Calepin* knows where the label belongs. Unprefixed labels such as `label:` "myplot" are rejected.

Prefix	Target	Status
fig-	Figure or plot output	Supported.

tbl-	Table output	Reserved for a later milestone.
lst-	Code listing output	Reserved for a later milestone.

tbl- and lst- labels are classified and can appear in chunk metadata today, but only fig- labels are attached to rendered output for now. Independent labels for sub-captioned panels (so a panel can be referenced as @fig-name-2) and multiple labels per chunk (label: ("fig-name", "lst-name")) are also planned for later milestones.