

Tags and taxonomies

A taxonomy groups pages by shared metadata such as tags, categories, authors, or topics. You can build one without special configuration: add an array to each page's `<website-metadata>`, then filter the entries returned by `calepin.pages()`.

For example, documentation pages on this site declare tags alongside their other metadata:

```
#metadata((
  title: "Pages",
  tags: ("websites", "metadata"),
)) <website-metadata>
```

Create a regular page for the taxonomy index. The following generic function collects the values of any array-valued metadata field, then lists the matching pages under each value:

```
#import "../calepin/calepin.typ" as calepin
#show: calepin.document

#let taxonomy(field) = {
  let pages = calepin.pages()
  .filter(page => page.meta.at(field, default: ()) != ())
  let terms = pages
  .map(page => page.meta.at(field))
  .flatten()
  .dedup()
  .sorted(key: term => lower(term))

  for term in terms {
    heading(term, level: 2)
    for page in pages.filter(
      page => term in page.meta.at(field)
    ) [
      - #link(page.href) [#page.title]
    ]
  }
}

#taxonomy("tags")
```

This approach keeps taxonomies ordinary Typst code. You control the page's route and presentation, and the same function works for fields such as categories or authors. Add sorting, counts, summaries, or pagination using the usual Typst array methods.

Tags used in this documentation

accessibility

- Accessibility

chunks

- Styling chunks

CLI

- Compile, watch, serve
- Health

code execution

- Code execution

configuration

- Configuration
- Configuration

cross-references

- Cross-references

CSS

- CSS

data store

- Data transport

diagrams

- Diagrams

editors

- Editor integration

elements

- Custom elements
- Elements

examples

- Case studies

figures

- Figures and tables

getting started

- Compile, watch, serve
- Editor integration
- Basics
- Configuration
- Install
- Calepin

HTML

- CSS
- HTML
- Custom elements

installation

- Install

localization

- Multilingual

metadata

- Pages
- Tags

navigation

- [Navigation](#)
- [Tags](#)

notebooks

- [Accessibility](#)
- [Basics](#)
- [Code execution](#)
- [Cross-references](#)
- [Data transport](#)
- [Diagrams](#)
- [Figures and tables](#)
- [Touying](#)
- [Tips & tricks](#)

overview

- [Basics](#)
- [Calepin](#)
- [Themes](#)
- [Overview](#)

parameters

- [Data transport](#)

PDF

- [PDF](#)

Python

- [Data transport](#)

R

- [Data transport](#)

release

- [Calepin is now a static website generator](#)

slides

- [Touying](#)

styling

- [Styling chunks](#)

tables

- [Figures and tables](#)

templates

- [HTML](#)
- [PDF](#)
- [Templating](#)

themes

- Case studies
- CSS
- HTML
- PDF
- Styling chunks
- Templating
- Themes

Tinymist

- Editor integration

tips

- Tips & tricks

typst

- Calepin is now a static website generator

validation

- Health

VS Code

- Editor integration

websites

- Accessibility
- Calepin is now a static website generator
- Tips & tricks
- Configuration
- Custom elements
- Elements
- Health
- Multilingual
- Navigation
- Pages
- Tags
- Overview