

# CSS

## CSS tokens

Built-in HTML themes expose stable CSS custom properties in the `--calepin-*` namespace. Prefer overriding these tokens from local theme CSS rather than targeting private theme internals.

```
/* themes/my-theme/css/custom.css */
:root {
  --calepin-color-background: #f6f7f9;
  --calepin-color-text: #111827;
  --calepin-color-accent: #2563eb;
  --calepin-color-border: #d1d5db;
}

body {
  font-family: Inter, system-ui, sans-serif;
  background: var(--calepin-color-background);
  color: var(--calepin-color-text);
}

pre {
  border: 1px solid var(--calepin-color-border);
}
```

In Calepin HTML output, `#title()` is rendered as the page `<h1>`, so the first Typst heading `=` becomes `<h2>`, `=` as `<h3>`, and so on. If you target heading selectors in CSS, use this mapping unless your theme remaps heading markup.

## Light and dark themes

To define distinct values for light and dark mode, use `html[data-theme="light"]` and `html[data-theme="dark"]` selectors in your local theme stylesheet:

```
html[data-theme="light"] {
  --calepin-color-background: #f6f7f9;
  --calepin-color-text: #111827;
  --calepin-color-accent: #2563eb;
}

html[data-theme="dark"] {
  --calepin-color-background: #101826;
  --calepin-color-text: #f8faff;
  --calepin-color-accent: #60a5fa;
}
```

Calepin sets `html[data-theme="light"]` or `html[data-theme="dark"]` when the theme toggle is forced by user preference, explicit control, or URL/state storage. If no explicit mode is set, the browser preference is used for initial mode.

## Style raw HTML

Use a local theme that extends `typst` when you want a simple, unstyled HTML base.

Create a directory with a manifest, a layout, and a stylesheet:

```
raw/
  theme.toml
  layouts/
    document.html
  css/
    raw.css
```

Edit the manifest `raw/theme.toml`:

```
extends = "typst"
```

Edit `raw/layouts/document.html` to wrap Typst's generated HTML and inline the theme CSS files:

```
{{ doc.head }}
<meta charset="UTF-8">
<title>{{ doc.title }}</title>
{% for file in css %}
<style>
{{ file.content }}
</style>
{% endfor %}
{{ doc.body_open }}
```

```
<main class="page">
  {{ doc.body }}
</main>
{{ doc.body_close }}
```

The important pieces are `doc.head`, `doc.body_open`, `doc.body`, and `doc.body_close`, which preserve the HTML shell Typst produced. The `css` loop loads files from the theme's `css/` directory, including `raw.css`.

Compile the notebook:

```
calepin compile notebook.typ --format html --set theme=raw
```

## List of tokens

| Group  | Token                                        | Purpose                                            |
|--------|----------------------------------------------|----------------------------------------------------|
| Colors | <code>--calepin-color-background</code>      | Page background in normal UI surfaces.             |
|        | <code>--calepin-color-text</code>            | Primary body text color.                           |
|        | <code>--calepin-color-muted</code>           | Muted/de-emphasized text.                          |
|        | <code>--calepin-color-border</code>          | UI border color.                                   |
|        | <code>--calepin-color-accent</code>          | Primary accent color (links, buttons, highlights). |
|        | <code>--calepin-color-accent-hover</code>    | Accent color for hover states.                     |
|        | <code>--calepin-color-accent-soft</code>     | Soft tint derived from accent.                     |
|        | <code>--calepin-color-accent-contrast</code> | Text/icon contrast color on accent backgrounds.    |
|        | <code>--calepin-color-link</code>            | Default link color.                                |
|        | <code>--calepin-color-link-hover</code>      | Link hover color.                                  |
|        | <code>--calepin-color-focus</code>           | Focus ring/text emphasis color.                    |
|        | <code>--calepin-color-selection</code>       | Text-selection background color.                   |
|        | <code>--calepin-color-info</code>            | Info state color.                                  |
|        | <code>--calepin-color-success</code>         | Success state color.                               |
|        | <code>--calepin-color-warning</code>         | Warning state color.                               |
|        | <code>--calepin-color-danger</code>          | Danger/error state color.                          |

|            |                                   |                                         |
|------------|-----------------------------------|-----------------------------------------|
| Callouts   | --calepin-color-important         | Important state color.                  |
|            | --calepin-color-info-soft         | Translucent info variant.               |
|            | --calepin-color-success-soft      | Translucent success variant.            |
|            | --calepin-color-warning-soft      | Translucent warning variant.            |
|            | --calepin-color-danger-soft       | Translucent danger variant.             |
|            | --calepin-color-important-soft    | Translucent important variant.          |
|            | --calepin-callout-note-color      | Callout tone for note blocks.           |
|            | --calepin-callout-tip-color       | Callout tone for tip blocks.            |
|            | --calepin-callout-warning-color   | Callout tone for warning blocks.        |
|            | --calepin-callout-caution-color   | Callout tone for caution blocks.        |
| Surfaces   | --calepin-callout-important-color | Callout tone for important blocks.      |
|            | --calepin-surface                 | Primary surface color for cards/panels. |
|            | --calepin-surface-muted           | Muted surface tone.                     |
|            | --calepin-surface-raised          | Raised surface tone.                    |
|            | --calepin-surface-inset           | Inset surface tone.                     |
|            | --calepin-surface-code            | Code block background.                  |
| Typography | --calepin-surface-output          | Code/output container background.       |
|            | --calepin-font-body               | Primary text font stack.                |
|            | --calepin-font-heading            | Heading font stack.                     |
|            | --calepin-font-mono               | Monospace font stack.                   |

|         |                               |                                            |
|---------|-------------------------------|--------------------------------------------|
| Spacing | --calepin-font-size           | Base font size multiplier.                 |
|         | --calepin-font-size-sm        | Small text font size.                      |
|         | --calepin-font-size-aside     | Aside/sidenote font size.                  |
|         | --calepin-line-height         | Default line height for body text.         |
|         | --calepin-line-height-tight   | Tighter line height for headings.          |
|         | --calepin-heading-weight      | Default heading weight.                    |
|         | --calepin-code-font-size      | Code and preformatted font size.           |
|         | --calepin-space-xs            | Extra-small spacing token.                 |
|         | --calepin-space-sm            | Small spacing token.                       |
|         | --calepin-space-md            | Medium spacing token.                      |
| Layout  | --calepin-space-lg            | Large spacing token.                       |
|         | --calepin-space-xl            | Extra-large spacing token.                 |
|         | --calepin-space-2xl           | 2XL spacing token.                         |
|         | --calepin-block-gap           | Vertical block spacing.                    |
|         | --calepin-inline-gap          | Horizontal inline spacing.                 |
|         | --calepin-section-gap         | Vertical section spacing.                  |
|         | --calepin-content-width       | Max width for main content regions.        |
|         | --calepin-wide-width          | Max width for wide content regions.        |
|         | --calepin-page-width          | Computed page width for two-column layout. |
|         | --calepin-margin-width        | Sidenote/margin note width.                |
|         | --calepin-margin-gap          | Gap between body and margin region.        |
|         | --calepin-page-padding-inline | Inline page padding.                       |

|         |                                             |                                                                     |
|---------|---------------------------------------------|---------------------------------------------------------------------|
| Borders | <code>--calepin-topbar-height</code>        | Topbar height token.                                                |
|         | <code>--calepin-sidebar-width</code>        | Desktop sidebar width.                                              |
|         | <code>--calepin-sidebar-mobile-width</code> | Mobile drawer width.                                                |
|         | <code>--calepin-shell-gap</code>            | Gap between shell grid tracks.                                      |
|         | <code>--calepin-toc-indent</code>           | Indent used by generated TOC trees.                                 |
|         | <code>--calepin-border-width</code>         | Border width used across theme.                                     |
|         | <code>--calepin-border</code>               | Shorthand border style using <code>--calepin-color-border`</code> . |
| Shadows | <code>--calepin-radius-sm</code>            | Small corner radius.                                                |
|         | <code>--calepin-radius-md</code>            | Medium corner radius.                                               |
|         | <code>--calepin-radius-lg</code>            | Large corner radius.                                                |
| Layers  | <code>--calepin-shadow-card</code>          | Default card shadow.                                                |
|         | <code>--calepin-focus-ring</code>           | Focus ring style.                                                   |
| Syntax  | <code>--calepin-z-topbar</code>             | Z-index for top bar.                                                |
|         | <code>--calepin-z-backdrop</code>           | Backdrop and overlays.                                              |
|         | <code>--calepin-z-drawer</code>             | Side drawer z-index.                                                |
|         | <code>--calepin-z-popover</code>            | Popover/dialog z-index.                                             |
|         | <code>--calepin-z-modal</code>              | Modal z-index.                                                      |
| Syntax  | <code>--calepin-syntax-foreground</code>    | Syntax text color for code blocks.                                  |
|         | <code>--calepin-syntax-background</code>    | Syntax background color for code blocks.                            |
|         | <code>--calepin-syntax-border</code>        | Syntax border color derived from foreground/background.             |