

Cross-references

Give a chunk a label and you can refer to its output from the prose with Typst's `@label` syntax. Use a recognized prefix so *Calepin* knows what the label points at; a `fig-` label attaches to figure output.

There are three ways to attach a label. Use exactly one of them per chunk.

label argument

The clearest place for a label is the `label` argument of `#calepin.chunk`, alongside the caption:

In prose we mention Figure 1.

```
plot(mpg ~ hp, data = mtcars)
```




Figure 1: Miles per gallon and horsepower

#| header

Put `#| label:` at the top of a plain fenced block when you want the label next to other chunk options:

```
```r
#| label: fig-cross-qmd
#| fig-caption: Distribution of car weights
hist(mtcars$wt, col = "gray80", border = "white")
```
```

In prose we mention Figure 2.

```
hist(mtcars$wt, col = "gray80", border = "white")
```




Figure 2: Distribution of car weights

Trailing fence label

For a plain fenced block, you can also write a single label right after the closing fence. This is the most compact form, equivalent to one `#| label: header`:

```
```r
plot(dist ~ speed, data = cars)
```<fig-cross-trailing>
```

In prose we mention Figure 3.

```
```r
plot(dist ~ speed, data = cars)
```<fig-cross-trailing>
```

```
plot(dist ~ speed, data = cars)
```




Figure 3: Speed and stopping distance

Label prefixes

Use a recognized prefix so *Calepin* knows where the label belongs. A label without a recognized prefix, such as `label: "myplot"`, is still a valid chunk identifier (you can look it up with `#calepin.results`), but it is not a cross-reference, so `@myplot` will not resolve.

Prefix	Target	Status
fig-	Figure or plot output	Supported.
tbl-	Table output	Reserved for a later milestone.
lst-	Code listing output	Reserved for a later milestone.

tbl- and lst- labels are classified and can appear in chunk metadata today, but only fig- labels are attached to rendered output for now. Independent labels for sub-captioned panels (so a panel can be referenced as @fig-name-2) and multiple labels per chunk (label: ("fig-name", "lst-name")) are also planned for later milestones.