

# CSS

## CSS tokens

Built-in HTML themes expose stable CSS custom properties in the `--calepin-*` namespace. Prefer overriding these tokens from local theme CSS rather than targeting private theme internals.

```
/* themes/my-theme/css/custom.css */
:root {
  --calepin-color-background: #f6f7f9;
  --calepin-color-text: #111827;
  --calepin-color-accent: #2563eb;
  --calepin-color-border: #d1d5db;
}

body {
  font-family: Inter, system-ui, sans-serif;
  background: var(--calepin-color-background);
  color: var(--calepin-color-text);
}

pre {
  border: 1px solid var(--calepin-color-border);
}
```

In Calepin HTML output, `#title()` is rendered as the page `<h1>`, so the first Typst heading = becomes `<h2>`, == as `<h3>`, and so on. If you target heading selectors in CSS, use this mapping unless your theme remaps heading markup.

## Light and dark themes

To define distinct values for light and dark mode, use `html[data-theme="light"]` and `html[data-theme="dark"]` selectors in your local theme stylesheet:

```
html[data-theme="light"] {
  --calepin-color-background: #f6f7f9;
  --calepin-color-text: #111827;
  --calepin-color-accent: #2563eb;
}

html[data-theme="dark"] {
  --calepin-color-background: #101826;
  --calepin-color-text: #f8fafc;
  --calepin-color-accent: #60a5fa;
}
```

Calepin sets `html[data-theme="light"]` or `html[data-theme="dark"]` when the theme toggle is forced by user preference, explicit control, or URL/state storage. If no explicit mode is set, the browser preference is used for initial mode.

## Style raw HTML

Use a local theme that extends typst when you want a simple, unstyled HTML base.

Create a directory with a manifest, a layout, and a stylesheet:

```
raw/
  theme.toml
  layouts/
    document.html
  css/
    raw.css
```

Edit the manifest `raw/theme.toml`:

```
extends = "typst"
```

Edit `raw/layouts/document.html` to wrap Typst's generated HTML and inline the theme CSS files:

```
{{ doc.head }}
<meta charset="UTF-8">
<title>{{ doc.title }}</title>
{% for file in css %}
<style>
{{ file.content }}
</style>
{% endfor %}
{{ doc.body_open }}
<main class="page">
  {{ doc.body }}
</main>
{{ doc.body_close }}
```

The important pieces are `doc.head`, `doc.body_open`, `doc.body`, and `doc.body_close`, which preserve the HTML shell Typst produced. The `css` loop loads files from the theme's `css/` directory, including `raw.css`.

Compile the notebook:

```
calepin compile notebook.typ --format html --set theme=raw
```

## List of tokens

| Group  | Token                        | Purpose                                            |
|--------|------------------------------|----------------------------------------------------|
| Colors | --calepin-color-background   | Page background in normal UI surfaces.             |
|        | --calepin-color-text         | Primary body text color.                           |
|        | --calepin-color-muted        | Muted/de-emphasized text.                          |
|        | --calepin-color-border       | UI border color.                                   |
|        | --calepin-color-accent       | Primary accent color (links, buttons, highlights). |
|        | --calepin-color-accent-hover | Accent color for hover states.                     |
|        | --calepin-color-accent-soft  | Soft tint derived from accent.                     |

|          |                                           |                                                 |
|----------|-------------------------------------------|-------------------------------------------------|
|          | --calepin-color-<br>accent-contrast       | Text/icon contrast color on accent backgrounds. |
|          | --calepin-color-<br>link                  | Default link color.                             |
|          | --calepin-color-<br>link-hover            | Link hover color.                               |
|          | --calepin-color-<br>focus                 | Focus ring/text emphasis color.                 |
|          | --calepin-color-<br>selection             | Text-selection background color.                |
|          | --calepin-color-<br>info                  | Info state color.                               |
|          | --calepin-color-<br>success               | Success state color.                            |
|          | --calepin-color-<br>warning               | Warning state color.                            |
|          | --calepin-color-<br>danger                | Danger/error state color.                       |
|          | --calepin-color-<br>important             | Important state color.                          |
|          | --calepin-color-<br>info-soft             | Translucent info variant.                       |
|          | --calepin-color-<br>success-soft          | Translucent success variant.                    |
|          | --calepin-color-<br>warning-soft          | Translucent warning variant.                    |
|          | --calepin-color-<br>danger-soft           | Translucent danger variant.                     |
|          | --calepin-color-<br>important-soft        | Translucent important variant.                  |
| Callouts | --calepin-<br>callout-note-<br>color      | Callout tone for note blocks.                   |
|          | --calepin-<br>callout-tip-<br>color       | Callout tone for tip blocks.                    |
|          | --calepin-<br>callout-warning-<br>color   | Callout tone for warning blocks.                |
|          | --calepin-<br>callout-caution-<br>color   | Callout tone for caution blocks.                |
|          | --calepin-<br>callout-<br>important-color | Callout tone for important blocks.              |

|            |                             |                                         |
|------------|-----------------------------|-----------------------------------------|
| Surfaces   | --calepin-surface           | Primary surface color for cards/panels. |
|            | --calepin-surface-muted     | Muted surface tone.                     |
|            | --calepin-surface-raised    | Raised surface tone.                    |
|            | --calepin-surface-inset     | Inset surface tone.                     |
|            | --calepin-surface-code      | Code block background.                  |
|            | --calepin-surface-output    | Code/output container background.       |
| Typography | --calepin-font-body         | Primary text font stack.                |
|            | --calepin-font-heading      | Heading font stack.                     |
|            | --calepin-font-mono         | Monospace font stack.                   |
|            | --calepin-font-size         | Base font size multiplier.              |
|            | --calepin-font-size-sm      | Small text font size.                   |
|            | --calepin-font-size-aside   | Aside/sidenote font size.               |
|            | --calepin-line-height       | Default line height for body text.      |
|            | --calepin-line-height-tight | Tighter line height for headings.       |
|            | --calepin-heading-weight    | Default heading weight.                 |
| Spacing    | --calepin-code-font-size    | Code and preformatted font size.        |
|            | --calepin-space-xs          | Extra-small spacing token.              |
|            | --calepin-space-sm          | Small spacing token.                    |
|            | --calepin-space-md          | Medium spacing token.                   |
|            | --calepin-space-lg          | Large spacing token.                    |
|            | --calepin-space-xl          | Extra-large spacing token.              |
|            | --calepin-space-2xl         | 2XL spacing token.                      |

|         |                                |                                                        |
|---------|--------------------------------|--------------------------------------------------------|
| Layout  | --calepin-block-gap            | Vertical block spacing.                                |
|         | --calepin-inline-gap           | Horizontal inline spacing.                             |
|         | --calepin-section-gap          | Vertical section spacing.                              |
|         | --calepin-content-width        | Max width for main content regions.                    |
|         | --calepin-wide-width           | Max width for wide content regions.                    |
|         | --calepin-page-width           | Computed page width for two-column layout.             |
|         | --calepin-margin-width         | Sidenote/margin note width.                            |
|         | --calepin-margin-gap           | Gap between body and margin region.                    |
|         | --calepin-page-padding-inline  | Inline page padding.                                   |
|         | --calepin-topbar-height        | Topbar height token.                                   |
|         | --calepin-sidebar-width        | Desktop sidebar width.                                 |
|         | --calepin-sidebar-mobile-width | Mobile drawer width.                                   |
|         | --calepin-shell-gap            | Gap between shell grid tracks.                         |
|         | --calepin-toc-indent           | Indent used by generated TOC trees.                    |
| Borders | --calepin-border-width         | Border width used across theme.                        |
|         | --calepin-border               | Shorthand border style using `--calepin-color-border`. |
|         | --calepin-radius-sm            | Small corner radius.                                   |
|         | --calepin-radius-md            | Medium corner radius.                                  |
|         | --calepin-radius-lg            | Large corner radius.                                   |
| Shadows | --calepin-shadow-card          | Default card shadow.                                   |
|         | --calepin-focus-ring           | Focus ring style.                                      |

|        |                             |                                                         |
|--------|-----------------------------|---------------------------------------------------------|
| Layers | --calepin-z-topbar          | Z-index for top bar.                                    |
|        | --calepin-z-backdrop        | Backdrop and overlays.                                  |
|        | --calepin-z-drawer          | Side drawer z-index.                                    |
|        | --calepin-z-popover         | Popover/dialog z-index.                                 |
|        | --calepin-z-modal           | Modal z-index.                                          |
| Syntax | --calepin-syntax-foreground | Syntax text color for code blocks.                      |
|        | --calepin-syntax-background | Syntax background color for code blocks.                |
|        | --calepin-syntax-border     | Syntax border color derived from foreground/background. |