

Technical talk

Math and Diagrams

Priya Nair ^{1,2*}, Elena García², Noah Williams¹

¹ Centre for Comparative Politics · ² European Institute for Social Data

* priya.nair@example.org

July 30, 2026

Roadmap

1. Formalize the decision problem
2. Explain system structure
3. Connect results to evidence

Model

Sequential decisions under uncertainty

We consider an agent that repeatedly observes a state, chooses an action, and receives a reward.

- **State:** $s \in \mathcal{S}$ summarizes the information available now.
- **Action:** $a \in \mathcal{A}$ changes both reward and the next-state distribution.
- **Objective:** maximize expected discounted return over an indefinite horizon.

Modeling assumption

The current state is sufficient: conditional on s_t and a_t , the future is independent of the earlier history.

Bellman optimality equation

$$V^{\star(s)} = \max_a R(s, a) + \gamma \sum_{s'} P(s' \mid s, a) V^{\star(s')}$$

The recursion separates immediate utility from the expected value of all subsequent decisions [1].

Bellman optimality equation

$$V^{\star(s)} = \max_a \underbrace{R(s, a)}_{\text{immediate reward}} + \gamma \sum_{s'} P(s' \mid s, a) V^{\star(s')}$$

The recursion separates immediate utility from the expected value of all subsequent decisions [1].

Bellman optimality equation

$$V^{\star}(s) = \max_a \underbrace{R(s, a)}_{\text{immediate reward}} + \underbrace{\gamma}_{\text{discount factor}} \sum_{s'} P(s' \mid s, a) V^{\star}(s')$$

The recursion separates immediate utility from the expected value of all subsequent decisions [1].


Bellman optimality equation

$$V^{\star}(s) = \max_a \underbrace{R(s, a)}_{\text{immediate reward}} + \underbrace{\gamma}_{\text{discount factor}} \underbrace{\sum_{s'} P(s' \mid s, a) V^{\star}(s')}_{\text{optimal future value}}$$


The recursion separates immediate utility from the expected value of all subsequent decisions [1].

Structure


File-reader state machine



File-reader state machine




File-reader state machine




Geometry


A qubit as a Bloch vector




A qubit as a Bloch vector



A qubit as a Bloch vector



A qubit as a Bloch vector



Evidence

What makes a technical slide?

Include

- a question or claim
- units and definitions
- reproducible computation
- a stated interpretation

Avoid

- unlabelled decorative plots
- numbers copied by hand
- animation without exposition
- citations disconnected from claims

Questions?

References

- [1] R. Bellman, *Dynamic Programming*. Princeton University Press, 1957.