# Today

Zero-Sum Games

N players.

N players.

Each player has strategy set.  $\{S_1, ..., S_N\}$ .

N players.

Each player has strategy set.  $\{S_1, ..., S_N\}$ .

Vector valued payoff function:  $u(s_1,...,s_n)$  (e.g.,  $\in \Re^N$ ).

N players.

Each player has strategy set.  $\{S_1, ..., S_N\}$ .

Vector valued payoff function:  $u(s_1,...,s_n)$  (e.g.,  $\in \Re^N$ ).

Example:

N players.

Each player has strategy set.  $\{S_1, ..., S_N\}$ .

Vector valued payoff function:  $u(s_1,...,s_n)$  (e.g.,  $\in \Re^N$ ).

Example:

2 players

```
N players.
```

Each player has strategy set.  $\{S_1, ..., S_N\}$ .

Vector valued payoff function:  $u(s_1,...,s_n)$  (e.g.,  $\in \Re^N$ ).

Example:

2 players

Player 1: { **D**efect, **C**ooperate }.

Player 2: { **D**efect, **C**ooperate }.

```
N players. Each player has strategy set. \{S_1,\ldots,S_N\}. Vector valued payoff function: u(s_1,\ldots,s_n) (e.g., \in \mathfrak{R}^N). Example: 2 players Player 1: \{ Defect, Cooperate \}. Player 2: \{ Defect, Cooperate \}. Payoff:
```

N players.

Each player has strategy set.  $\{S_1, ..., S_N\}$ .

Vector valued payoff function:  $u(s_1,...,s_n)$  (e.g.,  $\in \mathfrak{R}^N$ ).

Example:

2 players

Player 1: { **D**efect, **C**ooperate }.

Player 2: { **D**efect, **C**ooperate }.

Payoff:

	C	D
С	(3,3)	(0,5)
D	(5,0)	(.1,.1)

What is the best thing for the players to do?

	C	ש
С	(3,3)	(0,5)
D	(5,0)	(.1,.1)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does he do?

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does he do?

Defects! Payoff (5,0)

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does he do?

Defects! Payoff (5,0)

What does player 2 do now?

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does he do?

Defects! Payoff (5,0)

What does player 2 do now?

Defects! Payoff (.1,.1).

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does he do?

Defects! Payoff (5,0)

What does player 2 do now?

Defects! Payoff (.1,.1).

Stable now!

What is the best thing for the players to do?

Both cooperate. Payoff (3,3).

If player 1 wants to do better, what does he do?

Defects! Payoff (5,0)

What does player 2 do now?

Defects! Payoff (.1,.1).

Stable now!

Nash Equilibrium: neither player has incentive to change strategy.

# Two Person Zero Sum Games 2 players.

2 players.

Each player has strategy set: m strategies for player 1 n strategies for player 2

2 players.

Each player has strategy set: m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by m by n matrix: G.

Row player maximizes, column player minimizes.

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S
R	0	-1	1
Ρ	1	0	-1
S	-1	1	0

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Ρ	S	
R	0	-1	1	
Ρ	1	0	-1	
S	-1	1	0	

Any Nash Equilibrium?

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by m by n matrix: G.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S	
R	0	-1	1	
Ρ	1	0	-1	
S	-1	1	0	

Any Nash Equilibrium?

(R,R)?

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S
R	0	-1	1
Р	1	0	-1
S	-1	1	0

Any Nash Equilibrium?

(R,R)? no.

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S	
R	0	-1	1	
Ρ	1	0	-1	
S	-1	1	0	

Any Nash Equilibrium?

$$(R,R)$$
? no.  $(P,R)$ ?

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S
R	0	-1	1
Ρ	1	0	-1
S	-1	1	0

Any Nash Equilibrium?

(R,R)? no. (P,R)? no.

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S
R	0	-1	1
Ρ	1	0	-1
S	-1	1	0

Any Nash Equilibrium?

(R,R)? no. (P,R)? no. (S,R)?

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by m by n matrix: G.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S
R	0	-1	1
Ρ	1	0	-1
S	-1	1	0

Any Nash Equilibrium?

(R,R)? no. (P,R)? no. (S,R)? no.

2 players.

Each player has strategy set:

m strategies for player 1 n strategies for player 2

Payoff function: u(i,j) = (-a,a) (or just a).

"Player 1 pays a to player 2."

Zero Sum: Payoff for any pair of strategies sums to 0.

Payoffs by *m* by *n* matrix: *G*.

Row player maximizes, column player minimizes.

Roshambo: rock,paper, scissors.

	R	Р	S
R	0	-1	1
Ρ	1	0	-1
S	-1	1	0

Any Nash Equilibrium?

(R,R)? no. (P,R)? no. (S,R)? no.

		R	Р	S
R		0	-1	1
Ρ		1	0	-1
S		-1	1	0
	٠.	٠.	٠ ـ	

How do you play?

		R	Р	S
R	$.3\overline{3}$	0	-1	1
Р	.33	1	0	-1
S	.33	-1	1	0

How do you play?

Player 1: play each strategy with equal probability.

		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	.33	1	0	-1
S	.33	-1	1	0

How do you play?

Player 1: play each strategy with equal probability. Player 2: play each strategy with equal probability.

		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	.33	1	0	-1
S	.33	-1	1	0

How do you play?

Player 1: play each strategy with equal probability. Player 2: play each strategy with equal probability.

# Mixed Strategies.

		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	.33	1	0	-1
S	.33	-1	1	0

How do you play?

Player 1: play each strategy with equal probability. Player 2: play each strategy with equal probability.

#### Definitions.

**Mixed strategies:** Each players plays distribution over strategies.

# Mixed Strategies.

		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	.33	1	0	-1
S	.33	-1	1	0

How do you play?

Player 1: play each strategy with equal probability. Player 2: play each strategy with equal probability.

#### Definitions.

**Mixed strategies:** Each players plays distribution over strategies.

Pure strategies: Each player plays single strategy.

Payoffs: Equilibrium.						
		i R	Р	S		
		.33	.33	.33		
R	$3\overline{3}$	0	-1	1		
Р	.33	1	0	1		
S	.33	-1	1	0		

Payoffs?

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

R .33 0 -1 1				Р	S
			.33	.33	.33
$P \mid .3\overline{3} \mid 1 \mid 0 \mid 1$	R	.33	0	-1	1
.	Р	.33	1	0	1
$S \mid .3\overline{3} \mid -1 \mid 1 \mid 0$	S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

, -		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	.33	1	0	1
S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff.

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

, -		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	.33	1	0	1
S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

, -		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Р	.33	1	0	1
S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

Sample space:  $\Omega = \{(i,j) : i,j \in [1,..,3]\}$ 

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

, -		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	.33	1	0	1
S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

Sample space:  $\Omega = \{(i,j) : i,j \in [1,..,3]\}$ Random variable X (payoff).

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

,		R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	$.3\overline{3}$	1	0	1
S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

Sample space:  $\Omega = \{(i,j) : i,j \in [1,..,3]\}$ Random variable X (payoff).

$$E[X] = \sum_{(i,j)} X(i,j) Pr[(i,j)].$$

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

, -			Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	$.3\overline{3}$	1	0	1
S	$.3\overline{3}$	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

Sample space:  $\Omega = \{(i,j) : i,j \in [1,..,3]\}$ Random variable X (payoff).

$$E[X] = \sum_{(i,j)} X(i,j) Pr[(i,j)].$$

Each player chooses independently:

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

	R	Р	S
	.33	.33	.33
.33	0	-1	1
$.3\overline{3}$	1	0	1
$.3\overline{3}$	-1	1	0
	$.3\overline{3}$	.33 .33 0 .33 1	.33 .33 .33 0 -1 .33 1 0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

Sample space:  $\Omega = \{(i,j) : i,j \in [1,..,3]\}$ Random variable X (payoff).

$$E[X] = \sum_{(i,j)} X(i,j) Pr[(i,j)].$$

Each player chooses independently:

$$Pr[(i,j)] = \frac{1}{3} \times \frac{1}{3} = \frac{1}{9}.$$

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

,			Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	$.3\overline{3}$	1	0	1
S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

Sample space:  $\Omega = \{(i,j) : i,j \in [1,..,3]\}$ Random variable X (payoff).

$$E[X] = \sum_{(i,j)} X(i,j) Pr[(i,j)].$$

Each player chooses independently:  $Pr[(i,j)] = \frac{1}{3} \times \frac{1}{3} = \frac{1}{9}$ .

$$E[X] = 0.$$

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

		∣'R	Р	S
		.33	.33	.33
R	.33	0	-1	1
Ρ	$.3\overline{3}$	1	0	1
S	.33	-1	1	0

Payoffs? Can't just look it up in matrix!.

Average Payoff. Expected Payoff.

Sample space:  $\Omega = \{(i,j) : i,j \in [1,..,3]\}$ Random variable X (payoff).

$$E[X] = \sum_{(i,j)} X(i,j) Pr[(i,j)].$$

Each player chooses independently:  $Pr[(i,j)] = \frac{1}{3} \times \frac{1}{3} = \frac{1}{9}$ .

$$E[X] = 0.1$$

<sup>&</sup>lt;sup>1</sup>Remember zero sum games have one payoff.

	R	Р	S
	.33	.33	.33
.33	0	1	-1
.33	-1	0	1
.33	1	-1	0
	.33	.33 .33 0 .33 -1	.33 .33 .33 0 1 .33 -1 0

Will Player 1 change strategy?

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
<i>.</i>				

Will Player 1 change strategy? Mixed strategies uncountable!

		R	Р	S	
		.33	.33	.33	
R	.33	0	1	-1	
Р	.33	-1	0	1	
S	.33	1	-1	0	
<b></b> i					

Will Player 1 change strategy? Mixed strategies uncountable! Expected payoffs for pure strategies for player 1.

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.3 <del>3</del> .3 <del>3</del>	-1	0	1
S	.33	1	-1	0

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?

		R	Р	S
		.33	.33	.33
R	.33	0	- 1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
3 A /* 1				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A 1 1 1				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A C				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A 1 1 1				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A / 11				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A / 1				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A 1 1 1				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A /**				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

		R	Р	S	
		.33	.33	.33	
R	.33	0	1	-1	
Р	.33	-1	0	1	
S	.33	1	-1	0	
MACHEDI 4 I					

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

$$E[X] = \sum_{(i,j)} (Pr[i] \times Pr[j]) X(i,j)$$

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A /**				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

$$E[X] = \sum_{(i,j)} (Pr[i] \times Pr[j]) X(i,j) = \sum_{i} Pr[i] (\sum_{j} Pr[j] \times X(i,j))$$

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
3 A / 1				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

$$E[X] = \sum_{(i,j)} (Pr[i] \times Pr[j]) X(i,j) = \sum_{i} Pr[i] (\sum_{j} Pr[j] \times X(i,j))$$

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
<i>.</i>				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

Mixed strat. payoff is weighted av. of payoffs of pure strats.

$$E[X] = \sum_{(i,j)} (Pr[i] \times Pr[j]) X(i,j) = \sum_{i} Pr[i] (\sum_{j} Pr[j] \times X(i,j))$$

Mixed strategy can't be better than the best pure strategy.

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
<i>.</i>				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

Mixed strat. payoff is weighted av. of payoffs of pure strats.

$$E[X] = \sum_{(i,j)} (Pr[i] \times Pr[j]) X(i,j) = \sum_{i} Pr[i] (\sum_{j} Pr[j] \times X(i,j))$$

Mixed strategy can't be better than the best pure strategy.

Player 1 has no incentive to change!

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
3 A /**				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

Mixed strat. payoff is weighted av. of payoffs of pure strats.

$$E[X] = \sum_{(i,j)} (Pr[i] \times Pr[j]) X(i,j) = \sum_{i} Pr[i] (\sum_{j} Pr[j] \times X(i,j))$$

Mixed strategy can't be better than the best pure strategy.

Player 1 has no incentive to change! Same for player 2.

		R	Р	S
		.33	.33	.33
R	.33	0	1	-1
Р	.33	-1	0	1
S	.33	1	-1	0
1 A C				

Will Player 1 change strategy? Mixed strategies uncountable!

Expected payoffs for pure strategies for player 1.

Expected payoff of Rock?  $\frac{1}{3} \times 0 + \frac{1}{3} \times 1 + \frac{1}{3} \times -1 = 0$ .

Expected payoff of Paper?  $\frac{1}{3} \times -1 + \frac{1}{3} \times 0 + \frac{1}{3} \times 1 = 0$ .

Expected payoff of Scissors?  $\frac{1}{3} \times 1 + \frac{1}{3} \times 0 + \frac{1}{3} \times -1 = 0$ .

No better pure strategy.  $\implies$  No better mixed strategy!

Mixed strat. payoff is weighted av. of payoffs of pure strats.

$$E[X] = \sum_{(i,j)} (Pr[i] \times Pr[j]) X(i,j) = \sum_{i} Pr[i] (\sum_{j} Pr[j] \times X(i,j))$$

Mixed strategy can't be better than the best pure strategy.

Player 1 has no incentive to change! Same for player 2.

#### Equilibrium!

Rock, Paper, Scissors, prEempt.

Rock, Paper, Scissors, prEempt. PreEmpt ties preEmpt, beats everything else.

Rock, Paper, Scissors, prEempt. PreEmpt ties preEmpt, beats everything else. Payoffs.

Rock, Paper, Scissors, prEempt. PreEmpt ties preEmpt, beats everything else. Payoffs.

	R	Р	S	Ε
R	0	-1	1	-1
Р	1	0	-1	-1
S	-1	1	0	-1
Ε	1	1	1	0
	1111-1-1		'	

Equilibrium?

Rock, Paper, Scissors, prEempt. PreEmpt ties preEmpt, beats everything else. Payoffs.

	R	Р	S	Ε
R	0	-1	1	-1
Р	1	0	-1	-1
S	-1	1	0	-1
Ε	1	1	1	0
Fauilibrium? <b>(F.F.)</b>				

Equilibrium? (E,E).

Rock, Paper, Scissors, prEempt.

PreEmpt ties preEmpt, beats everything else.

Payoffs.

	R	Р	S	Е	
R	0	-1	1	-1	
Ρ	1	0	-1	-1	
S	-1	1	0	-1	
Ε	1	1	1	0	
_		٠ ـ			

Equilibrium? (**E,E**). Pure strategy equilibrium.

Rock, Paper, Scissors, prEempt. PreEmpt ties preEmpt, beats everything else. Payoffs.

	R	Р	S	Е	
R	0	-1	1	-1	
Р	1	0	-1	-1	
S	-1	1	0	-1	
Е	1	1	1	0	

Equilibrium? **(E,E)**. Pure strategy equilibrium. Notation:

Rock, Paper, Scissors, prEempt.

PreEmpt ties preEmpt, beats everything else.

Payoffs.

	R	Р	S	Е
R	0	-1	1	-1
Ρ	1	0	-1	-1
S	-1	1	0	-1
Ε	1	1	1	0

Equilibrium? (E,E). Pure strategy equilibrium.

Notation: Rock is 1, Paper is 2, Scissors is 3, prEmpt is 4.

Rock, Paper, Scissors, prEempt.
PreEmpt ties preEmpt, beats everything else.
Pavoffs.

-	R	Р	S	Ε
R	0	-1	1	-1
Р	1	0	-1	-1
S	-1	1	0	-1
Ε	1	1	1	0

Equilibrium? (E,E). Pure strategy equilibrium.

Notation: Rock is 1, Paper is 2, Scissors is 3, prEmpt is 4. Payoff Matrix.

$$G = \left[ \begin{array}{cccc} 0 & -1 & 1 & -1 \\ 1 & 0 & -1 & -1 \\ -1 & 1 & 0 & -1 \\ 1 & 1 & 1 & 0 \end{array} \right]$$

Row has extra strategy:Cheat.

Row has extra strategy:Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!)

Row has extra strategy:Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!) Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3, and Cheat is 4 (for row.)

Row has extra strategy:Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!) Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3, and Cheat is 4 (for row.)

$$G = \left[ \begin{array}{rrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Note: column knows row cheats.

Row has extra strategy:Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!) Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3, and Cheat is 4 (for row.)

$$G = \left[ \begin{array}{rrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Note: column knows row cheats. Why play? Row is column's boss.

Row has extra strategy:Cheat.

Ties with rock and scissors, beats paper. (Scissors, or no rock!) Payoff matrix:

Rock is strategy 1, Paper is 2, Scissors is 3, and Cheat is 4 (for row.)

$$G = \left[ \begin{array}{rrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Note: column knows row cheats. Why play? Row is column's boss.

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium: Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ .

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

$$G = \left[ \begin{array}{ccc} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff?

$$G = \left[ \begin{array}{ccc} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

$$G = \left[ \begin{array}{ccc} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

$$G = \left[ \begin{array}{ccc} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Row Player.

Strategy 1:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Row Player.

Strategy 1:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Row Player.

Strategy 1:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$ Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$   
Payoff is  $0 \times \frac{1}{3} + \frac{1}{3} \times (-\frac{1}{6}) + \frac{1}{6} \times (-\frac{1}{6}) + \frac{1}{2} \times (-\frac{1}{6})$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$   
Payoff is  $0 \times \frac{1}{3} + \frac{1}{3} \times (-\frac{1}{6}) + \frac{1}{6} \times (-\frac{1}{6}) + \frac{1}{2} \times (-\frac{1}{6}) = -\frac{1}{6}$ 

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Row Player.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$   
Payoff is  $0 \times \frac{1}{3} + \frac{1}{3} \times (-\frac{1}{6}) + \frac{1}{6} \times (-\frac{1}{6}) + \frac{1}{2} \times (-\frac{1}{6}) = -\frac{1}{6}$ 

Column player: every column payoff is  $-\frac{1}{6}$ .

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Row Player.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$   
Payoff is  $0 \times \frac{1}{3} + \frac{1}{3} \times (-\frac{1}{6}) + \frac{1}{6} \times (-\frac{1}{6}) + \frac{1}{2} \times (-\frac{1}{6}) = -\frac{1}{6}$ 

Column player: every column payoff is  $-\frac{1}{6}$ .

Both only play optimal strategies!

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Payoff is  $0 \times \frac{1}{2} + \frac{1}{2} \times (-\frac{1}{6}) + \frac{1}{6} \times (-\frac{1}{6}) + \frac{1}{2} \times (-\frac{1}{6}) = -\frac{1}{6}$ 

Row Player.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$ 

Column player: every column payoff is  $-\frac{1}{6}$ .

Both only play optimal strategies!

Why not play just one?

$$G = \left[ \begin{array}{rrrr} 0 & -1 & 1 \\ 1 & 0 & -1 \\ -1 & 1 & 0 \\ 0 & 0 & 1 \end{array} \right]$$

Equilibrium:

Row:  $(0, \frac{1}{3}, \frac{1}{6}, \frac{1}{2})$ . Column:  $(\frac{1}{3}, \frac{1}{2}, \frac{1}{6})$ .

Payoff? Remember: weighted average of pure strategies.

Row Player.

Strategy 1: 
$$\frac{1}{3} \times 0 + \frac{1}{2} \times 1 + \frac{1}{6} \times -1 = \frac{1}{3}$$
  
Strategy 2:  $\frac{1}{3} \times -1 + \frac{1}{2} \times 0 + \frac{1}{6} \times 1 = -\frac{1}{6}$   
Strategy 3:  $\frac{1}{3} \times 1 + \frac{1}{2} \times -1 + \frac{1}{6} \times 0 = -\frac{1}{6}$   
Strategy 4:  $\frac{1}{3} \times 0 + \frac{1}{2} \times 0 + \frac{1}{6} \times -1 = -\frac{1}{6}$ 

Payoff is 
$$0 \times \frac{1}{3} + \frac{1}{3} \times (-\frac{1}{6}) + \frac{1}{6} \times (-\frac{1}{6}) + \frac{1}{2} \times (-\frac{1}{6}) = -\frac{1}{6}$$

Column player: every column payoff is  $-\frac{1}{6}$ .

Both only play optimal strategies!

Why not play just one? Changes payoff for other guy!

 $m \times n$  payoff matrix G.

 $m \times n$  payoff matrix G.

Row mixed strategy:  $x = (x_1, ..., x_m)$ .

 $m \times n$  payoff matrix G.

Row mixed strategy:  $x = (x_1, ..., x_m)$ . Column mixed strategy:  $y = (y_1, ..., y_n)$ .

 $m \times n$  payoff matrix G.

Row mixed strategy:  $x = (x_1, ..., x_m)$ .

Column mixed strategy:  $y = (y_1, ..., y_n)$ .

Payoff for strategy pair (x, y):

# Two person zero sum games.

 $m \times n$  payoff matrix G.

Row mixed strategy:  $x = (x_1, ..., x_m)$ .

Column mixed strategy:  $y = (y_1, ..., y_n)$ .

Payoff for strategy pair (x, y):

$$p(x,y) = x^t G y$$

That is,

$$\sum_{i} x_{i} \left( \sum_{j} G[i,j] y_{j} \right) = \sum_{i} \left( \sum_{i} x_{i} G[i,j] \right) y_{j}.$$

# Two person zero sum games.

 $m \times n$  payoff matrix G.

Row mixed strategy:  $x = (x_1, ..., x_m)$ .

Column mixed strategy:  $y = (y_1, ..., y_n)$ .

Payoff for strategy pair (x, y):

$$p(x,y) = x^t G y$$

That is,

$$\sum_{i} x_{i} \left( \sum_{j} G[i,j] y_{j} \right) = \sum_{j} \left( \sum_{i} x_{i} G[i,j] \right) y_{j}.$$

Recall row maximizes, column minimizes.

Row goes first:

#### Row goes first:

Find *x*, where best column is not too low..

$$R = \min_{y} \max_{x} (x^{t}Gy).$$

#### Row goes first:

Find x, where best column is not too low..

$$R = \min_{y} \max_{x} (x^{t}Gy).$$

Note: y can be (0,0,...,1,...0).

#### Row goes first:

Find *x*, where best column is not too low..

$$R = \min_{y} \max_{x} (x^{t}Gy).$$

Note: y can be (0,0,...,1,...0).

Example: Roshambo.

#### Row goes first:

Find x, where best column is not too low..

$$R = \min_{y} \max_{x} (x^{t}Gy).$$

Note: y can be (0,0,...,1,...0).

Example: Roshambo. Value of R?

#### Row goes first:

Find *x*, where best column is not too low..

$$R = \min_{y} \max_{x} (x^{t}Gy).$$

Note: y can be (0,0,...,1,...0).

Example: Roshambo. Value of R?

		R	Ρ	S	
-X <sub>1</sub>	R	0	-1	1	
<i>X</i> <sub>2</sub>	Р	1	0	-1	
<i>X</i> 3	S	-1	1	0	
D: 1	'			٠.	٠

#### Row goes first:

Find *x*, where best column is not too low..

$$R = \min_{y} \max_{x} (x^{t}Gy).$$

Note: y can be (0,0,...,1,...0).

Example: Roshambo. Value of R?

		R	Ρ	S
<i>X</i> <sub>1</sub>	R	0	-1	1
<i>X</i> <sub>2</sub>	Р	1	0	-1
<i>X</i> <sub>3</sub>	S	-1	1	0

$$\min\{x_2-x_3,-x_1+x_3,x_1-x_2\}$$

$$\min\{x_2-x_3,-x_1+x_3,x_1-x_2\}$$

Pick  $x_1, x_2, x_3$  to maximize

$$\min\{x_2-x_3,-x_1+x_3,x_1-x_2\}$$

Linear program:

Pick  $x_1, x_2, x_3$  to maximize

$$\min\{x_2-x_3,-x_1+x_3,x_1-x_2\}$$

Linear program:  $z = \min\{x_2 - x_3, -x_1 + x_3, x_1 - x_2\}$ 

Pick  $x_1, x_2, x_3$  to maximize

$$\min\{x_2-x_3,-x_1+x_3,x_1-x_2\}$$

Linear program:  $z = \min\{x_2 - x_3, -x_1 + x_3, x_1 - x_2\}$  $\max z$ 

$$z \leq x_2 - x_3$$

$$z \leq -x_1 + x_3$$

$$z \leq x_1 - x_2$$

$$x_1 + x_2 = 1$$

or in standard form...

Pick  $x_1, x_2, x_3$  to maximize

$$\min\{x_2-x_3,-x_1+x_3,x_1-x_2\}$$

Linear program:  $z = \min\{x_2 - x_3, -x_1 + x_3, x_1 - x_2\}$  $\max z$ 

$$z \leq x_2 - x_3$$

$$z \leq -x_1 + x_3$$

$$z \leq x_1 - x_2$$

$$x_1 + x_2 = 1$$

or in standard form...

$$x_2-x_3-z\geq 0$$

$$-x_1+x_3-z\geq 0$$

$$x_1-x_2-z\geq 0$$

$$x_1+x_2=1$$

$$x_1, x_2 \ge 0$$

#### Column goes first:

Find *y*, where best row is not high.

#### Column goes first:

Find *y*, where best row is not high.

$$C = \max_{x} \min_{y} (x^{t}Gy).$$

#### Column goes first:

Find *y*, where best row is not high.

$$C = \max_{x} \min_{y} (x^{t}Gy).$$

Again: x of form (0,0,...,1,...0).

#### Column goes first:

Find *y*, where best row is not high.

$$C = \max_{x} \min_{y} (x^{t}Gy).$$

Again: x of form (0,0,...,1,...0).

Example: Roshambo.

#### Column goes first:

Find *y*, where best row is not high.

$$C = \max_{x} \min_{y} (x^{t}Gy).$$

Again: x of form (0,0,...,1,...0).

Example: Roshambo. Value of *C*?

#### Column goes first:

Find *y*, where best row is not high.

$$C = \max_{x} \min_{y} (x^{t}Gy).$$

Again: x of form (0,0,...,1,...0).

Example: Roshambo. Value of C? 0.

#### Column goes first:

Find *y*, where best row is not high.

$$C = \max_{x} \min_{y} (x^{t}Gy).$$

Again: x of form (0,0,...,1,...0).

Example: Roshambo. Value of *C*? 0.

	<i>y</i> 1 R	<i>y</i> <sub>2</sub> P	<i>y</i> ₃ S
R	0	-1	1
Ρ	1	0	-1
S	-1	1	0

#### Column goes first:

Find *y*, where best row is not high.

$$C = \max_{x} \min_{y} (x^{t}Gy).$$

Again: x of form (0,0,...,1,...0).

Example: Roshambo. Value of C? 0.

	<i>y</i> <sub>1</sub> R	<i>y</i> <sub>2</sub> P	<i>y</i> ₃ S
R	0	-1	1
Р	1	0	-1
S	-1	1	0

Find *y* to minimize  $\max\{y_2 - y_3, -y_1 + y_3, y_1 - y_2\}$ .

## Column Best Defense: LP.

Find y to minimize  $\max\{y_2 - y_3, -y_1 + y_3, y_1 - y_2\}$ .

## Column Best Defense: LP.

Find y to minimize  $\max\{y_2 - y_3, -y_1 + y_3, y_1 - y_2\}$ .

$$\min w$$

$$y_2 - y_3 \ge w$$

$$-y_1 + y_3 \ge w$$

$$y_1 - y_2 \ge w$$

$$y_1 + y_2 = 1$$

# Column Best Defense: LP.

Find y to minimize  $\max\{y_2 - y_3, -y_1 + y_3, y_1 - y_2\}$ .

$$\min w$$

$$y_2 - y_3 \ge w$$

$$-y_1 + y_3 \ge w$$

$$y_1 - y_2 \ge w$$

$$y_1 + y_2 = 1$$

..in standard form..

max z	min w
$x_2-x_3-z\geq 0$	$y_2-y_3-w\geq 0$
$-x_1+x_3-z\geq 0$	$-y_1+y_3-w\geq 0$
$x_1 - x_2 - z \ge 0$	$y_1-y_2-w\geq 0$
$x_1 + x_2 = 1$	$y_1 + y_2 = 1$
$x_1, x_2 \geq 0$	$y_1,y_2,y_3\geq 0$

Note: "column" defense lp is upper bound on "row" defense lp.

max z	min w
$x_2-x_3-z\geq 0$	$y_2-y_3-w\geq 0$
$-x_1+x_3-z\geq 0$	$-y_1+y_3-w\geq 0$
$x_1-x_2-z\geq 0$	$y_1-y_2-w\geq 0$
$x_1 + x_2 = 1$	$y_1 + y_2 = 1$
$x_1, x_2 \geq 0$	$y_1,y_2,y_3\geq 0$

Note: "column" defense lp is upper bound on "row" defense lp. Linear programming dual?

max z	min w
$x_2-x_3-z\geq 0$	$y_2-y_3-w\geq 0$
$-x_1+x_3-z\geq 0$	$-y_1+y_3-w\geq 0$
$x_1-x_2-z\geq 0$	$y_1-y_2-w\geq 0$
$x_1 + x_2 = 1$	$y_1 + y_2 = 1$
$x_1, x_2 \geq 0$	$y_1,y_2,y_3\geq 0$

Note: "column" defense lp is upper bound on "row" defense lp. Linear programming dual? ...Yes!!!

max z	min w
$x_2-x_3-z\geq 0$	$y_2-y_3-w\geq 0$
$-x_1+x_3-z\geq 0$	$-y_1+y_3-w\geq 0$
$x_1-x_2-z\geq 0$	$y_1-y_2-w\geq 0$
$x_1 + x_2 = 1$	$y_1 + y_2 = 1$
$x_1, x_2 \geq 0$	$y_1,y_2,y_3\geq 0$

Note: "column" defense lp is upper bound on "row" defense lp. Linear programming dual? ...Yes!!!

$$\implies z = w!$$

max z	min w
$x_2-x_3-z\geq 0$	$y_2-y_3-w\geq 0$
$-x_1+x_3-z\geq 0$	$-y_1+y_3-w\geq 0$
$x_1-x_2-z\geq 0$	$y_1-y_2-w\geq 0$
$x_1 + x_2 = 1$	$y_1 + y_2 = 1$
$x_1, x_2 \geq 0$	$y_1,y_2,y_3\geq 0$

Note: "column" defense lp is upper bound on "row" defense lp. Linear programming dual? ...Yes!!!

$$\implies z = w!$$
  
 $\max_x \min_y x^t Gy = \min_y \max_x x^t Gy.$ 

max z	min w
$x_2-x_3-z\geq 0$	$y_2-y_3-w\geq 0$
$-x_1+x_3-z\geq 0$	$-y_1+y_3-w\geq 0$
$x_1-x_2-z\geq 0$	$y_1-y_2-w\geq 0$
$x_1+x_2=1$	$y_1 + y_2 = 1$
$x_1, x_2 \geq 0$	$y_1,y_2,y_3\geq 0$

Note: "column" defense lp is upper bound on "row" defense lp.

Linear programming dual? ... Yes!!!

$$\implies z = w!$$
  
 $\max_x \min_y x^t Gy = \min_y \max_x x^t Gy.$ 

Wow

max z	min w
$x_2-x_3-z\geq 0$	$y_2-y_3-w\geq 0$
$-x_1+x_3-z\geq 0$	$-y_1+y_3-w\geq 0$
$x_1-x_2-z\geq 0$	$y_1-y_2-w\geq 0$
$x_1+x_2=1$	$y_1 + y_2 = 1$
$x_1, x_2 \geq 0$	$y_1,y_2,y_3\geq 0$

Note: "column" defense lp is upper bound on "row" defense lp.

Linear programming dual? ... Yes!!!

$$\implies z = w!$$
  
 $\max_x \min_y x^t Gy = \min_y \max_x x^t Gy.$ 

Wow

$$\begin{array}{ll} \max z & \min w \\ x_2 - x_3 - z \geq 0 & -y_2 + y_3 - w \geq 0 \\ -x_1 + x_3 - z \geq 0 & y_1 - y_3 - w \geq 0 \\ x_1 - x_2 - z \geq 0 & -y_1 + y_2 - w \geq 0 \\ x_1 + x_2 = 1 & y_1 + y_2 = 1 \\ x_1, x_2 \geq 0 & y_1, y_2, y_3 \geq 0 \end{array}$$

Note: "column" defense lp is upper bound on "row" defense lp. Linear programming dual? ...Yes!!!

$$\implies z = w!$$
  
 $\max_x \min_y x^t Gy = \min_y \max_x x^t Gy.$ 

Wow!!!!!!!! (von Neumann's minimax theorem.)

## Von Neumann's Minimax theorem.

 $\max_x \min_y x^t Gy = \min_y \max_x x^t Gy.$ 

 $\max_x \min_y x^t Gy = \min_y \max_x x^t Gy$ . Column goes first, row gets to respond.

 $\max_x \min_y x^t Gy = \min_y \max_x x^t Gy$ . Column goes first, row gets to respond. same as

 $\max_{x} \min_{y} x^{t}Gy = \min_{y} \max_{x} x^{t}Gy.$ 

Column goes first, row gets to respond.

same as

Row goes first, column gets to respond.

 $\max_{x} \min_{y} x^{t}Gy = \min_{y} \max_{x} x^{t}Gy.$ 

Column goes first, row gets to respond.

same as

Row goes first, column gets to respond.

Test!

 $\max_{x} \min_{y} x^{t}Gy = \min_{y} \max_{x} x^{t}Gy.$ 

Column goes first, row gets to respond.

same as

Row goes first, column gets to respond.

Test!

Play rock first?

 $\max_{x} \min_{y} x^{t}Gy = \min_{y} \max_{x} x^{t}Gy.$ 

Column goes first, row gets to respond.

same as

Row goes first, column gets to respond.

Test!

Play rock first?

Mixed strategy.

 $\max_{x} \min_{y} x^{t} G y = \min_{y} \max_{x} x^{t} G y.$ 

Column goes first, row gets to respond.

same as

Row goes first, column gets to respond.

Test!

Play rock first?

Mixed strategy. Play rock, paper, scissors uniformly.

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms:

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything:

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: *n*! matchings!

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

2<sup>n</sup> or worse.

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

2<sup>n</sup> or worse.

Moore: Computers doubling in speed every 18 month!

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

2<sup>n</sup> or worse.

Moore: Computers doubling in speed every 18 month!

We have time!

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

2<sup>n</sup> or worse.

Moore: Computers doubling in speed every 18 month!

We have time !?

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

2<sup>n</sup> or worse.

Moore: Computers doubling in speed every 18 month!

We have time !?

Sissa.

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

2<sup>n</sup> or worse.

Moore: Computers doubling in speed every 18 month!

We have time !?

Sissa. Not so much!

Shortest paths, minimum msts, maximum matchings, maximum increasing subsequences, maximum flows.

Efficient algorithms: polynomial.

Try everything: n! matchings!  $n^{n-2}$  spanning trees...

2<sup>n</sup> or worse.

Moore: Computers doubling in speed every 18 month!

We have time !?

Sissa. Not so much!

Are there always *efficient* algorithms for optimization problems?

Satisfiability or SAT.

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem:

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance *I* find a solution *S*.

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance *I* find a solution *S*.

S is short

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance *I* find a solution *S*.

S is short and easy to check.

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

*S* is solution for *S* if and only if  $\mathscr{C}(I,S) = true$ .

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

*S* is solution for *S* if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is S?

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

*S* is solution for *S* if and only if  $\mathscr{C}(I, S) = true$ .

For SAT, what is S? assignment. What is  $\mathscr{C}$ ?

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

S is solution for S if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is *S*? assignment. What is *C*? Checks if assignment satisfies formula.

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

S is solution for S if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is *S*? assignment. What is *C*? Checks if assignment satisfies formula.

Recall: Horn or 2-SAT.

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

S is solution for S if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is *S*? assignment. What is *C*? Checks if assignment satisfies formula.

Recall: Horn or 2-SAT. Efficient algorithms!

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

S is solution for S if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is S? assignment. What is  $\mathscr{C}$ ? Checks if assignment satisfies formula.

Recall: Horn or 2-SAT. Efficient algorithms!

Greedy

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

S is solution for S if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is *S*? assignment. What is *C*? Checks if assignment satisfies formula.

Recall: Horn or 2-SAT. Efficient algorithms!
Greedy and strongly connected components.

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance I find a solution S.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

S is solution for S if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is *S*? assignment. What is *C*? Checks if assignment satisfies formula.

Recall: Horn or 2-SAT. Efficient algorithms!

Greedy and strongly connected components.

Efficient algorithm for 3-SAT?

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance *I* find a solution *S*.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

S is solution for S if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is *S*? assignment. What is *C*? Checks if assignment satisfies formula.

Recall: Horn or 2-SAT. Efficient algorithms!

Greedy and strongly connected components.

Efficient algorithm for 3-SAT? Don't think so!

#### Satisfiability or SAT.

An Instance.

$$\phi = (x \vee y \vee z)(x \vee \overline{y})(y \vee \overline{z})(z \vee \overline{x}) \vee (\overline{x} \vee \overline{y} \vee \overline{z})$$

Is there any way to satisfy the formula above?

Search problem: Given instance *I* find a solution *S*.

S is short and easy to check.

A search problem has efficient checking algorithm  $\mathscr{C}$ :

*S* is solution for *S* if and only if  $\mathscr{C}(I,S) = true$ .

For SAT, what is *S*? assignment. What is *C*? Checks if assignment satisfies formula.

Recall: Horn or 2-SAT. Efficient algorithms!

Greedy and strongly connected components.

Efficient algorithm for 3-SAT? Don't think so! More later.