






Download MySQL


<https://dev.mysql.com/downloads/mysql/>






























MySQL Installer

MySQL Server 8.0.27

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

## Type and Networking

### Server Configuration Type

Choose the correct server configuration type for this MySQL Server installation. This setting will define how much system resources are assigned to the MySQL Server instance.

Config Type:

### Connectivity

Use the following controls to select how you would like to connect to this server.

☒ TCP/IP

Port: X Protocol Port:

☒ Open Windows Firewall ports for network access

☐ Named Pipe

Pipe Name:

☐ Shared Memory

Memory Name:


### Advanced Configuration

Select the check box below to get additional configuration pages where you can set advanced and logging options for this server instance.

☐ Show Advanced and Logging Options

Next >

Cancel



MySQL Installer

MySQL Server 8.0.27

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Accounts and Roles

Root Account Password

Enter the password for the root account. Please remember to store this password in a secure place.

MySQL Root Password:

Repeat Password:

Password strength: Weak

MySQL User Accounts

Create MySQL user accounts for your users and applications. Assign a role to the user that consists of a set of privileges.

MySQL User Name	Host	User Role
-----------------	------	-----------

Add User


Edit User

Delete

< Back


Next >

Cancel

 MySQL User Account

✕

Please specify the user name, password, and database role.



User Name:

Host:

Role:

Authentication: ☒ MySQL

MySQL user credentials

Password:

Confirm Password:

Password strength: Weak

OK

Cancel

MySQL Installer

MySQL Server 8.0.27

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

Accounts and Roles

Root Account Password

Enter the password for the root account. Please remember to store this password in a secure place.


MySQL Root Password:

Repeat Password:

Password strength: Weak

MySQL User Accounts

Create MySQL user accounts for your users and applications. Assign a role to the user that consists of a set of privileges.

MySQL User Name	Host	User Role
 web	%	DB Admin

Add UserEdit UserDelete

< BackNext >Cancel



MySQL Installer

MySQL Server 8.0.27

Type and Networking

Authentication Method

Accounts and Roles

Windows Service

Apply Configuration

## Windows Service

☒ Configure MySQL Server as a Windows Service

### Windows Service Details

Please specify a Windows Service name to be used for this MySQL Server instance. A unique name is required for each instance.

Windows Service Name:

☒ Start the MySQL Server at System Startup

### Run Windows Service as ...

The MySQL Server needs to run under a given user account. Based on the security requirements of your system you need to pick one of the options below.

☒ Standard System Account

Recommended for most scenarios.


☐ Custom User


An existing user account can be selected for advanced scenarios.


< Back

Next >

Cancel







MySQL Installer

MySQL Router 8.0.27

MySQL Router Configuration

## MySQL Router Configuration

☐ Bootstrap MySQL Router for use with InnoDB cluster

This wizard can bootstrap MySQL Router to direct traffic between MySQL applications and a MySQL InnoDB cluster. Applications that connect to the router will be automatically directed to an available read/write or read-only member of the cluster.

The bootstrapping process requires a connection to the InnoDB cluster. In order to register the MySQL Router for monitoring, use the current Read/Write instance of the cluster.

Hostname:

Port:

3306

Management User:

root

Password:

Test Connection

MySQL Router requires specification of a base port (between 80 and 65532). The first port is used for classic read/write connections. The other ports are computed sequentially after the first port. If any port is indicated to be in use, please change the base port.

Classic MySQL protocol connections to InnoDB cluster:

Read/Write:

6446

Read Only:

6447

MySQL X protocol connections to InnoDB cluster:

Read/Write:


6448

Read Only:

6449

Finish

Cancel



MySQL Installer

MySQL. Installer  
Samples and Examples

Connect To Server

Apply Configuration

## Connect To Server

Select the MySQL server instances from the list to receive sample schemas and data.


	Server	Port	Arch...	Type	Status
<input checked="" type="checkbox"/>	MySQL Server 8.0.27	3306	X64	Stand-alone Server	Running

Provide the credentials that should be used (requires root privileges).  
Click "Check" to ensure they work.


User name:  Credentials provided in Server configuration


Password:















```
C:\Program Files\MySQL\MySQL Shell 8.0\bin\mysqlsh.exe
MySQL Shell 8.0.27

Copyright (c) 2016, 2021, Oracle and/or its affiliates.
Oracle is a registered trademark of Oracle Corporation and/or its affiliates.
Other names may be trademarks of their respective owners.

Type '\help' or '\?' for help; '\quit' to exit.
MySQL JS > _
```



Connect to MySQL Server

Please enter password for the following service:

 Service: Mysql@localhost:3306  
User: root  
Password:

☐ Save password in vault

OK Cancel

Connect to MySQL Server

Please enter password for the following service:

 Service: Mysql@localhost:3306  
User: root  
Password:

☐ Save password in vault

OK Cancel

