restaurant_info			
id 🛭	integer		
name	varchar		
address	varchar		
phone	integer		
website	varchar		
email	varchar		
working_hours	integer		
image	varchar		
created_at	timestamp		
updated_at	timestamp		

customers

integer —

timestamp.now

varchar

varchar

timestamp

timestamp

id 🔑

table\_id

entry\_times


username

password

user\_phone

created\_at

updated\_at



vector\_menu\_foods id 🖉 integer food\_name varchar cook varchar food\_ingredient\_a varchar food\_ingredient\_b varchar food\_ingredient\_c varchar food\_ingredient\_d varchar sauce varchar menu\_foods\_id created\_at updated\_at

nu_drinks				vector_menu_drinks	
<b>9</b>	integer	_+		$id \mathcal{O}$	integer
ık_name	varchar			drink_name	varchar
nk_price	integer			drink_status	varchar
nk_category	varchar			drink_ingredient_a	varchar
ık_image	varchar			drink_ingredient_b	varchar
ated_at	timestamp	'	<u> </u>	menu_drinks_id	integer
lated_at	timestamp			created_at	timestamp
				updated_at	timestamp

menu\_foods

food\_name

food\_price

food\_category

food\_image

created\_at

updated\_at

men

drin

drink

drin

drin

crea

integer —

varchar

varchar

varchar

timestamp

timestamp

id 🔑



restaurant_info			
id 🛭	integer		
name	varchar		
address	varchar		
phone	integer		
website	varchar		
email	varchar		
working_hours	integer		
image	varchar		
created_at	timestamp		
updated_at	timestamp		

