

Reference Library — CRLM

Camilo Correa, MD

1 Clinical score for predicting recurrence after hepatic resection for metastatic colorectal cancer

Fong Y et al. Ann Surg. 1999;230(3):309-318.

<https://pubmed.ncbi.nlm.nih.gov/10493478/>

2 Rescue surgery for unresectable colorectal liver metastases downstaged by chemotherapy

Adam R et al. Ann Surg. 2004;240(4):644-657.

<https://pubmed.ncbi.nlm.nih.gov/15383792/>

3 Hepatic arterial infusion versus systemic therapy for hepatic metastases from colorectal cancer (CALGB 9481)

Kemeny NE et al. J Clin Oncol. 2006;24(9):1395-1403.

<https://pubmed.ncbi.nlm.nih.gov/16505413/>

4 Chemotherapy regimen predicts steatohepatitis and an increase in 90-day mortality after surgery for hepatic colorectal metastases

Vauthey JN et al. J Clin Oncol. 2006;24(13):2065-2072.

<https://pubmed.ncbi.nlm.nih.gov/16648507/>

5 Complete response of colorectal liver metastases after chemotherapy: does it mean cure?

Benoist S et al. J Clin Oncol. 2006;24(24):3939-3945.

<https://pubmed.ncbi.nlm.nih.gov/16921046/>

6 Actual 10-year survival after resection of colorectal liver metastases defines cure

Tomlinson JS et al. J Clin Oncol. 2007;25(29):4575-4580.

<https://pubmed.ncbi.nlm.nih.gov/17925551/>

7 Perioperative chemotherapy with FOLFOX4 and surgery versus surgery alone for resectable CRLM (EORTC 40983)

Nordlinger B et al. Lancet. 2008;371(9617):1007-1016.

<https://pubmed.ncbi.nlm.nih.gov/18358928/>

8 EORTC 40983: long-term overall survival results

Nordlinger B et al. Lancet Oncol. 2013;14(12):1208-1215.

<https://pubmed.ncbi.nlm.nih.gov/24120480/>

9 Incidence and prognostic impact of KRAS and BRAF mutation in patients undergoing liver surgery for colorectal metastases

Karagkounis G et al. Cancer. 2013;119(23):4137-4144.

<https://pubmed.ncbi.nlm.nih.gov/24104864/>

- 10 Selection for hepatic resection of colorectal liver metastases: expert consensus statement**
Adams RB et al. HPB (Oxford). 2013;15(2):91-103.
<https://pubmed.ncbi.nlm.nih.gov/23297719/>

- 11 Systemic chemotherapy with or without cetuximab in patients with resectable colorectal liver metastasis: the New EPOC randomised controlled trial (initial report)**
Primrose J et al. Lancet Oncol. 2014;15(6):601-611.
<https://pubmed.ncbi.nlm.nih.gov/24717919/>

- 12 Effect of KRAS mutation on long-term outcomes after hepatic resection for CRLM**
Margonis GA et al. Ann Surg Oncol. 2015;22(13):4158-4165.
<https://pubmed.ncbi.nlm.nih.gov/26077912/>

- 13 Phase II trial of hepatic artery infusional and systemic chemotherapy for patients with unresectable hepatic metastases from colorectal cancer: conversion to resection and long-term outcomes**
D'Angelica MI, Correa-Gallego C et al. Ann Surg. 2015;261(2):353-360.
<https://pubmed.ncbi.nlm.nih.gov/24646562/>

- 14 Codon 13 KRAS mutation predicts patterns of recurrence after hepatectomy for CRLM**
Margonis GA et al. Cancer. 2016;122(17):2698-2707.
<https://pubmed.ncbi.nlm.nih.gov/27244540/>

- 15 Perioperative HAI pump chemotherapy is associated with longer survival after resection of colorectal liver metastases: a propensity score analysis**
Groot Koerkamp B et al. J Clin Oncol. 2017;35(17):1938-1944.
<https://pubmed.ncbi.nlm.nih.gov/28426374/>

- 16 BRAF mutation is not associated with an increased risk of recurrence after CRLM resection**
Bachet J-B et al. Br J Surg. 2019;106(9):1237-1247.
<https://pubmed.ncbi.nlm.nih.gov/31183866/>

- 17 Systemic chemotherapy with or without cetuximab in resectable CRLM (New EPOC)**
Bridgewater JA et al. Lancet Oncol. 2020;21(4):e1-e10.
<https://pubmed.ncbi.nlm.nih.gov/32014119/>

- 18 Recurrence Patterns After Resection of Colorectal Liver Metastasis are Modified by Perioperative Systemic Chemotherapy**
Buisman FE et al. World J Surg. 2020;44(3):876-886.
<https://pubmed.ncbi.nlm.nih.gov/31410513/>

- 19 Hepatectomy followed by mFOLFOX6 versus hepatectomy alone for liver-only metastatic CRC (JCOG0603)**
Kanemitsu Y et al. J Clin Oncol. 2021;39(34):3789-3799.

20 Circulating tumour DNA analysis for improved recurrence surveillance after CRLM resection

Reinert T et al. Int J Cancer. 2022;150(9):1537-1548.

<https://pubmed.ncbi.nlm.nih.gov/34994972/>

21 Clinicopathological and prognostic significance of HER2 status in surgically resected colorectal liver metastases

Han J et al. J Surg Oncol. 2022;125(6):991-1001.

<https://pubmed.ncbi.nlm.nih.gov/35150441/>

22 Genomic Stratification of Resectable Colorectal Liver Metastasis Patients and Implications for Adjuvant Therapy and Survival

Ecker BL et al. Ann Surg. 2022;275(2):371-381.

<https://pubmed.ncbi.nlm.nih.gov/34793355/>

23 Tucatinib plus trastuzumab for chemotherapy-refractory, HER2-positive, RAS wild-type unresectable or metastatic colorectal cancer (MOUNTAINEER)

Strickler JH et al. Lancet Oncol. 2023;24(5):496-508.

<https://pubmed.ncbi.nlm.nih.gov/37142372/>

24 Personalized circulating tumor DNA monitoring improves recurrence surveillance after curative resection of CRLM

Li Y et al. Int J Surg. 2024.

<https://pubmed.ncbi.nlm.nih.gov/38445460/>

25 Long-term follow-up from the randomized LIGRO trial (ALPPS vs two-stage hepatectomy)

Sandstrom P et al. Ann Surg. 2024.

<https://pubmed.ncbi.nlm.nih.gov/39310365/>

26 Thermal ablation versus surgical resection of small-size CRLM (COLLISION trial)

COLLISION Trial Group. Lancet Oncol. 2025.

<https://pubmed.ncbi.nlm.nih.gov/39848272/>

27 Critical Evaluation of Treatment Response, Driver Mutations, and Circulating Tumor DNA as Markers of Tumor Biology in Colorectal Liver Metastasis

Madi M et al. Cancers (Basel). 2026;18(7):1111.

<https://pubmed.ncbi.nlm.nih.gov/41976334/>