

1. What is the difference between using '==' and 'is' in Python?

1 / 1 point

- ☒ '==' compares values, 'is' compares identities.
- ☐ Both are used for comparisons and function similarly.
- ☐ '==' is for arithmetic comparisons, 'is' is for logical comparisons.
- ☐ '==' assigns values, 'is' assigns identities.

🟢 Nice work

Correct! '==' checks if the values are equal, whereas 'is' checks if they refer to the same object.

2. Which loop is best for counting the items in a list until a specific condition is met?

1 / 1 point

- ☐ for loop
- ☐ foreach loop
- ☒ while loop
- ☐ do-while loop

🟢 Nice work

Well done! A 'while' loop is suitable for counting until a specific condition becomes false.

3. How do you create a list in Python with the elements 1, 2, and 3?

1 / 1 point

- ☐ my_list = {1, 2, 3}
- ☒ my_list = [1, 2, 3]
- ☐ my_list = <1, 2, 3>
- ☐ my_list = (1, 2, 3)

🟢 Nice work

Great! Lists are created using square brackets in Python. When naming a list, be sure not to use "list" as the name, as it is already built-in to Python

4. What is the primary purpose of using a for loop in programming?

1 / 1 point

- ☐ To terminate a program immediately.
- ☐ To execute a set of instructions only once.
- ☐ To accept user input repeatedly.
- ☒ To execute a set of instructions multiple times.

🟢 Nice work

Correct! A for loop is designed to iterate over a sequence and execute a block of code repeatedly.