

1. Which of the following Python data structures is most similar to the value returned in this line of Python: 1 point

```
1 x = urllib.request.urlopen('http://data.pr4e.org/romeo.txt')
```

- ☒ file handle
- ☐ socket
- ☐ regular expression
- ☐ dictionary
- ☐ list

2. In this Python code, which line actually reads the data? 1 point

```
1 import socket
2
3 mysock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
4 mysock.connect(('data.pr4e.org', 80))
5 cmd = 'GET http://data.pr4e.org/romeo.txt HTTP/1.0\n\n'.encode()
6 mysock.send(cmd)
7
8 while True:
9     data = mysock.recv(512)
10    if (len(data) < 1):
11        break
12    print(data.decode())
13 mysock.close()
```

- ☒ mysock.recv()
- ☐ socket.socket()
- ☐ mysock.close()
- ☐ mysock.connect()
- ☐ mysock.send()

3. Which of the following regular expressions would extract the URL from this line of HTML: 1 point

```
1 <p>Please click <a href="http://www.dr-chuck.com">here</a></p>
```

- ☒ href="(.+)"
- ☐ href="+"
- ☐ http://.*
- ☐ <*>

4. In this Python code, which line is most like the open() call to read a file: 1 point

```
1 import socket
2
3 mysock = socket.socket(socket.AF_INET, socket.SOCK_STREAM)
4 mysock.connect(('data.pr4e.org', 80))
5 cmd = 'GET http://data.pr4e.org/romeo.txt HTTP/1.0\n\n'.encode()
6 mysock.send(cmd)
7
8 while True:
9     data = mysock.recv(512)
10    if (len(data) < 1):
11        break
12    print(data.decode())
13 mysock.close()
```

- ☒ mysock.connect()
- ☐ import socket
- ☐ mysock.recv()
- ☐ mysock.send()
- ☐ socket.socket()

5. Which HTTP header tells the browser the kind of document that is being returned? 1 point

- ☐ Metadata:
- ☐ HTML-Document:
- ☐ Document-Type:
- ☐ ETag:
- ☒ Content-Type:

6. What should you check before scraping a web site? 1 point

- ☐ That the web site only has links within the same site
- ☒ That the web site allows scraping
- ☐ That the web site returns HTML for all pages
- ☐ That the web site supports the HTTP GET command

7. What is the purpose of the BeautifulSoup Python library? 1 point

- ☒ It repairs and parses HTML to make it easier for a program to understand
- ☐ It animates web operations to make them more attractive
- ☐ It builds word clouds from web pages
- ☐ It optimizes files that are retrieved many times
- ☐ It allows a web site to choose an attractive skin

8. What ends up in the "x" variable in the following code: 1 point

```
1 html = urllib.request.urlopen(url).read()
2 soup = BeautifulSoup(html, 'html.parser')
3 x = soup('a')
```

- ☒ A list of all the anchor tags (<a..) in the HTML from the URL
- ☐ True if there were any anchor tags in the HTML from the URL
- ☐ All of the externally linked CSS files in the HTML from the URL
- ☐ All of the paragraphs of the HTML from the URL

9. What is the most common Unicode encoding when moving data between systems? 1 point

- ☐ UTF-32
- ☐ UTF-64
- ☐ UTF-16
- ☒ UTF-8
- ☐ UTF-128

10. What is the decimal (Base-10) numeric value for the upper case letter "G" in the ASCII character set? 1 point

- ☒ 71
- ☐ 7
- ☐ 103
- ☐ 25073
- ☐ 14

11. What word does the following sequence of numbers represent in ASCII: 1 point

108, 105, 110, 101

- ☐ tree
- ☐ lost
- ☐ ping
- ☒ line
- ☐ func

12. How are strings stored internally in Python 3? 1 point

- ☐ UTF-8
- ☐ ASCII
- ☐ Byte Code
- ☐ EBCDIC
- ☒ Unicode

13. When reading data across the network (i.e. from a URL) in Python 3, what method must be used to convert it to the internal format used by strings? 1 point

- ☐ find()
- ☐ encode()
- ☒ decode()
- ☐ trim()
- ☐ upper()

Coursera Honor Code

By clicking Submit, you confirm this work is your own. Submitting work created with AI tools may result in course failure or account deactivation according to [Coursera Honor Code policy](#).

☒ I, Vineeth Kumar Yenni, understand and agree.

You must select the checkbox in order to submit the assignment

Submit

Save draft

Last saved on Sep 9, 7:56 PM IST