Efficient tools and techniques for modern software development

Git - Part 1

Vineel Kovvuri Senior SDE @ Microsoft




vineelkovvuri.github.io

Agenda

- What is Git and why should you care?
- Installation Configuring Git
- How to initialize a git repository?
- Git Basics★
- What is HEAD in Git?
- Git log
- Git difftool
- Undoing changes in Git

Not in Agenda

- Branches
- Push/Pull
- Rebase
- Blame
- Bisect
- Github



neelkovvuri.github.io

What is Git? Why should you care?

Git is a software that keeps track of changes to your source code. Source Code Management software Much like your bank account's passbook, which keeps track of every transaction, but for source code.


Passbook/Bank Statement

- 1. Debit
- 2. Credit

DATE	DESCRIPTION	WITHDRAWAL	DEPOSIT	BALANCE
	Previous balance			27,584.38
03/02	Internet Bill	75.99		27,508.39
03/05	Electric Bill	253.68		27,254.71
03/06	Check No. 4598 Payment from Lisa Williams		456.84	27,711.55
03/10	Deposit from Credit Card Processor		5,891.26	33,602.81
03/12	Payroll Run	3,894.75		29,708.06
03/16	Debit Transaction Main Office Wholesale	243.46		29,464.60
03/21	Rent Bill	750.00		28,714.60
03/21	Check No. 234 Payment From Mark Moore		268.84	28,983.44
03/26	Payroll Run	3,743.23		25,240.21
03/28	Deposit		3,656.45	28,896.66
03/29	Debit Transaction ABC Business Supplies	1,548.96		27,347.70
	Ending balance			27,347.70

Changes possible in source code


- 1. Modify existing files
- 2. Add new files
- 3. Delete existing files



• Git is used by 99.99% of the projects

Installation - Configure Git


https://git-scm.com/



Set name and email



Add git.exe to Path Environment variable




Please do not use any git GUI tools **

Git Commands

Demo Time

```
C:\HelloWorldProject>git
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
           [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
           [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--bare]
           [--git-dir=<path>] [--work-tree=<path>] [--namespace=<name>]
           [--config-env=<name>=<envvar>] <command> [<args>]
These are common Git commands used in various situations:
start a working area (see also: git help tutorial)
             Clone a repository into a new directory
   clone
             Create an empty Git repository or reinitialize an existing one
   init
work on the current change (see also: git help everyday)
            Add file contents to the index
   add
             Move or rename a file, a directory, or a symlink
             Restore working tree files
   restore
             Remove files from the working tree and from the index
   \mathbf{r}m
examine the history and state (see also: git help revisions)
             Use binary search to find the commit that introduced a bug
   bisect
   diff
            Show changes between commits, commit and working tree, etc
             Print lines matching a pattern
   grep
            Show commit logs
   log
             Show various types of objects
   show
             Show the working tree status
   status
grow, mark and tweak your common history
   branch
             List, create, or delete branches
   commit
             Record changes to the repository
             Join two or more development histories together
   merge
             Reapply commits on top of another base tip
   rebase
             Reset current HEAD to the specified state
   reset
   switch
             Switch branches
             Create, list, delete or verify a tag object signed with GPG
   tag
            (see also: git help workflows)
collaborate
             Download objects and refs from another repository
   fetch
             Fetch from and integrate with another repository or a local branch
   pull
             Update remote refs along with associated objects
   push
```


How to initialize a git repository?



C:\HelloWorldProject>git status fatal: Not a git repository (or any of the parent directories): .git


git init.

C:\HelloWorldProject>git init . Initialized empty Git repository in C:/HelloWorldProject/.git/



Demo Time


Git Basics



Git log


git log show history of commits(aka bank statement)





Git HEAD

- HEAD always refers to the latest commit on the current branch
- HEAD~1 always refers to the commit one before the latest commit
- HEAD~2, HEAD~3, ...




- Syntax(revision/range syntax) is used to refer a range of commits
- HEAD~2..HEAD means all commit b/w HEAD~2 and HEAD not including HEAD~2

Git log

git log show history of commits







Git difftool


http://sourceforge.net/projects/meld-installer/

```
C:\repos>git config --global diff.tool meld
C:\repos>git config --global difftool.meld.path "C:\Program Files (x86)\Meld\Meld\Meld.exe"
```





git difftool -d HEAD~2..HEAD



Undo changes in Git



Recap

Create Repo	git init	Initialize a repository	
Inspect Repo	git status	Know the status of the repository	
Create	git add	Add files for staging	
Commits	git commit	Create commit of the staged files	
Inspect	git log	View the commit log	
Commits	git diff/difftool	See changes between the commits	
Undo	git reset	Undo commit(unpack the commit)	
Commits	git checkout	Discard the changes	

References

- https://github.com/vineelkovvuri/gvpcoe-sessions-2024/blob/master/Git-Part1
- https://stackoverflow.com/

vineelkovvuri.github.io



https://vineelkovvuri.github.io



vineel.kovvuri@gmail.com



https://github.com/vineelkovvuri



https://www.linkedin.com/in/vineelkovvuri



https://youtube.com/@vineelkovvuri



https://discord.gg/baDQSPpE

Thank You

kovvuri.github.io