Results

Repeated Measures ANOVA FER Accuracy

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω^2
Emotion	Greenhouse-Geisser	0.807	2.557	0.315	25.077	< .001	0.294
Emotion ✻ Age_Group	Greenhouse-Geisser	0.031	2.557	0.012	0.977	.397	0.000
Emotion ✻ Sex	Greenhouse-Geisser	0.049	2.557	0.019	1.516	.220	0.009
Emotion ✻ Age_Group ✻ Sex	Greenhouse-Geisser	0.015	2.557	0.006	0.476	.670	0.000
Residuals	Greenhouse-Geisser	1.158	92.054	0.013			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω^2
Age_Group	0.013	1	0.013	0.724	.400	0.000
Sex	0.029	1	0.029	1.595	.215	0.008
Age_Group ✻ Sex	0.003	1	0.003	0.183	.671	0.000
Residuals	0.652	36	0.018			

Note. Type III Sum of Squares

Descriptives

Descriptives

Emotion	Age_Group	Sex	N	Mean	SD	SE	Coefficient of variation
Anger	Older	Female	8	0.852	0.094	0.033	0.111
		Male	12	0.859	0.104	0.030	0.121
	Younger	Female	9	0.882	0.096	0.032	0.109
		Male	11	0.830	0.148	0.045	0.179
Fear	Older	Female	8	0.844	0.142	0.050	0.168
		Male	12	0.938	0.060	0.017	0.064
	Younger	Female	9	0.847	0.094	0.031	0.111
		Male	11	0.886	0.073	0.022	0.082
Happiness	Older	Female	8	0.938	0.058	0.020	0.062
		Male	12	0.943	0.068	0.020	0.072
	Younger	Female	9	0.944	0.085	0.028	0.090
		Male	11	0.960	0.058	0.017	0.060
Sadness	Older	Female	8	0.758	0.190	0.067	0.251
		Male	12	0.797	0.141	0.041	0.177
	Younger	Female	9	0.681	0.138	0.046	0.202
		Male	11	0.750	0.156	0.047	0.207

Bar plots



Assumption Checks

Test of Sphericity

	Mauchly's W	Approx. X^2	df	p-value	Greenhouse-Geisser ε	Huynh-Feldt ε	Lower Bound ε
Emotion	0.746	10.16	5	.071	0.852	0.923	0.333

Post Hoc Tests

Post Hoc Comparisons - Emotion

		Mean Difference	SE	df	t	Cohen's d	p_{bonf}
Anger	Fear	−0.023	0.023	36	−0.994	−0.206	1.000
	Happiness	−0.091	0.019	36	−4.850	−0.808	< .001
	Sadness	0.109	0.026	36	4.179	0.975	.001
Fear	Happiness	−0.068	0.018	36	−3.682	−0.602	.005
	Sadness	0.132	0.027	36	4.887	1.181	< .001
Happiness	Sadness	0.200	0.026	36	7.807	1.783	< .001

Note. P-value adjusted for comparing a family of 6 estimates.
Note. Results are averaged over the levels of: Age_Group, Sex

Post Hoc Comparisons - Age_Group ✻ Emotion

		Mean Difference	SE	df	t	Cohen's d	p_{bonf}
Older, Anger	Younger, Anger	-2.762×10^{-4}	0.037	36	−0.008	−0.002	1.000
	Older, Fear	−0.035	0.033	36	−1.061	−0.314	1.000
	Younger, Fear	−0.011	0.033	36	−0.340	−0.101	1.000
	Older, Happiness	−0.085	0.027	36	−3.179	−0.755	.085
	Younger, Happiness	−0.097	0.030	36	−3.199	−0.864	.081
	Older, Sadness	0.078	0.037	36	2.096	0.697	1.000
	Younger, Sadness	0.140	0.044	36	3.215	1.250	.077
Younger, Anger	Older, Fear	−0.035	0.033	36	−1.050	−0.311	1.000
	Younger, Fear	−0.011	0.033	36	−0.339	−0.099	1.000
	Older, Happiness	−0.084	0.030	36	−2.807	−0.752	.225
	Younger, Happiness	−0.097	0.026	36	−3.684	−0.861	.021
	Older, Sadness	0.078	0.044	36	1.790	0.699	1.000
	Younger, Sadness	0.140	0.037	36	3.828	1.253	.014
Older, Fear	Younger, Fear	0.024	0.029	36	0.810	0.213	1.000
	Older, Happiness	−0.049	0.026	36	−1.894	−0.441	1.000
	Younger, Happiness	−0.062	0.026	36	−2.380	−0.550	.636
	Older, Sadness	0.113	0.039	36	2.934	1.010	.162
	Younger, Sadness	0.175	0.041	36	4.308	1.564	.003
Younger, Fear	Older, Happiness	−0.073	0.026	36	−2.841	−0.654	.206
	Younger, Happiness	−0.086	0.026	36	−3.325	−0.763	.057
	Older, Sadness	0.089	0.041	36	2.181	0.798	1.000
	Younger, Sadness	0.152	0.038	36	3.985	1.351	.009
Older, Happiness	Younger, Happiness	−0.012	0.022	36	−0.563	−0.109	1.000
	Older, Sadness	0.163	0.036	36	4.460	1.452	.002
	Younger, Sadness	0.225	0.038	36	5.892	2.005	< .001
Younger, Happiness	Older, Sadness	0.175	0.039	36	4.538	1.561	.002
	Younger, Sadness	0.237	0.036	36	6.597	2.114	< .001
Older, Sadness	Younger, Sadness	0.062	0.050	36	1.248	0.554	1.000

Note. P-value adjusted for comparing a family of 28 estimates.
Note. Results are averaged over the levels of: Sex

Post Hoc Comparisons - Sex ✻ Emotion

		Mean Difference	SE	df	t	Cohen's d	p_{bonf}
Female, Anger	Male, Anger	0.022	0.037	36	0.607	0.199	1.000
	Female, Fear	0.021	0.035	36	0.603	0.190	1.000
	Male, Fear	−0.045	0.034	36	−1.336	−0.403	1.000
	Female, Happiness	−0.074	0.028	36	−2.618	−0.662	.360
	Male, Happiness	−0.085	0.031	36	−2.711	−0.756	.286
	Female, Sadness	0.148	0.040	36	3.720	1.316	.019
	Male, Sadness	0.093	0.043	36	2.184	0.832	.996
Male, Anger	Female, Fear	−0.001	0.033	36	−0.031	−0.009	1.000
	Male, Fear	−0.067	0.030	36	−2.227	−0.602	.905
	Female, Happiness	−0.097	0.029	36	−3.322	−0.861	.058
	Male, Happiness	−0.107	0.024	36	−4.394	−0.954	.003
	Female, Sadness	0.125	0.045	36	2.805	1.117	.226
	Male, Sadness	0.071	0.034	36	2.084	0.633	1.000
Female, Fear	Male, Fear	−0.066	0.029	36	−2.257	−0.593	.845
	Female, Happiness	−0.095	0.028	36	−3.433	−0.852	.042
	Male, Happiness	−0.106	0.026	36	−4.009	−0.945	.008
	Female, Sadness	0.126	0.041	36	3.073	1.126	.113
	Male, Sadness	0.072	0.039	36	1.831	0.643	1.000
Male, Fear	Female, Happiness	−0.029	0.025	36	−1.149	−0.259	1.000
	Male, Happiness	−0.040	0.024	36	−1.655	−0.353	1.000
	Female, Sadness	0.193	0.042	36	4.556	1.719	.002
	Male, Sadness	0.138	0.035	36	3.922	1.235	.011
Female, Happiness	Male, Happiness	−0.010	0.022	36	−0.483	−0.094	1.000
	Female, Sadness	0.222	0.039	36	5.709	1.978	< .001
	Male, Sadness	0.168	0.036	36	4.610	1.494	.001
Male, Happiness	Female, Sadness	0.232	0.040	36	5.767	2.072	< .001
	Male, Sadness	0.178	0.033	36	5.334	1.588	< .001
Female, Sadness	Male, Sadness	−0.054	0.050	36	−1.091	−0.484	1.000

Note. P-value adjusted for comparing a family of 28 estimates.
Note. Results are averaged over the levels of: Age_Group

Repeated Measures ANOVA FER RT

Within Subjects Effects

Cases	Sphericity Correction	Sum of Squares	df	Mean Square	F	p	ω^2
Emotion	Greenhouse-Geisser	3.341	2.913	1.147	34.201	< .001	0.133
Emotion ∗ Age_Group	Greenhouse-Geisser	0.209	2.913	0.072	2.136	.102	0.005
Emotion ∗ Sex	Greenhouse-Geisser	0.189	2.913	0.065	1.930	.131	0.004
Emotion ∗ Age_Group ∗ Sex	Greenhouse-Geisser	0.023	2.913	0.008	0.233	.868	0.000
Residuals	Greenhouse-Geisser	3.517	104.861	0.034			

Note. Type III Sum of Squares

Between Subjects Effects

Cases	Sum of Squares	df	Mean Square	F	p	ω^2
Age_Group	3.937	1	3.937	8.330	.007	0.090
Sex	0.626	1	0.626	1.324	.257	0.004
Age_Group ∗ Sex	0.443	1	0.443	0.937	.339	0.000
Residuals	17.014	36	0.473			

Note. Type III Sum of Squares

Descriptives

Descriptives

Emotion	Age_Group	Sex	N	Mean	SD	SE	Coefficient of variation
Anger	Older	Female	8	1.006	0.253	0.089	0.251
		Male	12	1.065	0.398	0.115	0.374
	Younger	Female	9	1.409	0.485	0.162	0.345
		Male	11	1.241	0.361	0.109	0.291
Fear	Older	Female	8	1.120	0.241	0.085	0.215
		Male	12	1.038	0.302	0.087	0.291
	Younger	Female	9	1.572	0.508	0.169	0.323
		Male	11	1.236	0.445	0.134	0.360
Happiness	Older	Female	8	0.800	0.173	0.061	0.216
		Male	12	0.805	0.197	0.057	0.244
	Younger	Female	9	1.094	0.362	0.121	0.331
		Male	11	0.967	0.299	0.090	0.309
Sadness	Older	Female	8	1.115	0.321	0.114	0.288
		Male	12	1.054	0.315	0.091	0.299
	Younger	Female	9	1.665	0.599	0.200	0.360
		Male	11	1.363	0.494	0.149	0.362

Bar plots



Assumption Checks

Test of Sphericity

	Mauchly's W	Approx. X^2	df	p-value	Greenhouse-Geisser ε	Huynh-Feldt ε	Lower Bound ε
Emotion	0.955	1.597	5	.902	0.971	1.000	0.333

Post Hoc Tests

Post Hoc Comparisons - Emotion

		Mean Difference	SE	df	t	Cohen's d	p_{bonf}
Anger	Fear	−0.061	0.036	36	−1.685	−0.162	.604
	Happiness	0.264	0.041	36	6.487	0.699	< .001
	Sadness	−0.119	0.041	36	−2.899	−0.314	.038
Fear	Happiness	0.325	0.041	36	7.985	0.861	< .001
	Sadness	−0.058	0.041	36	−1.399	−0.153	1.000
Happiness	Sadness	−0.383	0.045	36	−8.508	−1.013	< .001

Note. P-value adjusted for comparing a family of 6 estimates.
Note. Results are averaged over the levels of: Age_Group, Sex

Post Hoc Comparisons - Age_Group ✻ Emotion

		Mean Difference	SE	df	t	Cohen's d	p_{bonf}
Older, Anger	Younger, Anger	−0.289	0.124	36	−2.336	−0.766	.706
	Older, Fear	−0.043	0.052	36	−0.839	−0.115	1.000
	Younger, Fear	−0.368	0.124	36	−2.963	−0.975	.151
	Older, Happiness	0.233	0.058	36	4.023	0.618	.008
	Younger, Happiness	0.005	0.107	36	0.050	0.014	1.000
	Older, Sadness	−0.049	0.058	36	−0.834	−0.129	1.000
	Younger, Sadness	−0.478	0.133	36	−3.585	−1.266	.028
Younger, Anger	Older, Fear	0.246	0.124	36	1.979	0.651	1.000
	Younger, Fear	−0.079	0.051	36	−1.550	−0.209	1.000
	Older, Happiness	0.522	0.106	36	4.920	1.383	< .001
	Younger, Happiness	0.295	0.057	36	5.160	0.780	< .001
	Older, Sadness	0.241	0.134	36	1.800	0.637	1.000
	Younger, Sadness	−0.189	0.057	36	−3.285	−0.500	.064
Older, Fear	Younger, Fear	−0.325	0.125	36	−2.605	−0.860	.372
	Older, Happiness	0.277	0.058	36	4.768	0.732	< .001
	Younger, Happiness	0.049	0.107	36	0.454	0.129	1.000
	Older, Sadness	−0.005	0.059	36	−0.090	−0.014	1.000
	Younger, Sadness	−0.435	0.134	36	−3.250	−1.151	.070
Younger, Fear	Older, Happiness	0.601	0.107	36	5.637	1.592	< .001
	Younger, Happiness	0.373	0.057	36	6.538	0.989	< .001
	Older, Sadness	0.319	0.134	36	2.384	0.846	.631
	Younger, Sadness	−0.110	0.058	36	−1.902	−0.291	1.000
Older, Happiness	Younger, Happiness	−0.228	0.086	36	−2.660	−0.603	.325
	Older, Sadness	−0.282	0.064	36	−4.398	−0.746	.003
	Younger, Sadness	−0.711	0.117	36	−6.072	−1.883	< .001
Younger, Happiness	Older, Sadness	−0.054	0.118	36	−0.458	−0.143	1.000
	Younger, Sadness	−0.483	0.063	36	−7.660	−1.280	< .001
Older, Sadness	Younger, Sadness	−0.429	0.142	36	−3.013	−1.137	.132

Note. P-value adjusted for comparing a family of 28 estimates.
Note. Results are averaged over the levels of: Sex

Post Hoc Comparisons - Sex ✻ Emotion

		Mean Difference	SE	df	t	Cohen's d	p_{bonf}
Female, Anger	Male, Anger	0.055	0.124	36	0.442	0.145	1.000
	Female, Fear	−0.138	0.055	36	−2.516	−0.367	.461
	Male, Fear	0.071	0.124	36	0.572	0.188	1.000
	Female, Happiness	0.261	0.062	36	4.225	0.691	.004
	Male, Happiness	0.322	0.109	36	2.945	0.852	.158
	Female, Sadness	−0.182	0.062	36	−2.931	−0.482	.163
	Male, Sadness	-5.762×10^{-4}	0.132	36	−0.004	−0.002	1.000
Male, Anger	Female, Fear	−0.193	0.124	36	−1.554	−0.512	1.000
	Male, Fear	0.016	0.047	36	0.343	0.043	1.000
	Female, Happiness	0.206	0.104	36	1.988	0.545	1.000
	Male, Happiness	0.267	0.053	36	5.036	0.707	< .001
	Female, Sadness	−0.237	0.135	36	−1.756	−0.627	1.000
	Male, Sadness	−0.055	0.053	36	−1.037	−0.147	1.000
Female, Fear	Male, Fear	0.209	0.125	36	1.680	0.555	1.000
	Female, Happiness	0.399	0.062	36	6.465	1.057	< .001
	Male, Happiness	0.460	0.110	36	4.191	1.219	.005
	Female, Sadness	−0.044	0.062	36	−0.699	−0.116	1.000
	Male, Sadness	0.138	0.133	36	1.040	0.365	1.000
Male, Fear	Female, Happiness	0.190	0.104	36	1.824	0.503	1.000
	Male, Happiness	0.251	0.053	36	4.727	0.664	< .001
	Female, Sadness	−0.253	0.135	36	−1.872	−0.670	1.000
	Male, Sadness	−0.072	0.054	36	−1.334	−0.190	1.000
Female, Happiness	Male, Happiness	0.061	0.086	36	0.712	0.162	1.000
	Female, Sadness	−0.443	0.068	36	−6.492	−1.173	< .001
	Male, Sadness	−0.261	0.113	36	−2.306	−0.692	.755
Male, Happiness	Female, Sadness	−0.504	0.122	36	−4.142	−1.334	.006
	Male, Sadness	−0.322	0.059	36	−5.500	−0.854	< .001
Female, Sadness	Male, Sadness	0.182	0.142	36	1.274	0.481	1.000

Note. P-value adjusted for comparing a family of 28 estimates.
Note. Results are averaged over the levels of: Age_Group

Correlation of ES and CR with FER Accuracy and RT

Pearson's Correlations

			Pearson's r	p	Lower 95% CI	Upper 95% CI
ACC_Mean	–	ERQ Reappraisal items	−0.026	.873	−0.335	0.288
ACC_Mean	–	ERC Suppression items	0.255	.113	−0.062	0.525
ACC_Mean	–	RT_Mean	−0.230	.154	−0.505	0.088
ERQ Reappraisal items	–	ERC Suppression items	−0.077	.635	−0.380	0.240
ERQ Reappraisal items	–	RT_Mean	−0.086	.599	−0.387	0.232
ERC Suppression items	–	RT_Mean	0.112	.490	−0.206	0.409

* p < .05, ** p < .01, *** p < .001

Scatter plots

ACC_Mean vs. ERQ Reappraisal items



ACC_Mean vs. ERC Suppression items



ACC_Mean vs. RT_Mean



ERQ Reappraisal items vs. ERC Suppression items



ERQ Reappraisal items vs. RT_Mean



ERC Suppression items vs. RT_Mean



Correlation of Speed-Accuracy Tradeoff

Pearson's Correlations

			Pearson's r	p
RT_Mean	-	ACC_Mean	−0.230	.154

Scatter plots

RT_Mean vs. ACC_Mean



Linear Regression for CR Main Effects

Model Summary - ERQ Reappraisal items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.646	0.000	0	39	
M_1	0.230	0.053	−0.026	5.719	0.053	3	36	.575

Note. M_1 includes ACC_Mean, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	65.84	3	21.95	0.671	.575
	Residual	1,177.53	36	32.71		
	Total	1,243.38	39			

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	29.375	0.893		32.903	< .001	27.569	31.181
M_1	(Intercept)	27.324	12.170		2.245	.031	2.641	52.007
	ACC_Mean	2.927	14.126	0.035	0.207	.837	−25.721	31.575
	Age_Group (Younger)	1.506	1.832		0.822	.417	−2.210	5.222
	Sex (Male)	−2.115	1.871		−1.130	.266	−5.910	1.680

[a] Standardized coefficients can only be computed for continuous predictors.

Descriptives

	N	Mean	SD	SE
ERQ Reappraisal items	40	29.375	5.646	0.893
ACC_Mean	40	0.859	0.067	0.011

Linear Regression for ES Main Effects

Model Summary - ERC Suppression items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.385	0.000	0	39	
M_1	0.293	0.086	0.010	5.358	0.086	3	36	.350

Note. M_1 includes ACC_Mean, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	97.42	3	32.47	1.131	.350
	Residual	1,033.68	36	28.71		
	Total	1,131.10	39			

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	17.650	0.852		20.728	< .001	15.928	19.372
M_1	(Intercept)	−2.341	11.403		−0.205	.839	−25.467	20.786
	ACC_Mean	22.379	13.235	0.279	1.691	.099	−4.462	49.221
	Age_Group (Younger)	1.570	1.717		0.915	.366	−1.911	5.052
	Sex (Male)	−0.032	1.753		−0.018	.986	−3.587	3.524

[a] Standardized coefficients can only be computed for continuous predictors.

Descriptives

	N	Mean	SD	SE
ERC Suppression items	40	17.650	5.385	0.852
ACC_Mean	40	0.859	0.067	0.011

Linear Regression for CR Interaction with Age

Model Summary - ERQ Reappraisal items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.646	0.000	0	39	
M_1	0.230	0.053	−0.026	5.719	0.053	3	36	.575
M_2	0.264	0.070	−0.037	5.749	0.017	1	35	.432

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Age_Group

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	65.84	3	21.95	0.671	.575
	Residual	1,177.53	36	32.71		
	Total	1,243.38	39			
M_2	Regression	86.75	4	21.69	0.656	.626
	Residual	1,156.62	35	33.05		
	Total	1,243.38	39			

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Age_Group
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

							95% CI	
Model		Unstandardized	Standard Error	Standardized[a]	t	p	Lower	Upper
M_0	(Intercept)	29.375	0.893		32.903	< .001	27.569	31.181
M_1	(Intercept)	27.324	12.170		2.245	.031	2.641	52.007
	ACC_Mean	2.927	14.126	0.035	0.207	.837	−25.721	31.575
	Age_Group (Younger)	1.506	1.832		0.822	.417	−2.210	5.222
	Sex (Male)	−2.115	1.871		−1.130	.266	−5.910	1.680
M_2	(Intercept)	35.545	16.015		2.220	.033	3.034	68.057
	ACC_Mean	−6.564	18.546	−0.078	−0.354	.726	−44.214	31.086
	Age_Group (Younger)	−17.708	24.226		−0.731	.470	−66.889	31.473
	Sex (Male)	−2.063	1.882		−1.096	.280	−5.883	1.758
	ACC_Mean * Age_Group (Younger)	22.413	28.178		0.795	.432	−34.791	79.618

[a] Standardized coefficients can only be computed for continuous predictors.

Descriptives

	N	Mean	SD	SE
ERQ Reappraisal items	40	29.375	5.646	0.893
ACC_Mean	40	0.859	0.067	0.011

Linear Regression for ES Interaction with Age

Model Summary – ERC Suppression items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.385	0.000	0	39	
M_1	0.293	0.086	0.010	5.358	0.086	3	36	.350
M_2	0.330	0.109	0.007	5.367	0.023	1	35	.354

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Age_Group

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	97.42	3	32.47	1.131	.350
	Residual	1,033.68	36	28.71		
	Total	1,131.10	39			
M_2	Regression	122.89	4	30.72	1.067	.388
	Residual	1,008.21	35	28.81		
	Total	1,131.10	39			

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Age_Group
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

							95% CI	
Model		Unstandardized	Standard Error	Standardized[a]	t	p	Lower	Upper
M_0	(Intercept)	17.650	0.852		20.728	< .001	15.928	19.372
M_1	(Intercept)	−2.341	11.403		−0.205	.839	−25.467	20.786
	ACC_Mean	22.379	13.235	0.279	1.691	.099	−4.462	49.221
	Age_Group (Younger)	1.570	1.717		0.915	.366	−1.911	5.052
	Sex (Male)	−0.032	1.753		−0.018	.986	−3.587	3.524
M_2	(Intercept)	−11.414	14.952		−0.763	.450	−41.768	18.940
	ACC_Mean	32.854	17.315	0.409	1.897	.066	−2.297	68.006
	Age_Group (Younger)	22.777	22.618		1.007	.321	−23.140	68.695
	Sex (Male)	−0.089	1.757		−0.051	.960	−3.656	3.477
	ACC_Mean * Age_Group (Younger)	−24.738	26.308		−0.940	.354	−78.146	28.670

[a] Standardized coefficients can only be computed for continuous predictors.

Descriptives

	N	Mean	SD	SE
ERC Suppression items	40	17.650	5.385	0.852
ACC_Mean	40	0.859	0.067	0.011

Linear Regression for CR Interaction with Sex

Model Summary - ERQ Reappraisal items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.646	0.000	0	39	
M_1	0.230	0.053	−0.026	5.719	0.053	3	36	.575
M_2	0.238	0.057	−0.051	5.789	0.004	1	35	.712

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	65.84	3	21.95	0.671	.575
	Residual	1,177.53	36	32.71		
	Total	1,243.38	39			
M_2	Regression	70.49	4	17.62	0.526	.717
	Residual	1,172.88	35	33.51		
	Total	1,243.38	39			

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	29.375	0.893		32.903	< .001	27.569	31.181
M_1	(Intercept)	27.324	12.170		2.245	.031	2.641	52.007
	ACC_Mean	2.927	14.126	0.035	0.207	.837	−25.721	31.575
	Age_Group (Younger)	1.506	1.832		0.822	.417	−2.210	5.222
	Sex (Male)	−2.115	1.871		−1.130	.266	−5.910	1.680
M_2	(Intercept)	31.485	16.626		1.894	.067	−2.268	65.238
	ACC_Mean	−2.054	19.572	−0.024	−0.105	.917	−41.788	37.680
	Age_Group (Younger)	1.576	1.864		0.845	.404	−2.208	5.360
	Sex (Male)	−11.199	24.452		−0.458	.650	−60.840	38.441
	ACC_Mean ∗ Sex (Male)	10.595	28.434		0.373	.712	−47.129	68.320

[a] Standardized coefficients can only be computed for continuous predictors.

Descriptives

	N	Mean	SD	SE
ERQ Reappraisal items	40	29.375	5.646	0.893
ACC_Mean	40	0.859	0.067	0.011

Linear Regression for ES Interaction with Sex

Model Summary – ERC Suppression items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.385	0.000	0	39	
M_1	0.293	0.086	0.010	5.358	0.086	3	36	.350
M_2	0.331	0.110	0.008	5.364	0.024	1	35	.342

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	97.42	3	32.47	1.131	.350
	Residual	1,033.68	36	28.71		
	Total	1,131.10	39			
M_2	Regression	124.08	4	31.02	1.078	.382
	Residual	1,007.02	35	28.77		
	Total	1,131.10	39			

Note. M_1 includes ACC_Mean, Age_Group, Sex
Note. M_2 includes ACC_Mean, Age_Group, Sex, ACC_Mean:Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

							95% CI	
Model		Unstandardized	Standard Error	Standardized[a]	t	p	Lower	Upper
M_0	(Intercept)	17.650	0.852		20.728	< .001	15.928	19.372
M_1	(Intercept)	−2.341	11.403		−0.205	.839	−25.467	20.786
	ACC_Mean	22.379	13.235	0.279	1.691	.099	−4.462	49.221
	Age_Group (Younger)	1.570	1.717		0.915	.366	−1.911	5.052
	Sex (Male)	−0.032	1.753		−0.018	.986	−3.587	3.524
M_2	(Intercept)	7.620	15.406		0.495	.624	−23.656	38.896
	ACC_Mean	10.457	18.136	0.130	0.577	.568	−26.361	47.274
	Age_Group (Younger)	1.738	1.727		1.006	.321	−1.769	5.244
	Sex (Male)	−21.778	22.657		−0.961	.343	−67.775	24.219
	ACC_Mean ✻ Sex (Male)	25.363	26.347		0.963	.342	−28.124	78.850

[a] Standardized coefficients can only be computed for continuous predictors.

Descriptives

	N	Mean	SD	SE
ERC Suppression items	40	17.650	5.385	0.852
ACC_Mean	40	0.859	0.067	0.011

Exploratory: Linear Regression for CR and Anger FER

Model Summary - ERQ Reappraisal items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.646	0.000	0	39	
M_1	0.301	0.091	0.015	5.604	0.091	3	36	.324

Note. M_1 includes ACC_Anger, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	113.0	3	37.66	1.199	.324
	Residual	1,130.4	36	31.40		
	Total	1,243.4	39			

Note. M_1 includes ACC_Anger, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

							95% CI	
Model		Unstandardized	Standard Error	Standardized[a]	t	p	Lower	Upper
M_0	(Intercept)	29.375	0.893		32.903	< .001	27.569	31.181
M_1	(Intercept)	21.093	7.211		2.925	.006	6.468	35.718
	ACC_Anger	10.034	8.069	0.199	1.244	.222	−6.331	26.399
	Age_Group (Younger)	1.491	1.775		0.840	.406	−2.108	5.090
	Sex (Male)	−1.808	1.804		−1.002	.323	−5.466	1.851

[a] Standardized coefficients can only be computed for continuous predictors.

Exploratory: Linear Regression for CR and Fear FER

Model Summary - ERQ Reappraisal items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.646	0.000	0	39	
M_1	0.254	0.065	−0.013	5.684	0.065	3	36	.487

Note. M_1 includes ACC_Fear, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	80.22	3	26.74	0.828	.487
	Residual	1,163.16	36	32.31		
	Total	1,243.38	39			

Note. M_1 includes ACC_Fear, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	29.375	0.893		32.903	< .001	27.569	31.181
M_1	(Intercept)	23.696	8.923		2.656	.012	5.600	41.793
	ACC_Fear	7.119	10.186	0.122	0.699	.489	−13.539	27.777
	Age_Group (Younger)	1.647	1.822		0.904	.372	−2.048	5.343
	Sex (Male)	−2.506	1.941		−1.291	.205	−6.442	1.430

[a] Standardized coefficients can only be computed for continuous predictors.

Exploratory: Linear Regression for CR and Happiness FER

Model Summary - ERQ Reappraisal items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.646	0.000	0	39	
M_1	0.242	0.059	−0.020	5.702	0.059	3	36	.531

Note. M_1 includes ACC_Happiness, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	72.94	3	24.31	0.748	.531
	Residual	1,170.44	36	32.51		
	Total	1,243.38	39			

Note. M_1 includes ACC_Happiness, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	29.375	0.893		32.903	< .001	27.569	31.181
M_1	(Intercept)	36.514	13.194		2.767	.009	9.754	63.273
	ACC_Happiness	−7.163	14.007	−0.083	−0.511	.612	−35.571	21.245
	Age_Group (Younger)	1.542	1.815		0.850	.401	−2.139	5.222
	Sex (Male)	−1.960	1.832		−1.070	.292	−5.676	1.755

[a] Standardized coefficients can only be computed for continuous predictors.

Exploratory: Linear Regression for CR and Sadness FER

Model Summary - ERQ Reappraisal items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.646	0.000	0	39	
M_1	0.257	0.066	−0.012	5.679	0.066	3	36	.475

Note. M_1 includes ACC_Sadness, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	82.38	3	27.46	0.851	.475
	Residual	1,161.00	36	32.25		
	Total	1,243.37	39			

Note. M_1 includes ACC_Sadness, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	29.375	0.893		32.903	< .001	27.569	31.181
M_1	(Intercept)	33.222	4.857		6.841	< .001	23.372	43.072
	ACC_Sadness	−4.543	6.090	−0.125	−0.746	.461	−16.894	7.809
	Age_Group (Younger)	1.177	1.835		0.641	.525	−2.544	4.897
	Sex (Male)	−1.788	1.849		−0.967	.340	−5.538	1.961

[a] Standardized coefficients can only be computed for continuous predictors.

Exploratory: Linear Regression for ES and Anger FER

Model Summary - ERC Suppression items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.385	0.000	0	39	
M_1	0.352	0.124	0.051	5.247	0.124	3	36	.186

Note. M_1 includes ACC_Anger, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	139.9	3	46.65	1.694	.186
	Residual	991.2	36	27.53		
	Total	1,131.1	39			

Note. M_1 includes ACC_Anger, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

							95% CI	
Model		Unstandardized	Standard Error	Standardized[a]	t	p	Lower	Upper
M_0	(Intercept)	17.650	0.852		20.728	< .001	15.928	19.372
M_1	(Intercept)	2.771	6.752		0.410	.684	−10.923	16.466
	ACC_Anger	16.075	7.556	0.334	2.128	.040	0.751	31.399
	Age_Group (Younger)	1.197	1.662		0.720	.476	−2.173	4.567
	Sex (Male)	0.940	1.689		0.557	.581	−2.486	4.366

[a] Standardized coefficients can only be computed for continuous predictors.

Exploratory: Linear Regression for ES and Fear FER

Model Summary - ERC Suppression items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.385	0.000	0	39	
M_1	0.200	0.040	−0.040	5.493	0.040	3	36	.686

Note. M_1 includes ACC_Fear, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	45.05	3	15.02	0.498	.686
	Residual	1,086.05	36	30.17		
	Total	1,131.10	39			

Note. M_1 includes ACC_Fear, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	17.650	0.852		20.728	< .001	15.928	19.372
M_1	(Intercept)	8.348	8.622		0.968	.339	−9.138	25.835
	ACC_Fear	9.771	9.843	0.175	0.993	.327	−10.191	29.733
	Age_Group (Younger)	1.402	1.761		0.796	.431	−2.169	4.973
	Sex (Male)	−0.071	1.875		−0.038	.970	−3.874	3.732

[a] Standardized coefficients can only be computed for continuous predictors.

Exploratory: Linear Regression for ES and Happiness FER

Model Summary – ERC Suppression items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.385	0.000	0	39	
M_1	0.135	0.018	−0.064	5.554	0.018	3	36	.880

Note. M_1 includes ACC_Happiness, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	20.59	3	6.862	0.222	.880
	Residual	1,110.51	36	30.848		
	Total	1,131.10	39			

Note. M_1 includes ACC_Happiness, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	17.650	0.852		20.728	< .001	15.928	19.372
M_1	(Intercept)	11.486	12.852		0.894	.377	−14.579	37.552
	ACC_Happiness	5.640	13.644	0.069	0.413	.682	−22.032	33.311
	Age_Group (Younger)	1.055	1.768		0.597	.554	−2.530	4.640
	Sex (Male)	0.515	1.785		0.288	.775	−3.105	4.134

[a] Standardized coefficients can only be computed for continuous predictors.

Exploratory: Linear Regression for ES and Sadness FER

Model Summary - ERC Suppression items

Model	R	R^2	Adjusted R^2	RMSE	R^2 Change	df1	df2	p
M_0	0.000	0.000	0.000	5.385	0.000	0	39	
M_1	0.150	0.022	−0.059	5.542	0.022	3	36	.843

Note. M_1 includes ACC_Sadness, Age_Group, Sex

ANOVA

Model		Sum of Squares	df	Mean Square	F	p
M_1	Regression	25.29	3	8.430	0.274	.843
	Residual	1,105.81	36	30.717		
	Total	1,131.10	39			

Note. M_1 includes ACC_Sadness, Age_Group, Sex
Note. The intercept model is omitted, as no meaningful information can be shown.

Coefficients

Model		Unstandardized	Standard Error	Standardized[a]	t	p	95% CI Lower	95% CI Upper
M_0	(Intercept)	17.650	0.852		20.728	< .001	15.928	19.372
M_1	(Intercept)	14.220	4.740		3.000	.005	4.607	23.833
	ACC_Sadness	3.387	5.944	0.098	0.570	.572	−8.667	15.441
	Age_Group (Younger)	1.331	1.790		0.743	.462	−2.300	4.962
	Sex (Male)	0.390	1.804		0.216	.830	−3.269	4.049

[a] Standardized coefficients can only be computed for continuous predictors.