

AI: Strategy + Marketing (MGT 853)

AI and Customer Experience (Session 7)

Vineet Kumar

Yale School of Management
Spring 2025

Administrative Stuff

- 4/30: Guest Speaker: Pablo Romano
(Data Science / AI, NYT)

Administrative Stuff

- 4/30: Guest Speaker: Pablo Romano
(Data Science / AI, NYT)
- What option did the class choose?

Administrative Stuff

- 4/30: Guest Speaker: Pablo Romano (Data Science / AI, NYT)
- What option did the class choose?
- Project Presentations in 2 sessions:

Administrative Stuff

- 4/30: Guest Speaker: **Pablo Romano**
(Data Science / AI, NYT)
- What option did the class choose?
- Project Presentations in 2 sessions:
 - April 29 (4-5 groups) / May 1 (3-4 groups)

Administrative Stuff


- 4/30: Guest Speaker: **Pablo Romano**
(Data Science / AI, NYT)
- What option did the class choose?
- Project Presentations in 2 sessions:
 - April 29 (4-5 groups) / May 1 (3-4 groups)
 - Download new syllabus tonight – will announce on Canvas

Administrative Stuff

- 4/30: Guest Speaker: **Pablo Romano**
(Data Science / AI, NYT)
- What option did the class choose?
- Project Presentations in 2 sessions:
 - April 29 (4-5 groups) / May 1 (3-4 groups)
 - Download new syllabus tonight – will announce on Canvas

Administrative Stuff

- 4/30: Guest Speaker: **Pablo Romano**
(Data Science / AI, NYT)
- What option did the class choose?
- Project Presentations in 2 sessions:
 - April 29 (4-5 groups) / May 1 (3-4 groups)
 - Download new syllabus tonight – will announce on Canvas



Uber: Applying ML to Improve the Customer Pickup Experience

Uber Discussion – 1

- What is Uber's business problem?
 - Why is this an important problem?
 - To start solving a business problem, we need the following components:
 - (a) Define the problem (b) Identify metric (not accuracy) (c) Intervention and (d) Evidence of improvement ($\Delta \uparrow$)
- (How) can we do this without ML? (Can we just ask for pickup location? Address? Landmark?)
- Why do we think ML may help?
- We said that improving **pickup happiness** was the business goal. However, this depends on the type of person. The case mentions different **Personas**, let's do a deep dive into this idea of personas and (try) to identify what they care about. (Two sided Platform \implies need to worry about both riders and drivers.

Uber Discussion – 2

- What are the prediction problems that will help Uber solve business problem?
 - Persona – Multi-class classification problem (How do we validate?)
 - Pickup Location
 - What hypotheses could we have about the Pickup Location?
 - Do we have the y variable in the data? After the ride? Accurate?
 - Quality of Match between Rider (i) and Driver (j)
- What ML algorithms should we consider using?
- Do we observe happiness? No. So, should we use (U)nsupervised learning? Key Q is “Would it solve the business problem?”
- Proxy variable approach to solving this \implies converts this to (S)upervised Learning problem
 - What exactly is this **Proxy variable approach**?
 - How do we validate this?

Uber Discussion – 3

- What decisions / actions should Uber take to increase PQM? (Algorithm, Rider, Driver)
- How do we deal with Venue pickups?
 - Why do we care specifically about this?
 - What specific / additional challenges does this bring up?
 - How do we solve this?
- What data do we have for the X variables directly available?
- Which ones are not directly available in the data? Which can we feature engineer? Which do we have to obtain from third party sources? Which ones are passive versus active?

Uber Discussion – 4

- How do we measure value of the ML approach?
- Summarize the approach all the way from business problem to ML to back to business problem.
- Where have we used **human judgment** in Uber case?
- When should we use Semi-supervised Learning?
- How do we demonstrate value of ML in solving this problem?
 - Current approach (C), non-ML approach (T.A), ML approach (T.B)

Gaming in Learning (Adversarial Learning)

Beyond Transparency

- Researchers were comparing models for predicting likelihood of death for pneumonia patients in hospitals

Beyond Transparency

- Researchers were comparing models for predicting likelihood of death for pneumonia patients in hospitals
- Rule based learning indicated that patients with **Asthma** were less likely to die

Beyond Transparency

- Researchers were comparing models for predicting likelihood of death for pneumonia patients in hospitals
- Rule based learning indicated that patients with **Asthma** were less likely to die
- Puzzling from a medical perspective!

Beyond Transparency


- Researchers were comparing models for predicting likelihood of death for pneumonia patients in hospitals
- Rule based learning indicated that patients with **Asthma** were less likely to die
- Puzzling from a medical perspective!
- Why does this happen?

Beyond Transparency

- Researchers were comparing models for predicting likelihood of death for pneumonia patients in hospitals
- Rule based learning indicated that patients with **Asthma** were less likely to die
- Puzzling from a medical perspective!
- Why does this happen?

Beyond Transparency

- Researchers were comparing models for predicting likelihood of death for pneumonia patients in hospitals
- Rule based learning indicated that patients with **Asthma** were less likely to die
- Puzzling from a medical perspective!
- Why does this happen?



Gaming in Learning

- User browsing a retailer's website

Gaming in Learning

- User browsing a retailer's website
- Retailer observes a number of different behaviors X

Gaming in Learning

- User browsing a retailer's website
- Retailer observes a number of different behaviors X
- Wants to figure out which users to give a coupon to

Gaming in Learning

- User browsing a retailer's website
- Retailer observes a number of different behaviors X
- Wants to figure out which users to give a coupon to
- Specify this as a prediction problem $y = f(X)$

Gaming in Learning

- User browsing a retailer's website
- Retailer observes a number of different behaviors X
- Wants to figure out which users to give a coupon to
- Specify this as a prediction problem $y = f(X)$

Gaming in Learning

- User browsing a retailer's website
- Retailer observes a number of different behaviors X
- Wants to figure out which users to give a coupon to
- Specify this as a prediction problem $y = f(X)$

Customer Journeys Are Complex



Gaming in Learning

- User browsing a retailer's website
- Retailer observes a number of different behaviors X
- Wants to figure out which users to give a coupon to
- Specify this as a prediction problem $y = f(X)$

Customer Journeys Are Complex



So, what's the problem?

Uber Case Takeaways - 1

- First, understand the business problem before thinking through prediction / ML problem. Develop a plan to: (a) solve the business challenge, and (b) demonstrate that the plan worked

Uber Case Takeaways - 1

- First, understand the business problem before thinking through prediction / ML problem. Develop a plan to: (a) solve the business challenge, and (b) demonstrate that the plan worked
- Evaluate whether ML is the right approach. Consider non-ML approaches and see if ML has critical advantages. Need to understand the value of ML approach.

Uber Case Takeaways - 1

- First, understand the business problem before thinking through prediction / ML problem. Develop a plan to: (a) solve the business challenge, and (b) demonstrate that the plan worked
- Evaluate whether ML is the right approach. Consider **non-ML approaches** and see if ML has critical advantages. Need to understand the value of ML approach.
- **Supervised approach may not be easy. Consider using a Proxy variable in place.**

Uber Case Takeaways - 1

- First, understand the business problem before thinking through prediction / ML problem. Develop a plan to: (a) solve the business challenge, and (b) demonstrate that the plan worked
- Evaluate whether ML is the right approach. Consider **non-ML approaches** and see if ML has critical advantages. Need to understand the value of ML approach.
- Supervised approach may not be easy. Consider using a **Proxy variable** in place.
 - Why make this judgment call? Can we not use Unsupervised?

Uber Case Takeaways - 1

- First, understand the business problem before thinking through prediction / ML problem. Develop a plan to: (a) solve the business challenge, and (b) demonstrate that the plan worked
- Evaluate whether ML is the right approach. Consider **non-ML approaches** and see if ML has critical advantages. Need to understand the value of ML approach.
- Supervised approach may not be easy. Consider using a **Proxy variable** in place.
 - Why make this judgment call? Can we not use Unsupervised?
 - **What makes a good proxy? Can you prove it?**

Uber Case Takeaways - 2

- Semi-supervised learning can be a viable approach in many situations. Can validate the proxy connects to the immediate business objective by acquiring some data (often 5-10% may suffice)

Uber Case Takeaways - 2

- **Semi-supervised learning** can be a viable approach in many situations. Can validate the proxy connects to the immediate business objective by acquiring some data (often 5-10% may suffice)
- **Understand customer heterogeneity (personas or segments) and ensure that ML is working well for all**

Uber Case Takeaways - 2

- **Semi-supervised learning** can be a viable approach in many situations. Can validate the proxy connects to the immediate business objective by acquiring some data (often 5-10% may suffice)
- Understand **customer heterogeneity (personas or segments)** and ensure that ML is working well for all
 - Does a rider always have a single persona? What about driver?

Uber Case Takeaways - 2

- **Semi-supervised learning** can be a viable approach in many situations. Can validate the proxy connects to the immediate business objective by acquiring some data (often 5-10% may suffice)
- Understand **customer heterogeneity (personas or segments)** and ensure that ML is working well for all
 - Does a rider always have a single persona? What about driver?
 - And ***not*** making things worse for some segments

Uber Case Takeaways - 2

- **Semi-supervised learning** can be a viable approach in many situations. Can validate the proxy connects to the immediate business objective by acquiring some data (often 5-10% may suffice)
- Understand **customer heterogeneity (personas or segments)** and ensure that ML is working well for all
 - Does a rider always have a single persona? What about driver?
 - And *not* making things worse for some segments
- Even after all this, link between business objective (pickup happiness) and ultimate top (R) or bottom line (Π) may be unclear.

Uber Case Takeaways - 2

- **Semi-supervised learning** can be a viable approach in many situations. Can validate the proxy connects to the immediate business objective by acquiring some data (often 5-10% may suffice)
- Understand **customer heterogeneity (personas or segments)** and ensure that ML is working well for all
 - Does a rider always have a single persona? What about driver?
 - And *not* making things worse for some segments
- Even after all this, link between business objective (**pickup happiness**) and ultimate top (R) or bottom line (Π) may be unclear.
 - Need to do a controlled experiment to demonstrate this link.