

VINEET

1. UNORDERED LIST

HTML

```
<head>

<meta charset="UTF-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Document</title>
<link rel="stylesheet" href="./unoderd list.css"
<body>
  <section class="hero-section">
    <nav class="navbar">
<style>
  ul.a {
    list-style-type: square;
  }
</style>
<u><h2 style="color: rgb(8, 4, 250);">UNORDERED LIST</h2></u>
<i>
  <font size="5">
<ul class="a">
  <li><a0 href="#">LION</a0></li>
  <li><a1 href="#">TIGER</a1></li>
  <li><a2 href="#">GOAT</a2></li>
  <li><a3 href="#">COW</a3></li>
  <li><a4 href="#">DOG</a4></li>
</ul>
</i>
</nav>
</section>
</body>
</html>
```

CSS

```
.hero-section {  
background-color:lightblue;  
}  
  
.navbar ul li a0 {  
color:rgba(241, 238, 9, 0.938);  
}  
  
.navbar ul li a1 {  
color:rgba(236, 12, 12, 0.959);  
}  
  
.navbar ul li a2 {  
color:rgba(243, 11, 135, 0.986);  
}  
  
.navbar ul li a3 {  
color:rgba(235, 11, 243, 0.973);  
}  
  
.navbar ul li a4 {  
color:rgba(240, 71, 10, 0.904);  
}
```

UNORDERED LIST

- *LION*
- *TIGER*
- *GOAT*
- *COW*
- *DOG*

2. TIME TABLE

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="./table.css";
  <title>TIME TABLE</title>
</head>
<body>
  <section class="hero-section">
<H1><FONT COLOR="purple"><CENTER><u>COLLEGE TIME TABLE</u></FONT></H1>
<br>
<table border="2" cellspacing="3" align="center" bordercolor="brown">
<tr>
  <td align="center">DAY</td>
  <td>9:30-10:10</td>
  <td>10:20-11:00</td>
  <td>11:10-11:50</td>
  <td>12:00-12:40</td>
  <td>12:40-1:20</td>
  <td>1:20-2:00</td>
  <td>2:10-2:50</td>
</tr>
<tr>
  <td align="center">DAY 1</td>
  <td align="center"><font color="green">JAVA(AS)<br></td>
  <td align="center"><font color="blue">OS(AR)<br></td>
  <td align="center"><font color="deeppink">MATHS<br></td>
  <td align="center"><font color="red">WD(MR)<br></td>
  <td rowspan="6" align="center">L<br>U<br>N<br>C<br>H</td>
  <td colspan="2" align="center"><font color="maroon">JAVA LAB(AS)<br></td>
</tr>
<tr>
  <td align="center">DAY 2</td>
  <td align="center"><font color="blue">MATHS<br></td>
  <td align="center"><font color="red">WD(MR)<br></td>
  <td align="center"><font color="deeppink">JAVA(AS)<br></td>
```

```

<td align="center"><font color="yellow">OS(AR)<br></td>
<td colspan="2" align="center"><font color="orange">JAVA LAB(AS)<br></td>
</tr>
<tr>
<td align="center">DAY 3</td>
<td colspan="2" align="center"><font color="deeppink">OS LAB(AR)<br></td>
<td align="center"><font color="orange">JAVA(AS)<br></td>
<td align="center"><font color="brown">OS(AR)<br></td>
<td align="center"><font color="deepgrey">VAE<br></td>
<td align="center"><font color="green"> WD(MR)</td>
</tr>
<tr>
<td align="center">DAY 4</td>
<td colspan="2" align="center"><font color="brown">WD LAB(MR)<br></td>
<td align="center"><font color="orange">MATHS<br></td>
<td align="center"><font color="green">VAE<br></td>
<td colspan="2" align="center"><font color="blue">OS LAB(AR)<br></td>
</tr>
<tr>
<td align="center">DAY 5</td>
<td align="center"><font color="orange">OS(AR)<br></td>
<td align="center"><font color="maroon">MATHS<br></td>
<td colspan="2" align="center"><font color="blue">WD LAB(MR)<br></td>
<td align="center"><font color="deeppink">WD(MR)<br></td>
<td align="center"><font color="brown">JAVA(AS)<br></td>
</tr>
</table>
</section>
</body>
</html>

```

CSS

```

.hero-section {
  background: lightgrey;
}

```

COLLEGE TIME TABLE

DAY	9:30-10:10	10:20-11:00	11:10-11:50	12:00-12:40	12:40-1:20	1:20-2:00	2:10-2:50
DAY 1	JAVA(AS)	OS(AR)	MATHS	WD(MR)	L U N C H	JAVA LAB(AS)	
DAY 2	MATHS	WD(MR)	JAVA(AS)	OS(AR)		JAVA LAB(AS)	
DAY 3	OS LAB(AR)		JAVA(AS)	OS(AR)		VAE	WD(MR)
DAY 4	WD LAB(MR)		MATHS	VAE		OS LAB(AR)	
DAY 5	OS(AR)	MATHS	WD LAB(MR)			WD(MR)	JAVA(AS)

3. RECIPE WEBSITE

HTML

```
<!doctype html>
<html>

<head>
  <meta http-equiv="Content-Type" content="text/html; charset=euc-kr">
  <title>Recipe Website</title>
  <meta name="viewport" content="width=device-width, initial-scale=1" />
  <link rel="stylesheet" href="recipi.css"
</head>
<body style="background-color: greenyellow;">
  <h1 style="color: coral;">Cheddar Ranch Popcorn Chicken Recipe</h1>

  <h3 style="color: darkblue;">Serving 4 person</h3>

  <p>
    <a href="https://www.youtube.com/watch?v=f_RwyVgKNBk"></a>
  </p>
```

```

<hr>

<h2 style="color: darkmagenta;">Ingredients</h2>

<ul>

    <li>2 chicken breasts</li>
    <li>2 cups buttermilk</li>
    <li>1 packet ranch dressing mix</li>
    <li>2 cups cheese crackers</li>
    <li>Oil for frying</li>

</ul>

<hr>

<h2 style="color: rgb(67, 8, 228);">Preparation</h2>

<ol>

    <li>Chop chicken breasts into bite-size pieces.</li>
    <li>In a large bowl, combine chicken, buttermilk, and ranch packet
, and refrigerate for 2 hours.</li>
    <li>In a large ziplock bag, crumble the cheese crackers into desir
ed crumbs (to replace bread crumbs).</li>
    <li>Place cracker crumbs into a medium bowl and coat each piece of
chicken until fully covered.</li>
    <li>Heat oil to 350&deg;F/175&deg;C and fry chicken until crackers
turn golden brown (3 minutes).</li>
    <li>Place on a paper towel to dry.</li>
    <li>Enjoy with a side of ranch or any sauce!</li>

</ol>

<hr>

<h2 style="color: maroon;">Follow the Video</h2>

<iframe width="560" height="315" src="https://www.youtube.com/embed/f_
RwyVgKNBk" frameborder="0" allowfullscreen></iframe>

<hr>

<table>

```

```
<thead>

  <tr>

    <th style="color: teal;">Ingredients</th>
    <th style="color: deeppink;">Calories</th>

  </tr>

</thead>

<tbody>

  <tr>

    <td>chicken breast</td>
    <td>300</td>

  </tr>

  <tr>

    <td>buttermilk</td>
    <td>200</td>

  </tr>

  <tr>

    <td>ranch dressing</td>
    <td>600</td>

  </tr>

  <tr>

    <td>cheese crackers</td>
    <td>1000</td>

  </tr>

  <tr>
```



```

        <td>canola oil</td>
        <td>500</td>

    </tr>

    <tr>

        <td><em>TOTAL</em></td>
        <td><em>2600</em></td>

    </tr>

</tbody>

</table>

<p>That's about 650 calories per person in this recipe.</p>

<hr>

<form action="https://www.youtube.com/channel/UCJFp8uSYCjXOMnkUyb3CQ3Q
/videos">

    <h3 style="color: deepskyblue;">Want to find more <em>Tasty</em> r
ecipes?</h3>
    <div class="card_buttons">

        <p><input type="submit" value="Click Here!"></p>

    </div>
</form>

</body>

</html>

```

CSS

```

.card_buttons {
    text-decoration: none;
    padding: 8px 2px;
    border-radius: 5px;
    font-size: 1px;
}

```

Cheddar Ranch Popcorn Chicken Recipe

Serving 4 person



Ingredients

- 2 chicken breasts
- 2 cups buttermilk
- 1 packet ranch dressing mix
- 2 cups cheese crackers
- Oil for frying

Preparation

1. Chop chicken breasts into bite-size pieces.
2. In a large bowl, combine chicken, buttermilk, and ranch packet, and refrigerate for 2 hours.
3. In a large ziplock bag, crumble the cheese crackers into desired crumbs (to replace bread crumbs).
4. Place cracker crumbs into a medium bowl and coat each piece of chicken until fully covered.
5. Heat oil to 350°F/175°C and fry chicken until crackers turn golden brown (3 minutes).
6. Place on a paper towel to dry.
7. Enjoy with a side of ranch or any sauce!

Follow the Video



Ingredients	Calories
chicken breast	300
buttermilk	200
ranch dressing	600
cheese crackers	1000
canola oil	500
TOTAL	2600

That's about 650 calories per person in this recipe.

Want to find more *Tasty* recipes?

[Click Here!](#)

4. PRODUCT LANDING PAGE

HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Product Landing Page</title>
  <link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;700&
display=swap" rel="stylesheet">
  <link rel="stylesheet" href="./product landing page style.css">
</head>
<body>
  <section class="hero-section">
    <nav class="navbar">
      <h1>KFC</h1>
      <ul>
        <li><a href="#">Home</a></li>
        <li><a href="#">About</a></li>
        <li><a href="#">Contact</a></li>
      </ul>
    </nav>
    <div class="hero-text">
      <h2>Best burgers in the world</h2>
      <p>Tastiest burger you will ever taste</p>
      <a>Order Now</a>
    </div>
  </section>
</body>
</html>
```

CSS

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

:root {
  --text: 1.5rem;
  --head: calc(1rem + 5vw);
  --bg-color: #e99a08;
}

body {
  font-family: 'Poppins', sans-serif;
}

.hero-section{
  min-height: 100vh;
  background: url(https://images.unsplash.com/photo-1571091655789-405eb7a3a3a8?ixlib=rb-1.2.1&ixid=MnwxMjA3fDB8MHxwaG90by1wYWdlfHx8fGVufDB8fHx8&auto=format&fit=crop&w=1952&q=80);
  background-repeat: no-repeat;
  background-size: cover;
  background-position: center;
  position: relative;
  z-index: 2;
}

.navbar{
  display: flex;
  justify-content: space-between;
  align-items: center;
  height: 10vh;
  padding: 0rem 1.5rem;
  color: white;
}

.navbar ul{
  list-style: none;
}

.navbar ul li{
```

```

    display:inline-block;
    margin-left: 3rem;
    font-size: var(--text);
}

.navbar ul li a{
    text-decoration: none;
    color:rgb(14, 240, 63);
}

.navbar ul li a:hover {
    border-bottom: 2px solid rgb(218, 12, 12);
}

.hero-text {
    color:white;
    height: 90vh;
    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
}

.hero-text::before{
    content: "";
    position: absolute;
    width: 100%;
    height: 100%;
    background: black;
    z-index: -1;
    top: 0;
    opacity: 0.5;
}

.hero-text a {
    color:white;
    background: var(--bg-color);
    font-weight: 900;
    font-size: var(--text);
    padding: 0.8rem 1rem;
    margin: 0.8rem auto;
}

```

```
display: block;
transition: opacity 250ms linear;
}

.hero-text a:hover {
  opacity: 0.8;
}

.hero-text h2{
  font-size: var(--head);
}

.hero-text p {
  font-size: 2rem;
}
```

