

Table of Contents

1. Searched Case expression.....	1
1.1. Return type consistency.....	2
1.2. Including other functions	4
2. Simple Case expression.....	7

The Case expressions are used to perform selection logic. The case expression is part of standard SQL and corresponds closely to selection logic found in most programming languages. The case expression is not a function but it is a bit more complex than the simpler expressions we used in earlier units.

1. Searched Case expression

The searched Case expression requires a logical expression to be evaluated at each WHEN clause.

All of the return expressions must have the same data type or be capable of being cast implicitly to the case of the first argument.

You can use a variety of tests- In lists, Between, wildcard tests and you can mix the tests in a single case expression. You can nest case expressions.

Demo 01: We want to give customers a 5% savings for each pet supply item, 5% for each sporting goods item and 10% for each appliance. As a first step we will determine the percent to apply to the price.

```
select  catg_id, prod_id, prod_list_price
, CASE
    WHEN catg_id = 'PET'   THEN 0.95
    WHEN catg_id = 'SPG'   THEN 0.95
    WHEN catg_id = 'APL'   THEN 0.90
    ELSE 1
  END as "Price Multiplier"
from a_prd.products
order by catg_id;
```

selected rows

catg_id	prod_id	prod_list_price	Price Multiplier
APL	1120	549.99	0.90
APL	1125	500.00	0.90
HW	1080	25.00	1
HW	1090	149.99	1
HW	1110	49.99	1
PET	1150	4.99	0.95
PET	1152	55.00	0.95
SPG	1010	150.00	0.95
SPG	1030	29.95	0.95

Demo 02: We can use that calculated percent to determine the sales price

```
select  catg_id, prod_id, prod_list_price
, CASE
    WHEN catg_id = 'PET'   THEN 0.95
    WHEN catg_id = 'SPG'   THEN 0.95
    WHEN catg_id = 'APL'   THEN 0.90
    ELSE 1
  END * prod_list_price AS "Today's Price"
from a_prd.products
order by catg_id;
```

selected rows

catg_id	prod_id	prod_list_price	Today's Price
APL	1120	549.99	494.9910
APL	1125	500.00	450.0000
HW	1080	25.00	25.0000
HW	1090	149.99	149.9900
HW	1100	49.99	49.9900
HW	1110	49.99	49.9900
HW	1160	149.99	149.9900
PET	1142	2.50	2.3750
PET	1150	4.99	4.7405
PET	1151	14.99	14.2405
PET	1152	55.00	52.2500
SPG	1010	150.00	142.5000
SPG	1030	29.95	28.4525
SPG	1060	255.95	243.1525

Demo 03: You should include an Else clause unless you are certain that all possible values are handled. Here I have removed the else clause and products which do not fall into one of the three categories tested, get a value of null from the case expression and therefore have a null value for the last column. This does not follow the business rule of demo 01

```
select  catg_id, prod_id, prod_list_price
, CASE
    WHEN catg_id = 'PET' THEN 0.95
    WHEN catg_id = 'SPG' THEN 0.95
    WHEN catg_id = 'APL' THEN 0.90
    END * prod_list_price AS "Today's Price"
from a_prd.products
order by catg_id
;
```

catg_id	prod_id	prod_list_price	Today's Price
APL	1120	549.99	494.9910
APL	1130	149.99	134.9910
APL	4569	349.95	314.9550
APL	1125	500.00	450.0000
APL	1126	850.00	765.0000
GFD	5001	5.00	NULL
GFD	5000	12.50	NULL
HD	5002	23.00	NULL
HD	5008	12.50	NULL
HD	5004	15.00	NULL

1.1. Return type consistency

MySQL is a bit more robust than some of the other dbms. Suppose you run the following query; The case expression says that for catg_id of 'PET', 'SPG' and 'APL' we are returning a number and for other categories we are returning a string. In many dbms you would have a problem (an error) since the return type of the expression is not consistent. MySQL continues the query execution and based on the alignment in this client it is returning a string for that column.

Demo 04:

```

select  catg_id, prod_id, prod_list_price
, CASE
    WHEN catg_id ='PET'    THEN 0.95
    WHEN catg_id ='SPG'    THEN 0.95
    WHEN catg_id ='APL'    THEN 0.90
    ELSE  'no discount'
  END  "Savings %"
from a_prd.products
order by catg_id
;

```

catg_id	prod_id	prod_list_price	Savings %
APL	1120	549.99	0.90
APL	1130	149.99	0.90
APL	4569	349.95	0.90
APL	1125	500.00	0.90
APL	1126	850.00	0.90
GFD	5001	5.00	no discount
GFD	5000	12.50	no discount
HD	5002	23.00	no discount
HD	5008	12.50	no discount

Now go one step further and multiply that case expression by the list price to get Today's Price as we did in a previous query. The result does not show the last column as null (as before) it shows that today all of these items are FREE! (I think you might have just lost your job.)

Demo 05: Note that we do get warnings. This is a warning of an error you need to correct.

```

select  catg_id, prod_id, prod_list_price
, CASE
    WHEN catg_id ='PET'    THEN 0.95
    WHEN catg_id ='SPG'    THEN 0.95
    WHEN catg_id ='APL'    THEN 0.90
    ELSE  'no discount'
    END  * prod_list_price as "Today's Price"
from a_prd.products
order by catg_id
;

```

catg_id	prod_id	prod_list_price	Today's Price
APL	1120	549.99	494.991000000000004
APL	1130	149.99	134.991
APL	4569	349.95	314.955
APL	1125	500.00	450
APL	1126	850.00	765
GFD	5001	5.00	0
GFD	5000	12.50	0
HD	5002	23.00	0

Warning (Code 1292): Truncated incorrect DOUBLE value: 'no discount'
Warning (Code 1292): Truncated incorrect DOUBLE value: 'no discount'

You could add another column for the no discount message.

catg_id	prod_id	prod_list_price	Today's Price %
APL	1120	549.99	494.99
APL	1130	149.99	134.99

APL	4569	349.95	314.96	
APL	1125	500.00	450.00	
APL	1126	850.00	765.00	
GFD	5001	5.00	5.00	no discount
GFD	5000	12.50	12.50	no discount
HD	5002	23.00	23.00	no discount
HD	5008	12.50	12.50	no discount
HD	5004	15.00	15.00	no discount
HD	5005	45.00	45.00	no discount
HW	1100	49.99	49.99	no discount
MUS	2412	9.87	9.87	no discount
MUS	2746	14.50	14.50	no discount

Why did that happen? Because that is the way that MySQL works- every dbms has some oddities. MySQL tries to cast the strings to numbers when it does the multiplication but when it cannot do the cast, it treats the string as a 0 value.

```
select 'abc', 'abc' * 25;
+-----+-----+
| abc | 'abc' * 25 |
+-----+-----+
| abc |          0 |
+-----+-----+
1 row in set, 1 warning (0.00 sec)
Warning (Code 1292): Truncated incorrect DOUBLE value: 'abc'
```

1.2. Including other functions

Demo 06: We can then include the round function to improve the format. Or you could use the To_char formatting function.

```
select catg_id, prod_id, prod_list_price
, Round(
  CASE
    WHEN catg_id = 'PET' THEN 0.95
    WHEN catg_id = 'SPG' THEN 0.95
    WHEN catg_id = 'APL' THEN 0.90
  ELSE 1
  END * prod_list_price, 2 ) AS "Today's Price"
from a_prd.products
order by catg_id;
```

select ed rows

catg_id	prod_id	prod_list_price	Today's Price
APL	1120	549.99	494.99
APL	1125	500.00	450.00
HW	1080	25.00	25.00
HW	1090	149.99	149.99
HW	1110	49.99	49.99
PET	1142	2.50	2.38
PET	1150	4.99	4.74
PET	1151	14.99	14.24
PET	1152	55.00	52.25
SPG	1010	150.00	142.50
SPG	1030	29.95	28.45

In the next example we want the discount to apply only to products with a list price of \$50 or higher. The first When clause with a true value determines the result.

Demo 07: The first When clause with a true value determines the result. Items with prices under \$50 are not considered for a discount.

```
select  catg_id, prod_id, prod_list_price
, CASE
    WHEN prod_list_price < 50 THEN 1
    WHEN catg_id = 'PET'   THEN 0.95
    WHEN catg_id = 'SPG'   THEN 0.95
    WHEN catg_id = 'APL'   THEN 0.90
    ELSE 1
  END * prod_list_price AS "Today's Price"
from a_prd.products
order by catg_id;
```

Selected rows

catg_id	prod_id	prod_list_price	Today's Price
APL	1120	549.99	494.9910
APL	1125	500.00	450.0000
HW	1080	25.00	25.0000
HW	1090	149.99	149.9900
HW	1100	49.99	49.9900
HW	1110	49.99	49.9900
PET	1142	2.50	2.5000
PET	1150	4.99	4.9900
PET	1152	55.00	52.2500
SPG	1010	150.00	142.5000
SPG	1030	29.95	29.9500
SPG	1060	255.95	243.1525

The next case structure looks daunting in code but look at the output first. With appliances we merely report back that this is an appliance item. With pet supplies and sporting good we break these down into cost categories (high, low, medium). The break points for sporting goods and pet supplies are different. For all other categories we do not report anything.

The outer case structure is based on the category id- there is a block for PET, another block for SPG, a third block for APL and no Else block. Items which do not fit in one of these categories do not get a block and the case returns a null. When you develop this code you should write and test the outer case structure first.

The inner case structure for PET and the inner case structure for SPG are based on the prod_list_price

Demo 08: –A nested Case structure. prd_products

```
select  catg_id, prod_id, prod_list_price
, CASE
    WHEN catg_id = 'PET'   THEN
      CASE
        WHEN prod_list_price < 10 THEN 'LowCost pet item'
        ELSE 'HighCost pet item'
      END
    WHEN catg_id = 'SPG'   THEN
      CASE
        WHEN prod_list_price < 25 THEN 'LowCost sports item'
        WHEN prod_list_price between 25 and 150 THEN 'MidCost sports item'
        ELSE 'HighCost sports item'
      END
    WHEN catg_id = 'APL'   THEN 'appliance item'
  END AS "Result"
from a_prd.products
order by prod_id
;
```

select ed rows

catg_id	prod_id	prod_list_price	Result
HW	1000	125.00	NULL
SPG	1010	150.00	MidCost sports item
SPG	1020	12.95	LowCost sports item
SPG	1030	29.95	MidCost sports item
SPG	1040	349.95	HighCost sports item
HW	1090	149.99	NULL
HW	1100	49.99	NULL
APL	1120	549.99	appliance item
APL	1130	149.99	appliance item
PET	1140	14.99	HighCost pet item
PET	1142	2.50	LowCost pet item
PET	1150	4.99	LowCost pet item
HW	1160	149.99	NULL
PET	4567	549.99	HighCost pet item
PET	4568	549.99	HighCost pet item
APL	4569	349.95	appliance item
HW	4575	49.95	NULL
PET	4577	29.95	HighCost pet item

If we want to display a message instead of the missing value, we can wrap a coalesce function around the entire case expression.: `Coalesce(CASE . . . END, 'No information available') as "Result"`

Demo 09: We have a look up table for the credit ratings. This is another approach. If the credit levels for the rating terms were to change frequently, the lookup table would be a better approach.

Note what is returned if the `credit_limit` is null.

```
select cust_id, credit_limit
, CASE
    WHEN credit_limit >= 10001 THEN 'Superior'
    WHEN credit_limit >= 5001  THEN 'Excellent'
    WHEN credit_limit >= 2001  THEN 'High'
    WHEN credit_limit >= 1001  THEN 'Good'
    ELSE 'Standard'
END AS Rating
from a_oe.customers
;
```

Selected rows

cust_id	credit_limit	Rating
400300	6000	Excellent
400801	750	Standard
401250	750	Standard
401890	1750	Good
402120	750	Standard
402500	NULL	Standard
403000	6000	Excellent
404150	3500	High
404180	3500	High
404890	1750	Good
404950	1750	Good
405000	NULL	Standard
408770	7500	Excellent

2. Simple Case expression.

MySQL has another version of the Case expression called a simple Case expression.

Demo 10: Simple case; only one attribute is being compared; the comparisons are all equality tests.

```
select  catg_id, prod_id, prod_list_price
, CASE catg_id
    WHEN 'PET'    THEN 0.95
    WHEN 'SPG'    THEN 0.95
    WHEN 'APL'    THEN 0.90
    ELSE 1
  END * prod_list_price AS "Today's Price"
from a_prd.products
;
```

Selected rows

catg_id	prod_id	prod_list_price	Today's Price
HW	1000	125.00	125.0000
SPG	1010	150.00	142.5000
SPG	1020	12.95	12.3025
HW	1110	49.99	49.9900
APL	1120	549.99	494.9910
APL	1125	500.00	450.0000
APL	1130	149.99	134.9910
PET	1140	14.99	14.2405
PET	1141	99.99	94.9905
APL	4569	349.95	314.9550

Demo 11: Organizing sales by season.

```
select  ord_id, date_format(ord_date, '%Y/%m/%d') AS OrderDate
, CASE quarter(ord_date)
    WHEN 1    THEN 'winter'
    WHEN 2    THEN 'spring'
    WHEN 3    THEN 'summer'
    WHEN 4    THEN 'fall'
  END AS "Season"
from a_oe.order_headers ;
```

Selected rows

ord_id	OrderDate	Season
129	2014/12/15	fall
130	2014/12/30	fall
223	2015/03/05	winter
301	2014/06/04	spring
302	2014/06/04	spring
303	2014/06/10	spring
413	2014/08/07	summer
414	2014/08/20	summer
415	2014/08/23	summer
519	2014/04/04	spring
520	2014/04/04	spring
522	2014/04/05	spring
523	2014/04/05	spring

Demo 12: Using a case to do a special sort. We want to sort the products by the categories but not alphabetically. The order we want to use is PET, SPG, APL, HW.

```
select  catg_id, prod_id, prod_list_price
from a_prd.products
order by CASE catg_id
          WHEN 'PET'   THEN 1
          WHEN 'SPG'   THEN 2
          WHEN 'APL'   THEN 3
          WHEN 'HW'    THEN 4
          ELSE 9999
        END,
        catg_id, prod_id;
```

selected rows

catg_id	prod_id	prod_list_price
PET	1140	14.99
PET	1141	99.99
PET	1142	2.50
PET	1150	4.99
PET	1151	14.99
SPG	1050	269.95
SPG	1060	255.95
APL	1120	549.99
APL	1125	500.00
APL	1126	850.00
HW	1000	125.00
HW	1070	25.50
HW	1071	25.50
GFD	5000	12.50
GFD	5001	5.00
HD	5002	23.00
HD	5004	15.00
HD	5005	45.00
HD	5008	12.50